

Data Path : Z:\VOASRV\HPCHEM1\MSVOA D\DATA\VD121818\
 Data File : VD060629.D
 Acq On : 18 Dec 2018 18:59
 Operator : VA/AP
 Sample : J6445-06RE
 Misc : 4.47g/5ml/MSVOA D/SOIL
 ALS Vial : 16 Sample Multiplier: 1

Instrument :
 MSVOA_D
 ClientSampleId :
 EB05_1.5-3.5RE

Quant Time: Dec 19 03:29:20 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_D\METHOD\82D120518S.M
 Quant Title : SW846 8260
 QLast Update : Thu Dec 06 01:49:20 2018
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	6.41	168	872434	50.00	ug/l	-0.01
34) 1,4-Difluorobenzene	7.43	114	1259428	50.00	ug/l	-0.02
63) Chlorobenzene-d5	11.28	117	956136	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.37	152	422086	50.00	ug/l	-0.01
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	6.78	65	448986	72.61	ug/l	-0.01
Spiked Amount 50.000			Recovery	=	145.22%	
35) Dibromofluoromethane	6.32	113	590624	63.85	ug/l	-0.01
Spiked Amount 50.000			Recovery	=	127.70%	
50) Toluene-d8	9.45	98	1666169	62.24	ug/l	-0.01
Spiked Amount 50.000			Recovery	=	124.48%	
62) 4-Bromofluorobenzene	12.42	95	506990	52.93	ug/l	-0.01
Spiked Amount 50.000			Recovery	=	105.86%	
Target Compounds						
16) Acetone	3.16	43	16696	16.844	ug/l	96
20) Methylene Chloride	3.72	84	61751	2.539	ug/l	97


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA D\DATA\VD121818\
Data File : VD060629.D
Acq On : 18 Dec 2018 18:59
Operator : VA/AP
Sample : J6445-06RE
Misc : 4.47g/5ml/MSVOA D/SOIL
ALS Vial : 16 Sample Multiplier: 1

Instrument :
MSVOA_D
ClientSampleId :
EB05_1.5-3.5RE

Quant Time: Dec 19 03:29:20 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_D\METHOD\82D120518S.M
Quant Title : SW846 8260
QLast Update : Thu Dec 06 01:49:20 2018
Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 50.000 ug/l

RT: 6.41 min Scan# 496

Delta R.T. -0.01 min

Lab File: VD060629.D

Acq: 18 Dec 2018 18:59

Instrument :

MSVOA_D

ClientSampleId :


EB05_1.5-3.5RE

Tot Ion:168 Resp: 872434

Ion Ratio Lower Upper

168 100

99 45.7 35.6 53.4



Abundance Ion 167.90 (167.60 to 168.60): V

Ion 98.95 (98.65 to 99.65): V

6.41

300000



200000

100000

0

6.30 6.40 6.50 6.60

Time-->



#16

Acetone

Concen: 16.844 ug/l

RT: 3.16 min Scan# 166

Delta R.T. -0.01 min

Lab File: VD060629.D


Acq: 18 Dec 2018 18:59

Tgt Ion: 43 Resp: 16696

Ion Ratio Lower Upper

43 100

58 19.8 17.3 25.9



Abundance Ion 42.95 (42.65 to 43.65): V

Ion 57.95 (57.65 to 58.65): V

3.16

5000

4000

3000


2000


1000

0

3.00 3.10 3.20 3.30

Time-->









#20
Methylene Chloride
Concen: 2.539 ug/l
RT: 3.72 min Scan# 223
Delta R.T. -0.01 min
Lab File: VD060629.D
Acq: 18 Dec 2018 18:59




Instrument :
MSVOA_D
ClientSampleId :
EB05_1.5-3.5RE


Tot Ion:	84	Resp:	61751
Ion	Ratio	Lower	Upper
84	100		
49	142.5	117.2	175.8
51	42.7	35.3	52.9
86	69.8	53.2	79.8



#33
1,2-Dichloroethane-d4
Concen: N.D. ug/l
RT: 6.78 min Scan# 534
Delta R.T. -0.01 min
Lab File: VD060629.D
Acq: 18 Dec 2018 18:59

Tgt Ion:	65	Resp:	448986
Ion	Ratio	Lower	Upper
65	100		
67	50.7	0.0	106.8









#34
 1,4-Difluorobenzene
 Concen: 50.000 ug/l
 RT: 7.43 min Scan# 600
 Delta R.T. -0.02 min
 Lab File: VD060629.D
 Acq: 18 Dec 2018 18:59




Instrument :
 MSVOA_D
 ClientSampleId :
 EB05_1.5-3.5RE


Tot Ion:114 Resp: 1259428
 Ion Ratio Lower Upper
 114 100
 63 19.5 0.0 34.2
 88 18.3 0.0 35.0



#35
 Dibromofluoromethane
 Concen: 50.000 ug/l
 RT: 6.32 min Scan# 487
 Delta R.T. -0.01 min
 Lab File: VD060629.D
 Acq: 18 Dec 2018 18:59

Tgt Ion:113 Resp: 590624
 Ion Ratio Lower Upper
 113 100
 111 102.2 80.2 120.4
 192 20.4 16.6 24.8





#50

Toluene-d8

Concen: N.D. ug/l

RT: 9.45 min Scan# 805

Delta R.T. -0.01 min

Lab File: VD060629.D

Acq: 18 Dec 2018 18:59

Instrument :

MSVOA_D

ClientSampleId :


EB05_1.5-3.5RE

Tot Ion: 98 Resp: 1666169

Ion Ratio Lower Upper

98 100

100 69.7 55.7 83.5



Abundance Ion 98.05 (97.75 to 98.75): VDC

Ion 100.05 (99.75 to 100.75): VDC

800000

600000



400000

200000

0

9.30 9.40 9.50 9.60

Time-->



#62

4-Bromofluorobenzene

Concen: N.D. ug/l

RT: 12.42 min Scan# 1107

Delta R.T. -0.01 min

Lab File: VD060629.D

Acq: 18 Dec 2018 18:59


Tgt Ion: 95 Resp: 506990

Ion Ratio Lower Upper

95 100

174 90.7 0.0 219.4

176 87.8 0.0 214.6



Abundance Ion 95.00 (94.70 to 95.70): VDC

Ion 173.90 (173.60 to 174.60): VDC

Ion 175.90 (175.60 to 176.60): VDC

500000

400000

300000


200000


100000

0

12.30 12.40 12.50 12.60

Time-->









#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 11.28 min Scan# 991
Delta R.T. -0.00 min
Lab File: VD060629.D
Acq: 18 Dec 2018 18:59

Instrument :
MSVOA_D
ClientSampleId :
EB05_1.5-3.5RE

Tot Ion:117 Resp: 956136
Ion Ratio Lower Upper
117 100
82 54.4 45.2 67.8
119 33.2 26.1 39.1




Abundance Ion 116.95 (116.65 to 117.65): V
Ion 82.05 (81.75 to 82.75): V
Ion 118.95 (118.65 to 119.65): V



#72
1,4-Dichlorobenzene-d4
Concen: 50.000 ug/l
RT: 13.37 min Scan# 1203
Delta R.T. -0.01 min
Lab File: VD060629.D
Acq: 18 Dec 2018 18:59

Tgt Ion:152 Resp: 422086
Ion Ratio Lower Upper
152 100
115 53.2 24.6 74.0
150 155.4 0.0 309.0



Abundance Ion 151.90 (151.60 to 152.60): V
Ion 115.00 (114.70 to 115.70): V
Ion 149.90 (149.60 to 150.60): V

