

Data Path : Z:\voasrv\HPCHEM1\MSVOA_D\Data\VD012721\
 Data File : VD068210.D
 Acq On : 27 Jan 2021 20:45
 Operator : VA/SY
 Sample : VSTDCCC050
 Misc : 5.00G/5.00ml/MSVOA_D/SOIL
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 MSVOA_D
 LabSampleId :
 VSTDCCC050

Quant Time: Jan 28 00:00:06 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_D\Method\82D011921S.M
 Quant Title : SW846 8260
 QLast Update : Tue Jan 19 13:19:08 2021
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	55	0.00
2 T	Dichlorodifluoromethane	0.594	0.556	6.4	52	0.00
3 P	Chloromethane	0.640	0.741	-15.8	66	0.00
4 C	Vinyl Chloride	0.711	0.818	-15.0#	62	0.00
5 T	Bromomethane	0.488	0.560	-14.8	64	0.00
6 T	Chloroethane	0.435	0.533	-22.5	66	0.00
7 T	Trichlorofluoromethane	0.934	0.964	-3.2	56	0.00
8 T	Diethyl Ether	0.275	0.327	-18.9	65	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.545	0.573	-5.1	57	0.00
10 T	Methyl Iodide	0.527	0.578	-9.7	50	0.00
11 T	Tert butyl alcohol	0.065	0.042	35.4#	53	0.00
12 CM	1,1-Dichloroethene	0.548	0.588	-7.3#	58	-0.01
13 T	Acrolein	0.038	0.029	23.7	45#	0.00
14 T	Allyl chloride	0.797	0.877	-10.0	59	0.00
15 T	Acrylonitrile	0.109	0.134	-22.9	64	0.00
16 T	Acetone	0.085	0.107	-25.9#	66	0.00
17 T	Carbon Disulfide	1.764	1.832	-3.9	56	0.00
18 T	Methyl Acetate	0.222	0.335	-50.9#	81	0.00
19 T	Methyl tert-butyl Ether	1.266	1.505	-18.9	63	0.00
20 T	Methylene Chloride	0.684	0.784	-14.6	70	0.00
21 T	trans-1,2-Dichloroethene	0.629	0.696	-10.7	60	0.00
22 T	Diisopropyl ether	1.608	1.881	-17.0	62	0.00
23 T	Vinyl Acetate	0.857	0.988	-15.3	59	0.00
24 P	1,1-Dichloroethane	1.042	1.207	-15.8	62	0.00
25 T	2-Butanone	0.129	0.154	-19.4	64	0.00
26 T	2,2-Dichloropropane	0.986	1.006	-2.0	55	0.00
27 T	cis-1,2-Dichloroethene	0.683	0.809	-18.4	63	0.00
28 T	Bromochloromethane	0.355	0.391	-10.1	65	0.00
29 T	Tetrahydrofuran	0.083	0.099	-19.3	63	0.00
30 C	Chloroform	1.053	1.237	-17.5#	64	0.00
31 T	Cyclohexane	1.036	1.010	2.5	55	0.00
32 T	1,1,1-Trichloroethane	0.949	1.036	-9.2	59	0.00
33 S	1,2-Dichloroethane-d4	0.478	0.495	-3.6	60	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	58	0.00
35 S	Dibromofluoromethane	0.276	0.284	-2.9	61	0.00
36 T	1,1-Dichloropropene	0.504	0.517	-2.6	59	0.00
37 T	Ethyl Acetate	0.178	0.197	-10.7	63	0.00
38 T	Carbon Tetrachloride	0.472	0.487	-3.2	58	0.00
39 T	Methylcyclohexane	0.659	0.634	3.8	55	0.00
40 TM	Benzene	1.410	1.535	-8.9	62	0.00
41 T	Methacrylonitrile	0.108	0.109	-0.9	55	0.00
42 TM	1,2-Dichloroethane	0.377	0.423	-12.2	63	0.00
43 T	Isopropyl Acetate	0.372	0.400	-7.5	61	0.00
44 TM	Trichloroethene	0.387	0.407	-5.2	59	0.00
45 C	1,2-Dichloropropane	0.345	0.383	-11.0#	63	0.00
46 T	Dibromomethane	0.175	0.200	-14.3	63	0.00
47 T	Bromodichloromethane	0.472	0.526	-11.4	62	0.00
48 T	Methyl methacrylate	0.185	0.194	-4.9	58	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_D\Data\VD012721\
 Data File : VD068210.D
 Acq On : 27 Jan 2021 20:45
 Operator : VA/SY
 Sample : VSTDCCC050
 Misc : 5.00G/5.00ml/MSVOA_D/SOIL
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 MSVOA_D
 LabSampleId :
 VSTDCCC050

Quant Time: Jan 28 00:00:06 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_D\Method\82D011921S.M
 Quant Title : SW846 8260
 QLast Update : Tue Jan 19 13:19:08 2021
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
49 T	1,4-Dioxane	0.002	0.002	0.0	62	0.00
50 S	Toluene-d8	1.106	1.008	8.9	58	0.00
51 T	4-Methyl-2-Pentanone	0.173	0.199	-15.0	64	0.00
52 CM	Toluene	0.919	0.990	-7.7#	61	0.00
53 T	t-1,3-Dichloropropene	0.478	0.515	-7.7	60	0.00
54 T	cis-1,3-Dichloropropene	0.569	0.607	-6.7	61	0.00
55 T	1,1,2-Trichloroethane	0.248	0.282	-13.7	64	0.00
56 T	Ethyl methacrylate	0.330	0.368	-11.5	63	0.00
57 T	1,3-Dichloropropane	0.437	0.495	-13.3	63	0.00
58 T	2-Chloroethyl Vinyl ether	0.152	0.157	-3.3	62	0.00
59 T	2-Hexanone	0.120	0.135	-12.5	64	0.00
60 T	Dibromochloromethane	0.311	0.343	-10.3	62	0.00
61 T	1,2-Dibromoethane	0.245	0.271	-10.6	62	0.00
62 S	4-Bromofluorobenzene	0.398	0.371	6.8	57	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	60	0.00
64 T	Tetrachloroethene	0.352	0.353	-0.3	60	0.00
65 PM	Chlorobenzene	1.062	1.126	-6.0	62	0.00
66 T	1,1,1,2-Tetrachloroethane	0.374	0.394	-5.3	61	0.00
67 C	Ethyl Benzene	1.967	2.035	-3.5#	61	0.00
68 T	m/p-Xylenes	0.743	0.770	-3.6	61	0.00
69 T	o-Xylene	0.690	0.723	-4.8	62	0.00
70 T	Styrene	1.177	1.257	-6.8	62	0.00
71 P	Bromoform	0.189	0.201	-6.3	62	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	59	0.00
73 T	Isopropylbenzene	4.160	4.343	-4.4	60	0.00
74 T	N-amyl acetate	0.865	0.895	-3.5	59	0.00
75 P	1,1,2,2-Tetrachloroethane	0.662	0.749	-13.1	64	0.00
76 T	1,2,3-Trichloropropane	0.483	0.469	2.9	51	0.00
77 T	Bromobenzene	0.892	0.965	-8.2	62	0.00
78 T	n-propylbenzene	4.922	5.154	-4.7	61	0.00
79 T	2-Chlorotoluene	2.764	2.922	-5.7	61	0.00
80 T	1,3,5-Trimethylbenzene	3.465	3.586	-3.5	60	0.00
81 T	trans-1,4-Dichloro-2-butene	0.239	0.246	-2.9	59	0.00
82 T	4-Chlorotoluene	2.874	3.012	-4.8	61	0.00
83 T	tert-Butylbenzene	2.936	3.013	-2.6	58	0.00
84 T	1,2,4-Trimethylbenzene	3.439	3.587	-4.3	60	0.00
85 T	sec-Butylbenzene	4.107	4.243	-3.3	60	0.00
86 T	p-Isopropyltoluene	3.736	3.844	-2.9	59	0.00
87 T	1,3-Dichlorobenzene	1.715	1.825	-6.4	61	0.00
88 T	1,4-Dichlorobenzene	1.690	1.787	-5.7	61	0.00
89 T	n-Butylbenzene	3.585	3.677	-2.6	59	0.00
90 T	Hexachloroethane	0.675	0.712	-5.5	59	0.00
91 T	1,2-Dichlorobenzene	1.469	1.591	-8.3	61	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.108	0.116	-7.4	61	0.00
93 T	1,2,4-Trichlorobenzene	1.007	1.058	-5.1	60	0.00
94 T	Hexachlorobutadiene	0.558	0.554	0.7	57	0.00
95 T	Naphthalene	1.888	2.072	-9.7	63	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_D\Data\VD012721\
Data File : VD068210.D
Acq On : 27 Jan 2021 20:45
Operator : VA/SY
Sample : VSTDCCC050
Misc : 5.00G/5.00ml/MSVOA_D/SOIL
ALS Vial : 15 Sample Multiplier: 1

Instrument :
MSVOA_D
LabSampleId :
VSTDCCC050

Quant Time: Jan 28 00:00:06 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_D\Method\82D011921S.M
Quant Title : SW846 8260
QLast Update : Tue Jan 19 13:19:08 2021
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
96 T	1,2,3-Trichlorobenzene	0.849	0.903	-6.4	61	0.00

(#) = Out of Range SPCC's out = 0 CCC's out = 6