

Data Path : Z:\voasrv\HPCHEM1\MSVOA_D\Data\VD042822\
 Data File : VD072719.D
 Acq On : 28 Apr 2022 11:29
 Operator : VA/SY
 Sample : VSTDCCC050
 Misc : 5.00G/5.00ml/MSVOA_D/SOIL
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_D
 LabSampleId :
 VSTDCCC050

Quant Time: Apr 29 01:20:22 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_D\Method\82D042722S.M
 Quant Title : SW846 8260
 QLast Update : Wed Apr 27 16:01:06 2022
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	99	0.00
2 T	Dichlorodifluoromethane	0.681	0.660	3.1	115	0.00
3 P	Chloromethane	0.770	0.717	6.9	110	0.00
4 C	Vinyl Chloride	0.694	0.665	4.2#	113	0.00
5 T	Bromomethane	0.448	0.427	4.7	110	0.00
6 T	Chloroethane	0.421	0.398	5.5	110	0.00
7 T	Trichlorofluoromethane	1.110	1.103	0.6	118	0.00
8 T	Diethyl Ether	0.329	0.308	6.4	104	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.633	0.636	-0.5	118	0.00
10 T	Methyl Iodide	0.675	0.706	-4.6	116	0.00
11 T	Tert butyl alcohol	0.064	0.060	6.3	133	-0.02
12 CM	1,1-Dichloroethene	0.592	0.600	-1.4#	117	0.00
13 T	Acrolein	0.056	0.053	5.4	106	0.00
14 T	Allyl chloride	1.003	1.009	-0.6	115	0.00
15 T	Acrylonitrile	0.153	0.147	3.9	104	0.00
16 T	Acetone	0.130	0.137	-5.4	113	0.00
17 T	Carbon Disulfide	1.989	1.974	0.8	113	0.00
18 T	Methyl Acetate	0.375	0.348	7.2	105	0.00
19 T	Methyl tert-butyl Ether	1.484	1.438	3.1	104	0.00
20 T	Methylene Chloride	1.402	0.718	48.8#	84	0.00
21 T	trans-1,2-Dichloroethene	0.699	0.679	2.9	112	0.00
22 T	Diisopropyl ether	2.164	2.124	1.8	106	0.00
23 T	Vinyl Acetate	1.222	1.213	0.7	106	0.00
24 P	1,1-Dichloroethane	1.276	1.221	4.3	108	0.00
25 T	2-Butanone	0.194	0.194	0.0	108	0.00
26 T	2,2-Dichloropropane	1.052	1.056	-0.4	115	0.00
27 T	cis-1,2-Dichloroethene	0.775	0.762	1.7	110	0.00
28 T	Bromochloromethane	0.497	0.486	2.2	99	0.00
29 T	Tetrahydrofuran	0.122	0.118	3.3	101	0.00
30 C	Chloroform	1.319	1.268	3.9#	109	0.00
31 T	Cyclohexane	1.152	1.144	0.7	118	0.00
32 T	1,1,1-Trichloroethane	1.117	1.124	-0.6	116	0.00
33 S	1,2-Dichloroethane-d4	0.664	0.638	3.9	108	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	97	0.00
35 S	Dibromofluoromethane	0.333	0.344	-3.3	112	0.00
36 T	1,1-Dichloropropene	0.558	0.579	-3.8	115	0.00
37 T	Ethyl Acetate	0.254	0.252	0.8	102	0.00
38 T	Carbon Tetrachloride	0.564	0.582	-3.2	118	0.00
39 T	Methylcyclohexane	0.646	0.692	-7.1	119	0.00
40 TM	Benzene	1.588	1.604	-1.0	112	0.00
41 T	Methacrylonitrile	0.146	0.156	-6.8	111	0.00
42 TM	1,2-Dichloroethane	0.501	0.482	3.8	107	0.00
43 T	Isopropyl Acetate	0.483	0.484	-0.2	104	0.00
44 TM	Trichloroethene	0.420	0.423	-0.7	114	0.00
45 C	1,2-Dichloropropane	0.411	0.402	2.2#	106	0.00
46 T	Dibromomethane	0.233	0.225	3.4	104	0.00
47 T	Bromodichloromethane	0.591	0.580	1.9	107	0.00
48 T	Methyl methacrylate	0.242	0.249	-2.9	105	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_D\Data\VD042822\
 Data File : VD072719.D
 Acq On : 28 Apr 2022 11:29
 Operator : VA/SY
 Sample : VSTDCCC050
 Misc : 5.00G/5.00ml/MSVOA_D/SOIL
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_D
 LabSampleId :
 VSTDCCC050

Quant Time: Apr 29 01:20:22 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_D\Method\82D042722S.M
 Quant Title : SW846 8260
 QLast Update : Wed Apr 27 16:01:06 2022
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
49 T	1,4-Dioxane	0.003	0.003	0.0	109	0.00
50 S	Toluene-d8	1.200	1.277	-6.4	118	0.00
51 T	4-Methyl-2-Pentanone	0.248	0.245	1.2	101	0.00
52 CM	Toluene	0.992	1.021	-2.9#	112	0.00
53 T	t-1,3-Dichloropropene	0.546	0.554	-1.5	109	0.00
54 T	cis-1,3-Dichloropropene	0.637	0.644	-1.1	108	0.00
55 T	1,1,2-Trichloroethane	0.313	0.299	4.5	105	0.00
56 T	Ethyl methacrylate	0.367	0.389	-6.0	106	0.00
57 T	1,3-Dichloropropane	0.534	0.524	1.9	105	0.00
58 T	2-Chloroethyl Vinyl ether	0.174	0.204	-17.2	108	0.00
59 T	2-Hexanone	0.166	0.176	-6.0	105	0.00
60 T	Dibromochloromethane	0.385	0.376	2.3	107	0.00
61 T	1,2-Dibromoethane	0.297	0.300	-1.0	106	0.00
62 S	4-Bromofluorobenzene	0.453	0.468	-3.3	113	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	99	0.00
64 T	Tetrachloroethene	0.343	0.348	-1.5	114	0.00
65 PM	Chlorobenzene	1.104	1.096	0.7	111	0.00
66 T	1,1,1,2-Tetrachloroethane	0.414	0.409	1.2	110	0.00
67 C	Ethyl Benzene	1.938	2.024	-4.4#	114	0.00
68 T	m/p-Xylenes	0.739	0.767	-3.8	111	0.00
69 T	o-Xylene	0.698	0.718	-2.9	110	0.00
70 T	Styrene	1.189	1.260	-6.0	112	0.00
71 P	Bromoform	0.222	0.212	4.5	105	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	98	0.00
73 T	Isopropylbenzene	3.822	4.124	-7.9	115	0.00
74 T	N-amyl acetate	0.987	1.020	-3.3	104	0.00
75 P	1,1,2,2-Tetrachloroethane	0.766	0.755	1.4	102	0.00
76 T	1,2,3-Trichloropropane	0.551	0.572	-3.8	103	0.00
77 T	Bromobenzene	0.910	0.921	-1.2	107	0.00
78 T	n-propylbenzene	4.777	5.168	-8.2	114	0.00
79 T	2-Chlorotoluene	2.795	2.919	-4.4	112	0.00
80 T	1,3,5-Trimethylbenzene	3.231	3.484	-7.8	113	0.00
81 T	trans-1,4-Dichloro-2-butene	0.243	0.247	-1.6	107	0.00
82 T	4-Chlorotoluene	2.942	3.093	-5.1	112	0.00
83 T	tert-Butylbenzene	2.703	2.947	-9.0	116	0.00
84 T	1,2,4-Trimethylbenzene	3.227	3.437	-6.5	113	0.00
85 T	sec-Butylbenzene	4.083	4.426	-8.4	117	0.00
86 T	p-Isopropyltoluene	3.342	3.608	-8.0	114	0.00
87 T	1,3-Dichlorobenzene	1.790	1.801	-0.6	109	0.00
88 T	1,4-Dichlorobenzene	1.786	1.792	-0.3	109	0.00
89 T	n-Butylbenzene	3.252	3.532	-8.6	116	0.00
90 T	Hexachloroethane	0.670	0.710	-6.0	116	0.00
91 T	1,2-Dichlorobenzene	1.571	1.584	-0.8	109	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.126	0.127	-0.8	110	0.00
93 T	1,2,4-Trichlorobenzene	0.913	0.954	-4.5	110	0.00
94 T	Hexachlorobutadiene	0.485	0.504	-3.9	115	0.00
95 T	Naphthalene	1.718	1.815	-5.6	106	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_D\Data\VD042822\
Data File : VD072719.D
Acq On : 28 Apr 2022 11:29
Operator : VA/SY
Sample : VSTDCCC050
Misc : 5.00G/5.00ml/MSVOA_D/SOIL
ALS Vial : 2 Sample Multiplier: 1

Instrument :
MSVOA_D
LabSampleId :
VSTDCCC050

Quant Time: Apr 29 01:20:22 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_D\Method\82D042722S.M
Quant Title : SW846 8260
QLast Update : Wed Apr 27 16:01:06 2022
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
96 T	1,2,3-Trichlorobenzene	0.804	0.840	-4.5	110	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 6