

Data Path : Z:\voasrv\HPCHEM1\MSVOA_D\Data\VD050422\
 Data File : VD072799.D
 Acq On : 04 May 2022 20:13
 Operator : VA/SY
 Sample : VSTDCCC050
 Misc : 5.00G/5.00ml/MSVOA_D/SOIL
 ALS Vial : 24 Sample Multiplier: 1

Instrument :
 MSVOA_D
 LabSampleId :
 VSTDCCC050

Quant Time: May 05 01:39:32 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_D\Method\82D050222S.M
 Quant Title : SW846 8260
 QLast Update : Tue May 03 08:33:49 2022
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	91	0.00
2 T	Dichlorodifluoromethane	0.691	0.591	14.5	79	0.00
3 P	Chloromethane	0.719	0.619	13.9	82	0.00
4 C	Vinyl Chloride	0.645	0.576	10.7#	80	0.00
5 T	Bromomethane	0.433	0.352	18.7	80	0.00
6 T	Chloroethane	0.402	0.366	9.0	85	0.00
7 T	Trichlorofluoromethane	1.129	1.030	8.8	84	0.00
8 T	Diethyl Ether	0.324	0.329	-1.5	95	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.670	0.617	7.9	85	0.00
10 T	Methyl Iodide	0.673	0.585	13.1	75	0.00
11 T	Tert butyl alcohol	0.056	0.053	5.4	101	0.00
12 CM	1,1-Dichloroethene	0.603	0.555	8.0#	84	0.00
13 T	Acrolein	0.045	0.039	13.3	93	0.00
14 T	Allyl chloride	0.973	0.969	0.4	89	0.00
15 T	Acrylonitrile	0.154	0.161	-4.5	96	0.00
16 T	Acetone	0.136	0.116	14.7	75	0.00
17 T	Carbon Disulfide	1.896	1.730	8.8	83	0.00
18 T	Methyl Acetate	0.383	0.363	5.2	94	0.00
19 T	Methyl tert-butyl Ether	1.445	1.546	-7.0	94	0.00
20 T	Methylene Chloride	1.004	0.857	14.6	101	0.00
21 T	trans-1,2-Dichloroethene	0.691	0.686	0.7	89	0.00
22 T	Diisopropyl ether	2.141	2.209	-3.2	90	0.00
23 T	Vinyl Acetate	1.183	1.287	-8.8	94	0.00
24 P	1,1-Dichloroethane	1.286	1.265	1.6	91	0.00
25 T	2-Butanone	0.189	0.193	-2.1	91	0.00
26 T	2,2-Dichloropropane	1.088	1.014	6.8	84	0.00
27 T	cis-1,2-Dichloroethene	0.792	0.790	0.3	91	0.00
28 T	Bromochloromethane	0.480	0.550	-14.6	100	0.00
29 T	Tetrahydrofuran	0.121	0.132	-9.1	99	0.00
30 C	Chloroform	1.361	1.350	0.8#	93	0.00
31 T	Cyclohexane	1.135	0.987	13.0	78	0.00
32 T	1,1,1-Trichloroethane	1.160	1.124	3.1	88	0.00
33 S	1,2-Dichloroethane-d4	0.649	0.655	-0.9	96	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	93	0.00
35 S	Dibromofluoromethane	0.351	0.368	-4.8	97	0.00
36 T	1,1-Dichloropropene	0.571	0.556	2.6	86	0.00
37 T	Ethyl Acetate	0.262	0.284	-8.4	96	0.00
38 T	Carbon Tetrachloride	0.593	0.577	2.7	88	0.00
39 T	Methylcyclohexane	0.662	0.607	8.3	81	0.00
40 TM	Benzene	1.649	1.663	-0.8	91	0.00
41 T	Methacrylonitrile	0.156	0.161	-3.2	86	0.00
42 TM	1,2-Dichloroethane	0.497	0.517	-4.0	95	0.00
43 T	Isopropyl Acetate	0.484	0.521	-7.6	95	0.00
44 TM	Trichloroethene	0.441	0.431	2.3	89	0.00
45 C	1,2-Dichloropropane	0.433	0.438	-1.2#	91	0.00
46 T	Dibromomethane	0.239	0.256	-7.1	98	0.00
47 T	Bromodichloromethane	0.615	0.629	-2.3	93	0.00
48 T	Methyl methacrylate	0.237	0.242	-2.1	87	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_D\Data\VD050422\
 Data File : VD072799.D
 Acq On : 04 May 2022 20:13
 Operator : VA/SY
 Sample : VSTDCCC050
 Misc : 5.00G/5.00ml/MSVOA_D/SOIL
 ALS Vial : 24 Sample Multiplier: 1

Instrument :
 MSVOA_D
 LabSampleId :
 VSTDCCC050

Quant Time: May 05 01:39:32 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_D\Method\82D050222S.M
 Quant Title : SW846 8260
 QLast Update : Tue May 03 08:33:49 2022
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
49 T	1,4-Dioxane	0.003	0.003	0.0	102	0.00
50 S	Toluene-d8	1.260	1.292	-2.5	94	0.00
51 T	4-Methyl-2-Pentanone	0.252	0.283	-12.3	98	0.00
52 CM	Toluene	1.029	1.078	-4.8#	91	0.00
53 T	t-1,3-Dichloropropene	0.564	0.587	-4.1	92	0.00
54 T	cis-1,3-Dichloropropene	0.656	0.683	-4.1	94	0.00
55 T	1,1,2-Trichloroethane	0.323	0.341	-5.6	95	0.00
56 T	Ethyl methacrylate	0.380	0.431	-13.4	95	0.00
57 T	1,3-Dichloropropane	0.554	0.588	-6.1	97	0.00
58 T	2-Chloroethyl Vinyl ether	0.184	0.216	-17.4	98	0.00
59 T	2-Hexanone	0.169	0.192	-13.6	93	0.00
60 T	Dibromochloromethane	0.407	0.430	-5.7	97	0.00
61 T	1,2-Dibromoethane	0.314	0.335	-6.7	96	0.00
62 S	4-Bromofluorobenzene	0.470	0.485	-3.2	94	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	94	0.00
64 T	Tetrachloroethene	0.366	0.338	7.7	87	0.00
65 PM	Chlorobenzene	1.156	1.154	0.2	93	0.00
66 T	1,1,1,2-Tetrachloroethane	0.435	0.444	-2.1	94	0.00
67 C	Ethyl Benzene	2.001	2.050	-2.4#	92	0.00
68 T	m/p-Xylenes	0.771	0.794	-3.0	90	0.00
69 T	o-Xylene	0.720	0.754	-4.7	92	0.00
70 T	Styrene	1.247	1.322	-6.0	93	0.00
71 P	Bromoform	0.236	0.243	-3.0	96	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	95	0.00
73 T	Isopropylbenzene	3.890	3.900	-0.3	91	0.00
74 T	N-amyl acetate	0.969	1.052	-8.6	98	0.00
75 P	1,1,2,2-Tetrachloroethane	0.785	0.821	-4.6	101	0.00
76 T	1,2,3-Trichloropropane	0.558	0.599	-7.3	96	0.00
77 T	Bromobenzene	0.924	0.953	-3.1	96	0.00
78 T	n-propylbenzene	4.903	4.922	-0.4	90	0.00
79 T	2-Chlorotoluene	2.864	2.866	-0.1	93	0.00
80 T	1,3,5-Trimethylbenzene	3.299	3.356	-1.7	91	0.00
81 T	trans-1,4-Dichloro-2-butene	0.242	0.247	-2.1	92	0.00
82 T	4-Chlorotoluene	2.992	3.015	-0.8	93	0.00
83 T	tert-Butylbenzene	2.804	2.836	-1.1	91	0.00
84 T	1,2,4-Trimethylbenzene	3.297	3.395	-3.0	93	0.00
85 T	sec-Butylbenzene	4.230	4.243	-0.3	90	0.00
86 T	p-Isopropyltoluene	3.468	3.497	-0.8	90	0.00
87 T	1,3-Dichlorobenzene	1.861	1.860	0.1	95	0.00
88 T	1,4-Dichlorobenzene	1.853	1.834	1.0	94	0.00
89 T	n-Butylbenzene	3.359	3.337	0.7	88	0.00
90 T	Hexachloroethane	0.710	0.700	1.4	93	0.00
91 T	1,2-Dichlorobenzene	1.622	1.626	-0.2	94	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.124	0.129	-4.0	99	0.00
93 T	1,2,4-Trichlorobenzene	0.960	0.954	0.6	90	0.00
94 T	Hexachlorobutadiene	0.525	0.466	11.2	84	0.00
95 T	Naphthalene	1.766	1.901	-7.6	95	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_D\Data\VD050422\
Data File : VD072799.D
Acq On : 04 May 2022 20:13
Operator : VA/SY
Sample : VSTDCCC050
Misc : 5.00G/5.00ml/MSVOA_D/SOIL
ALS Vial : 24 Sample Multiplier: 1

Instrument :
MSVOA_D
LabSampleId :
VSTDCCC050

Quant Time: May 05 01:39:32 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_D\Method\82D050222S.M
Quant Title : SW846 8260
QLast Update : Tue May 03 08:33:49 2022
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
96 T	1,2,3-Trichlorobenzene	0.851	0.863	-1.4	91	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 6