

Data Path : Z:\voasrv\HPCHEM1\MSVOA_D\Data\VD051325\
 Data File : VD080305.D
 Acq On : 13 May 2025 16:51
 Operator : RP/MD
 Sample : Q1986-05
 Misc : 5.32G/10ml/MSVOA_D/SOIL/B
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 MSVOA_D
 ClientSampleId :
 COMP-10

Quant Time: May 13 19:12:16 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_D\Method\82D050625S.M
 Quant Title : SW846 8260
 QLast Update : Wed May 07 08:57:11 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.876	168	105707	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.776	114	212925	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.576	117	194721	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.517	152	91095	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.229	65	69935	51.161	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	102.320%
35) Dibromofluoromethane	7.806	113	77208	54.101	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	108.200%
50) Toluene-d8	10.270	98	273252	48.596	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	97.200%
62) 4-Bromofluorobenzene	12.570	95	76821	42.565	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	=	85.140%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_D\Data\VD051325\
Data File : VD080305.D
Acq On : 13 May 2025 16:51
Operator : RP/MD
Sample : Q1986-05
Misc : 5.32G/10ml/MSVOA_D/SOIL/B
ALS Vial : 9 Sample Multiplier: 1

Instrument :
MSVOA_D
ClientSampleId :
COMP-10

Quant Time: May 13 19:12:16 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_D\Method\82D050625S.M
Quant Title : SW846 8260
QLast Update : Wed May 07 08:57:11 2025
Response via : Initial Calibration

