

Data Path : Z:\voasrv\HPCHEM1\MSVOA_D\Data\VD051425\
 Data File : VD080318.D
 Acq On : 14 May 2025 12:59
 Operator : RP/MD
 Sample : VD0514SBL01
 Misc : 5.00G/5.0ml/MSVOA_D/SOIL
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 MSVOA_D
 ClientSampleId :
 VD0514SBL01

Quant Time: May 15 03:33:22 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_D\Method\82D050625S.M
 Quant Title : SW846 8260
 QLast Update : Wed May 07 08:57:11 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.876	168	76535	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.776	114	201385	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.582	117	193499	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.517	152	87202	50.000	ug/l	0.00
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.235	65	66495	67.185	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	134.380%
35) Dibromofluoromethane	7.805	113	79131	58.626	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	117.260%
50) Toluene-d8	10.270	98	270367	50.838	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	101.680%
62) 4-Bromofluorobenzene	12.570	95	76547	44.844	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	=	89.680%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_D\Data\VD051425\
Data File : VD080318.D
Acq On : 14 May 2025 12:59
Operator : RP/MD
Sample : VD0514SBL01
Misc : 5.00G/5.0ml/MSVOA_D/SOIL
ALS Vial : 3 Sample Multiplier: 1

Instrument :
MSVOA_D
ClientSampleId :
VD0514SBL01

Quant Time: May 15 03:33:22 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_D\Method\82D050625S.M
Quant Title : SW846 8260
QLast Update : Wed May 07 08:57:11 2025
Response via : Initial Calibration

