

Data Path : Z:\voasrv\HPCHEM1\MSVOA_D\Data\VD051425\
 Data File : VD080334.D
 Acq On : 14 May 2025 20:37
 Operator : RP/MD
 Sample : Q2043-01
 Misc : 3.91G/10ml/MSVOA_D/SOIL/A
 ALS Vial : 19 Sample Multiplier: 1

Instrument :
 MSVOA_D
 ClientSampleId :
 281

Quant Time: May 15 03:40:24 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_D\Method\82D050625S.M
 Quant Title : SW846 8260
 QLast Update : Wed May 07 08:57:11 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.876	168	17190	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.782	114	39655	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.582	117	38874	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.517	152	14821	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.235	65	20660	92.939	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	185.880%#
35) Dibromofluoromethane	7.800	113	20134	75.754	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	151.500%#
50) Toluene-d8	10.264	98	52903	50.518	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	101.040%
62) 4-Bromofluorobenzene	12.570	95	14511	43.172	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	=	86.340%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_D\Data\VD051425\
Data File : VD080334.D
Acq On : 14 May 2025 20:37
Operator : RP/MD
Sample : Q2043-01
Misc : 3.91G/10ml/MSVOA_D/SOIL/A
ALS Vial : 19 Sample Multiplier: 1

Instrument :
MSVOA_D
ClientSampleId :
281

Quant Time: May 15 03:40:24 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_D\Method\82D050625S.M
Quant Title : SW846 8260
QLast Update : Wed May 07 08:57:11 2025
Response via : Initial Calibration

