

Data Path : Z:\voasrv\HPCHEM1\MSVOA_D\Data\VD051625\
 Data File : VD080371.D
 Acq On : 16 May 2025 15:06
 Operator : RP/MD
 Sample : Q2048-15
 Misc : 6.10G/5.0ml/MSVOA_D/SOIL/A
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 MSVOA_D
 ClientSampleId :
 L2-WC-4-VOC

Quant Time: May 17 01:20:31 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_D\Method\82D050625S.M
 Quant Title : SW846 8260
 QLast Update : Wed May 07 08:57:11 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.882	168	108605	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.782	114	200131	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.582	117	199401	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.517	152	93301	50.000	ug/l	0.00
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.229	65	64582	45.984	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	91.960%
35) Dibromofluoromethane	7.805	113	69735	51.989	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	103.980%
50) Toluene-d8	10.270	98	261690	49.515	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	99.020%
62) 4-Bromofluorobenzene	12.570	95	80813	47.639	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	=	95.280%
Target Compounds						
16) Acetone	4.035	43	5323	5.230	ug/l	Qvalue 92

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_D\Data\VD051625\
Data File : VD080371.D
Acq On : 16 May 2025 15:06
Operator : RP/MD
Sample : Q2048-15
Misc : 6.10G/5.0ml/MSVOA_D/SOIL/A
ALS Vial : 13 Sample Multiplier: 1

Instrument :
MSVOA_D
ClientSampleId :
L2-WC-4-VOC

Quant Time: May 17 01:20:31 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_D\Method\82D050625S.M
Quant Title : SW846 8260
QLast Update : Wed May 07 08:57:11 2025
Response via : Initial Calibration

