

Data Path : Z:\voasrv\HPCHEM1\MSVOA_D\Data\VD051625\
 Data File : VD080374.D
 Acq On : 16 May 2025 16:25
 Operator : RP/MD
 Sample : Q2056-02
 Misc : 7.39G/5.0ml/MSVOA_D/SOIL/A
 ALS Vial : 16 Sample Multiplier: 1

Instrument :
 MSVOA_D
 ClientSampleId :
 GVD12

Quant Time: May 17 01:21:33 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_D\Method\82D050625S.M
 Quant Title : SW846 8260
 QLast Update : Wed May 07 08:57:11 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.876	168	87216	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.782	114	163225	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.582	117	164240	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.517	152	84202	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.229	65	51873	45.993	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	91.980%
35) Dibromofluoromethane	7.811	113	56302	51.465	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	102.920%
50) Toluene-d8	10.270	98	177390	41.153	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	82.300%
62) 4-Bromofluorobenzene	12.570	95	60865	43.993	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	=	87.980%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_D\Data\VD051625\
Data File : VD080374.D
Acq On : 16 May 2025 16:25
Operator : RP/MD
Sample : Q2056-02
Misc : 7.39G/5.0ml/MSVOA_D/SOIL/A
ALS Vial : 16 Sample Multiplier: 1

Instrument :
MSVOA_D
ClientSampleId :
GVD12

Quant Time: May 17 01:21:33 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_D\Method\82D050625S.M
Quant Title : SW846 8260
QLast Update : Wed May 07 08:57:11 2025
Response via : Initial Calibration

