

Data Path : Z:\voasrv\HPCHEM1\MSVOA_D\Data\VD051625\
 Data File : VD080369.D
 Acq On : 16 May 2025 14:14
 Operator : RP/MD
 Sample : Q2048-07
 Misc : 5.56G/5.0ml/MSVOA_D/SOIL/A
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 MSVOA_D
 ClientSampleId :
 L2-WC-2-VOC

Quant Time: May 17 01:19:52 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_D\Method\82D050625S.M
 Quant Title : SW846 8260
 QLast Update : Wed May 07 08:57:11 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.876	168	76543	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.782	114	165247	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.582	117	133542	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.517	152	60430	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.229	65	42324	42.759	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	85.520%
35) Dibromofluoromethane	7.805	113	48993	44.236	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	88.480%
50) Toluene-d8	10.270	98	179116	41.045	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	82.100%
62) 4-Bromofluorobenzene	12.570	95	51865	37.029	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	=	74.060%


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_D\Data\VD051625\
Data File : VD080369.D
Acq On : 16 May 2025 14:14
Operator : RP/MD
Sample : Q2048-07
Misc : 5.56G/5.0ml/MSVOA_D/SOIL/A
ALS Vial : 11 Sample Multiplier: 1

Instrument :
MSVOA_D
ClientSampleId :
L2-WC-2-VOC

Quant Time: May 17 01:19:52 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_D\Method\82D050625S.M
Quant Title : SW846 8260
QLast Update : Wed May 07 08:57:11 2025
Response via : Initial Calibration









#1
Pentafluorobenzene
Concen: 50.000 ug/l
RT: 7.876 min Scan# 1038
Delta R.T. 0.001 min
Lab File: VD080369.D
Acq: 16 May 2025 14:14




Instrument :
MSVOA_D
ClientSampleId :
L2-WC-2-VOC


Tgt Ion:168 Resp: 76543
Ion Ratio Lower Upper
168 100
99 53.1 46.0 69.0



#33
1,2-Dichloroethane-d4
Concen: 42.759 ug/l
RT: 8.229 min Scan# 1098
Delta R.T. 0.001 min
Lab File: VD080369.D
Acq: 16 May 2025 14:14

Tgt Ion: 65 Resp: 42324
Ion Ratio Lower Upper
65 100
67 51.0 0.0 109.2





#34

1,4-Difluorobenzene

Concen: 50.000 ug/l

RT: 8.782 min Scan# 1191

Delta R.T. 0.007 min

Lab File: VD080369.D

Acq: 16 May 2025 14:14

Instrument :

MSVOA_D

ClientSampleId :

L2-WC-2-VOC





Tgt Ion:114 Resp: 165247

Ion Ratio Lower Upper

114 100

63 21.2 0.0 38.8

88 14.5 0.0 30.6



#35

Dibromofluoromethane

Concen: 44.236 ug/l

RT: 7.805 min Scan# 1026

Delta R.T. 0.000 min

Lab File: VD080369.D

Acq: 16 May 2025 14:14




Tgt Ion:113 Resp: 48993


Ion Ratio Lower Upper

113 100

111 103.5 82.5 123.7

192 20.1 16.6 25.0









#50
Toluene-d8
Concen: 41.045 ug/l
RT: 10.270 min Scan# 1444
Delta R.T. 0.001 min
Lab File: VD080369.D
Acq: 16 May 2025 14:14




Instrument :
MSVOA_D
ClientSampleId :
L2-WC-2-VOC


Tgt Ion: 98 Resp: 179116
Ion Ratio Lower Upper
98 100
100 61.3 50.2 75.4



#62
4-Bromofluorobenzene
Concen: 37.029 ug/l
RT: 12.570 min Scan# 1836
Delta R.T. 0.001 min
Lab File: VD080369.D
Acq: 16 May 2025 14:14

Tgt Ion: 95 Resp: 51865
Ion Ratio Lower Upper
95 100
174 91.4 0.0 173.4
176 85.4 0.0 166.6









#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 11.582 min Scan# 1
Delta R.T. 0.001 min
Lab File: VD080369.D
Acq: 16 May 2025 14:14

Instrument :
MSVOA_D
ClientSampleId :
L2-WC-2-VOC

Tgt Ion:117 Resp: 133542
Ion Ratio Lower Upper
117 100
82 53.3 45.8 68.6
119 30.2 26.2 39.2



#72
1,4-Dichlorobenzene-d4
Concen: 50.000 ug/l
RT: 13.517 min Scan# 1997
Delta R.T. 0.001 min
Lab File: VD080369.D
Acq: 16 May 2025 14:14

Tgt Ion:152 Resp: 60430
Ion Ratio Lower Upper
152 100
115 57.8 28.9 86.8
150 158.1 0.0 354.8

