

Data Path : Z:\voasrv\HPCHEM1\MSVOA_D\Data\VD052224\
 Data File : VD078980.D
 Acq On : 22 May 2024 15:31
 Operator : RP/MD
 Sample : P2512-03
 Misc : 5.25G/5ml/MSVOA_D/SOIL/B
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 MSVOA_D
 ClientSampleId :
 WCS-TPJ-VOC

Quant Time: May 23 06:05:04 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_D\Method\82D051324S.M
 Quant Title : SW846 8260
 QLast Update : Tue May 14 06:21:28 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.875	168	125321	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.775	114	256530	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.581	117	246262	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.516	152	110876	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.228	65	66113	56.242	ug/l	0.00
Spiked Amount	50.000	Range	50 - 163	Recovery	=	112.480%
35) Dibromofluoromethane	7.804	113	85532	50.088	ug/l	0.00
Spiked Amount	50.000	Range	54 - 147	Recovery	=	100.180%
50) Toluene-d8	10.269	98	306960	47.950	ug/l	0.00
Spiked Amount	50.000	Range	58 - 134	Recovery	=	95.900%
62) 4-Bromofluorobenzene	12.575	95	85821	47.721	ug/l	0.00
Spiked Amount	50.000	Range	30 - 143	Recovery	=	95.440%


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_D\Data\VD052224\
Data File : VD078980.D
Acq On : 22 May 2024 15:31
Operator : RP/MD
Sample : P2512-03
Misc : 5.25G/5ml/MSVOA_D/SOIL/B
ALS Vial : 7 Sample Multiplier: 1

Instrument :
MSVOA_D
ClientSampleId :
WCS-TPJ-VOC

Quant Time: May 23 06:05:04 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_D\Method\82D051324S.M
Quant Title : SW846 8260
QLast Update : Tue May 14 06:21:28 2024
Response via : Initial Calibration









#1
Pentafluorobenzene
Concen: 50.000 ug/l
RT: 7.875 min Scan# 1129
Delta R.T. 0.000 min
Lab File: VD078980.D
Acq: 22 May 2024 15:31




Instrument :
MSVOA_D
ClientSampleId :
WCS-TPJ-VOC


Tgt Ion:168 Resp: 125321
Ion Ratio Lower Upper
168 100
99 51.2 41.1 61.7



#33
1,2-Dichloroethane-d4
Concen: 56.242 ug/l
RT: 8.228 min Scan# 1129
Delta R.T. -0.006 min
Lab File: VD078980.D
Acq: 22 May 2024 15:31

Tgt Ion: 65 Resp: 66113
Ion Ratio Lower Upper
65 100
67 55.6 0.0 111.0





#34

1,4-Difluorobenzene

Concen: 50.000 ug/l

RT: 8.775 min Scan# 11

Delta R.T. -0.006 min

Lab File: VD078980.D

Acq: 22 May 2024 15:31

Instrument :

MSVOA_D

ClientSampleId :

WCS-TPJ-VOC





Tgt Ion:114 Resp: 256530

Ion Ratio Lower Upper

114 100

63 16.1 0.0 34.0

88 13.5 0.0 27.2



#35

Dibromofluoromethane

Concen: 50.088 ug/l

RT: 7.804 min Scan# 1057

Delta R.T. 0.000 min

Lab File: VD078980.D

Acq: 22 May 2024 15:31




Tgt Ion:113 Resp: 85532


Ion Ratio Lower Upper

113 100

111 100.6 84.0 126.0

192 18.2 15.4 23.0









#50
Toluene-d8
Concen: 47.950 ug/l
RT: 10.269 min Scan# 1476
Delta R.T. 0.000 min
Lab File: VD078980.D
Acq: 22 May 2024 15:31




Instrument :
MSVOA_D
ClientSampleId :
WCS-TPJ-VOC


Tgt Ion: 98 Resp: 306960
Ion Ratio Lower Upper
98 100
100 64.1 51.6 77.4



#62
4-Bromofluorobenzene
Concen: 47.721 ug/l
RT: 12.575 min Scan# 1868
Delta R.T. 0.000 min
Lab File: VD078980.D
Acq: 22 May 2024 15:31

Tgt Ion: 95 Resp: 85821
Ion Ratio Lower Upper
95 100
174 96.0 0.0 195.4
176 91.9 0.0 192.6









#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 11.581 min Scan# 1
Delta R.T. 0.000 min
Lab File: VD078980.D
Acq: 22 May 2024 15:31

Instrument :
MSVOA_D
ClientSampleId :
WCS-TPJ-VOC

Tgt Ion:117 Resp: 246262
Ion Ratio Lower Upper
117 100
82 51.6 39.8 59.6
119 32.6 25.7 38.5



#72
1,4-Dichlorobenzene-d4
Concen: 50.000 ug/l
RT: 13.516 min Scan# 2028
Delta R.T. 0.000 min
Lab File: VD078980.D
Acq: 22 May 2024 15:31

Tgt Ion:152 Resp: 110876
Ion Ratio Lower Upper
152 100
115 53.6 26.5 79.5
150 155.3 0.0 341.6

