

Data Path : Z:\VOASRV\HPCHEM1\MSVOA D\DATA\VD061518\
 Data File : VD058171.D
 Acq On : 16 Jun 2018 00:11
 Operator : VA/AP
 Sample : J3518-04
 Misc : 6.06g/5ml/MSVOA D/SOIL
 ALS Vial : 20 Sample Multiplier: 1

Instrument :
 MSVOA_D
 ClientSampleId :
 EPE-106-7(70-72)

Quant Time: Jun 16 00:57:26 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_D\METHOD\82D060618S.M
 Quant Title : SW846 8260
 QLast Update : Thu Jun 07 08:57:33 2018
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	5.64	168	613813	50.00	ug/l	0.00
34) 1,4-Difluorobenzene	6.69	114	815670	50.00	ug/l	0.00
63) Chlorobenzene-d5	10.69	117	639758	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	12.90	152	327220	50.00	ug/l	0.00
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	6.01	65	419532	68.37	ug/l	0.00
Spiked Amount 50.000			Recovery	=	136.74%	
35) Dibromofluoromethane	5.54	113	430056	68.14	ug/l	-0.02
Spiked Amount 50.000			Recovery	=	136.28%	
50) Toluene-d8	8.70	98	971632	64.76	ug/l	0.00
Spiked Amount 50.000			Recovery	=	129.52%	
62) 4-Bromofluorobenzene	11.93	95	399659	61.06	ug/l	0.00
Spiked Amount 50.000			Recovery	=	122.12%	
Target Compounds						
16) Acetone	2.61	43	136926	154.873	ug/l	Qvalue 96


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA D\DATA\VD061518\
Data File : VD058171.D
Acq On : 16 Jun 2018 00:11
Operator : VA/AP
Sample : J3518-04
Misc : 6.06g/5ml/MSVOA D/SOIL
ALS Vial : 20 Sample Multiplier: 1

Instrument :
MSVOA_D
ClientSampleId :
EPE-106-7(70-72)

Quant Time: Jun 16 00:57:26 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_D\METHOD\82D060618S.M
Quant Title : SW846 8260
QLast Update : Thu Jun 07 08:57:33 2018
Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 50.000 ug/l

RT: 5.64 min Scan# 550

Delta R.T. -0.01 min

Lab File: VD058171.D

Acq: 16 Jun 2018 00:11

Instrument :

MSVOA_D

ClientSampleId :


EPE-106-7(70-72)

Tot Ion:168 Resp: 613813

Ion Ratio Lower Upper




168 100

99 51.6 46.8 70.2



Abundance Ion 167.90 (167.60 to 168.60): V

Ion 98.95 (98.65 to 99.65): VDC



#16

Acetone

Concen: 154.873 ug/l

RT: 2.61 min Scan# 242

Delta R.T. -0.01 min

Lab File: VD058171.D


Acq: 16 Jun 2018 00:11

Tgt Ion: 43 Resp: 136926

Ion Ratio Lower Upper



43 100


58 18.0 15.8 23.8



Abundance Ion 42.95 (42.65 to 43.65): VDC

Ion 57.95 (57.65 to 58.65): VDC





#33

1,2-Dichloroethane-d4

Concen: Below ug/l

RT: 6.01 min Scan# 588

Delta R.T. -0.01 min

Lab File: VD058171.D

Acq: 16 Jun 2018 00:11

Instrument :

MSVOA_D

ClientSampleId :


EPE-106-7(70-72)

Tot Ion: 65 Resp: 419532

Ion Ratio Lower Upper




65 100

67 50.2 0.0 94.0



Abundance Ion 64.95 (64.65 to 65.65): VDC

Ion 66.90 (66.60 to 67.60): VDC



#34

1,4-Difluorobenzene

Concen: 50.000 ug/l

RT: 6.69 min Scan# 657

Delta R.T. -0.01 min

Lab File: VD058171.D

Acq: 16 Jun 2018 00:11


Tgt Ion:114 Resp: 815670

Ion Ratio Lower Upper

114 100

63 22.0 0.0 42.8



88 18.3 0.0 37.8




Abundance Ion 114.00 (113.70 to 114.70): V

Ion 62.95 (62.65 to 63.65): VDC

Ion 87.90 (87.60 to 88.60): VDC





#35

Dibromofluoromethane

Concen: 50.000 ug/l

RT: 5.54 min Scan# 540

Delta R.T. -0.02 min

Lab File: VD058171.D

Acq: 16 Jun 2018 00:11

Instrument :

MSVOA_D

ClientSampleId :

EPE-106-7(70-72)


Tot Ion:113 Resp: 430056

Ion Ratio Lower Upper

113 100

111 96.9 81.5 122.3




192 21.3 16.4 24.6



Abundance Ion 112.90 (112.60 to 113.60): V

Ion 110.90 (110.60 to 111.60): V

Ion 191.80 (191.50 to 192.50): V



#50

Toluene-d8

Concen: N.D. ug/l

RT: 8.70 min Scan# 861

Delta R.T. -0.01 min

Lab File: VD058171.D


Acq: 16 Jun 2018 00:11

Tgt Ion: 98 Resp: 971632

Ion Ratio Lower Upper



98 100


100 64.8 53.4 80.0



Abundance Ion 98.05 (97.75 to 98.75): V

Ion 100.05 (99.75 to 100.75): V





#62

4-Bromofluorobenzene

Concen: N.D. ug/l

RT: 11.93 min Scan# 1189

Delta R.T. 0.00 min

Lab File: VD058171.D

Acq: 16 Jun 2018 00:11

Instrument :

MSVOA_D

ClientSampleId :

EPE-106-7(70-72)


Tot Ion: 95 Resp: 399659

Ion Ratio Lower Upper

95 100

174 93.8 0.0 169.4




176 91.4 0.0 162.6



Abundance Ion 95.00 (94.70 to 95.70): V

Ion 173.90 (173.60 to 174.60): V

Ion 175.90 (175.60 to 176.60): V



#63

Chlorobenzene-d5

Concen: 50.000 ug/l

RT: 10.69 min Scan# 1063

Delta R.T. 0.00 min

Lab File: VD058171.D

Acq: 16 Jun 2018 00:11


Tgt Ion: 117 Resp: 639758

Ion Ratio Lower Upper

117 100

82 57.6 46.8 70.2



119 32.2 25.8 38.6




Abundance Ion 116.95 (116.65 to 117.65): V

Ion 82.05 (81.75 to 82.75): V

Ion 118.95 (118.65 to 119.65): V






#72
 1,4-Dichlorobenzene-d4
 Concen: 50.000 ug/l
 RT: 12.90 min Scan# 1288
 Delta R.T. -0.01 min
 Lab File: VD058171.D
 Acq: 16 Jun 2018 00:11

Instrument :
 MSVOA_D
 ClientSampleId :
 EPE-106-7(70-72)

Tot Ion:152 Resp: 327220
 Ion Ratio Lower Upper
 152 100
 115 53.7 25.6 76.6
 150 155.2 0.0 306.8



Abundance Ion 151.90 (151.60 to 152.60): V
 Ion 115.00 (114.70 to 115.70): V
 Ion 149.90 (149.60 to 150.60): V

