

Data Path : Z:\VOASRV\HPCHEM1\MSVOA D\DATA\VD061818\
 Data File : VD058185.D
 Acq On : 18 Jun 2018 17:08
 Operator : VA/AP
 Sample : J3554-03
 Misc : 5.79g/5ml/MSVOA D/SOIL
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 MSVOA_D
 ClientSampleId :
 A-2(1.0)

Quant Time: Jun 19 07:00:15 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_D\METHOD\82D060618S.M
 Quant Title : SW846 8260
 QLast Update : Thu Jun 07 08:57:33 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	5.64	168	748181	50.00	ug/l	-0.01
34) 1,4-Difluorobenzene	6.69	114	960108	50.00	ug/l	-0.01
63) Chlorobenzene-d5	10.69	117	778848	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	12.91	152	367340	50.00	ug/l	0.00

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev(Min)
33) 1,2-Dichloroethane-d4	6.01	65	388350	51.92	ug/l	-0.01
Spiked Amount						
			Recovery	=	103.84%	
35) Dibromofluoromethane	5.54	113	380488	51.22	ug/l	-0.02
Spiked Amount						
			Recovery	=	102.44%	
50) Toluene-d8	8.70	98	815303	46.16	ug/l	-0.01
Spiked Amount						
			Recovery	=	92.32%	
62) 4-Bromofluorobenzene	11.93	95	330979	42.96	ug/l	0.00
Spiked Amount						
			Recovery	=	85.92%	


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA D\DATA\VD061818\
Data File : VD058185.D
Acq On : 18 Jun 2018 17:08
Operator : VA/AP
Sample : J3554-03
Misc : 5.79g/5ml/MSVOA D/SOIL
ALS Vial : 12 Sample Multiplier: 1

Instrument :
MSVOA_D
ClientSampleId :
A-2(1.0)

Quant Time: Jun 19 07:00:15 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_D\METHOD\82D060618S.M
Quant Title : SW846 8260
QLast Update : Thu Jun 07 08:57:33 2018
Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 50.00 ug/l

RT: 5.64 min Scan# 550

Delta R.T. -0.01 min

Lab File: VD058185.D

Acq: 18 Jun 2018 17:08

Instrument :

MSVOA_D

ClientSampleId :


A-2(1.0)

Tot Ion:168 Resp: 748181

Ion Ratio Lower Upper

168 100

99 48.4 46.8 70.2



Abundance Ion 167.90 (167.60 to 168.60): V

Ion 98.95 (98.65 to 99.65): VDC

5.64

300000

250000

200000



150000

100000

50000

0

Time-->



#33

1,2-Dichloroethane-d4

Concen: Below ug/l

RT: 6.01 min Scan# 588

Delta R.T. -0.01 min

Lab File: VD058185.D


Acq: 18 Jun 2018 17:08

Tgt Ion: 65 Resp: 388350

Ion Ratio Lower Upper

65 100

67 47.7 0.0 94.0



Abundance Ion 64.95 (64.65 to 65.65): VDC

Ion 66.90 (66.60 to 67.60): VDC

6.01


150000


100000

50000

0

Time-->









#34
 1,4-Difluorobenzene
 Concen: 50.00 ug/l
 RT: 6.69 min Scan# 657
 Delta R.T. -0.01 min
 Lab File: VD058185.D
 Acq: 18 Jun 2018 17:08

Instrument :
 MSVOA_D
 ClientSampleId :
 A-2(1.0)

Tot Ion:114 Resp: 960108
 Ion Ratio Lower Upper
 114 100
 63 19.6 0.0 42.8
 88 19.0 0.0 37.8




Abundance Ion 114.00 (113.70 to 114.70): V
 Ion 62.95 (62.65 to 63.65): VDC
 Ion 87.90 (87.60 to 88.60): VDC






#35
 Dibromofluoromethane
 Concen: 50.00 ug/l
 RT: 5.54 min Scan# 540
 Delta R.T. -0.02 min
 Lab File: VD058185.D
 Acq: 18 Jun 2018 17:08

Tgt Ion:113 Resp: 380488
 Ion Ratio Lower Upper
 113 100
 111 99.5 81.5 122.3
 192 19.7 16.4 24.6



Abundance Ion 112.90 (112.60 to 113.60): V
 Ion 110.90 (110.60 to 111.60): V
 Ion 191.80 (191.50 to 192.50): V









#50
Toluene-d8
Concen: N.D. ug/l
RT: 8.70 min Scan# 861
Delta R.T. -0.01 min
Lab File: VD058185.D
Acq: 18 Jun 2018 17:08

Instrument :
MSVOA_D
ClientSampleId :
A-2(1.0)

Tot Ion: 98 Resp: 815303
Ion Ratio Lower Upper
98 100
100 66.7 53.4 80.0




Abundance Ion 98.05 (97.75 to 98.75): VD057960.D (-855) (-)
Ion 100.05 (99.75 to 100.75): VD057960.D (-855) (-)






#62
4-Bromofluorobenzene
Concen: N.D. ug/l
RT: 11.93 min Scan# 1189
Delta R.T. -0.00 min
Lab File: VD058185.D
Acq: 18 Jun 2018 17:08

Tgt Ion: 95 Resp: 330979
Ion Ratio Lower Upper
95 100
174 86.5 0.0 169.4
176 84.4 0.0 162.6



Abundance Ion 95.00 (94.70 to 95.70): VD057960.D (-1184) (-)
Ion 173.90 (173.60 to 174.60): VD057960.D (-1184) (-)
Ion 175.90 (175.60 to 176.60): VD057960.D (-1184) (-)









#63
Chlorobenzene-d5
Concen: 50.00 ug/l
RT: 10.69 min Scan# 1063
Delta R.T. -0.00 min
Lab File: VD058185.D
Acq: 18 Jun 2018 17:08

Instrument :
MSVOA_D
ClientSampleId :
A-2(1.0)

Tot Ion:117 Resp: 778848
Ion Ratio Lower Upper
117 100
82 58.5 46.8 70.2
119 31.7 25.8 38.6




Abundance Ion 116.95 (116.65 to 117.65): V
Ion 82.05 (81.75 to 82.75): V
Ion 118.95 (118.65 to 119.65): V



#72
1,4-Dichlorobenzene-d4
Concen: 50.00 ug/l
RT: 12.91 min Scan# 1289
Delta R.T. -0.00 min
Lab File: VD058185.D
Acq: 18 Jun 2018 17:08

Tgt Ion:152 Resp: 367340
Ion Ratio Lower Upper
152 100
115 48.9 25.6 76.6
150 151.6 0.0 306.8



Abundance Ion 151.90 (151.60 to 152.60): V
Ion 115.00 (114.70 to 115.70): V
Ion 149.90 (149.60 to 150.60): V

