

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_D\Data\VD061923\  
 Data File : VD076465.D  
 Acq On : 19 Jun 2023 12:41  
 Operator : KP/SY  
 Sample : VD0619SBL01  
 Misc : 5.00G/5.0ml/MSVOA\_D/SOIL  
 ALS Vial : 4 Sample Multiplier: 1

Instrument :  
 MSVOA\_D  
 ClientSampleId :  
 VD0619SBL01

Quant Time: Jun 20 05:22:53 2023  
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_D\Method\82D061623S.M  
 Quant Title : SW846 8260  
 QLast Update : Mon Jun 19 04:51:45 2023  
 Response via : Initial Calibration

| Compound                   | R.T.   | QIon | Response | Conc   | Units | Dev(Min) |
|----------------------------|--------|------|----------|--------|-------|----------|
| -----                      |        |      |          |        |       |          |
| Internal Standards         |        |      |          |        |       |          |
| 1) Pentafluorobenzene      | 7.869  | 168  | 166807   | 50.000 | ug/l  | 0.00     |
| 34) 1,4-Difluorobenzene    | 8.775  | 114  | 284336   | 50.000 | ug/l  | 0.00     |
| 63) Chlorobenzene-d5       | 11.581 | 117  | 253166   | 50.000 | ug/l  | 0.00     |
| 72) 1,4-Dichlorobenzene-d4 | 13.516 | 152  | 117577   | 50.000 | ug/l  | 0.00     |

|                             |        |       |          |          |      |         |
|-----------------------------|--------|-------|----------|----------|------|---------|
| System Monitoring Compounds |        |       |          |          |      |         |
| 33) 1,2-Dichloroethane-d4   | 8.228  | 65    | 81714    | 48.894   | ug/l | 0.00    |
| Spiked Amount               | 50.000 | Range | 50 - 163 | Recovery | =    | 97.780% |
| 35) Dibromofluoromethane    | 7.804  | 113   | 84093    | 49.784   | ug/l | 0.00    |
| Spiked Amount               | 50.000 | Range | 54 - 147 | Recovery | =    | 99.560% |
| 50) Toluene-d8              | 10.269 | 98    | 314870   | 49.152   | ug/l | 0.00    |
| Spiked Amount               | 50.000 | Range | 58 - 134 | Recovery | =    | 98.300% |
| 62) 4-Bromofluorobenzene    | 12.575 | 95    | 100057   | 48.127   | ug/l | 0.00    |
| Spiked Amount               | 50.000 | Range | 30 - 143 | Recovery | =    | 96.260% |


| Target Compounds | Qvalue |
|------------------|--------|
| -----            |        |


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_D\Data\VD061923\  
Data File : VD076465.D  
Acq On : 19 Jun 2023 12:41  
Operator : KP/SY  
Sample : VD0619SBL01  
Misc : 5.00G/5.0ml/MSVOA\_D/SOIL  
ALS Vial : 4 Sample Multiplier: 1

Instrument :  
MSVOA\_D  
ClientSampleId :  
VD0619SBL01


Quant Time: Jun 20 05:22:53 2023  
Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_D\Method\82D061623S.M  
Quant Title : SW846 8260  
QLast Update : Mon Jun 19 04:51:45 2023  
Response via : Initial Calibration








#1  
Pentafluorobenzene  
Concen: 50.000 ug/l  
RT: 7.869 min Scan# 1069  
Delta R.T. -0.006 min  
Lab File: VD076465.D  
Acq: 19 Jun 2023 12:41

Instrument :  
MSVOA\_D  
ClientSampleId :  
VD0619SBL01







Tgt Ion:168 Resp: 166807  
Ion Ratio Lower Upper  
168 100  
99 54.5 36.7 55.1



#33  
1,2-Dichloroethane-d4  
Concen: 48.894 ug/l  
RT: 8.228 min Scan# 1129  
Delta R.T. -0.000 min  
Lab File: VD076465.D  
Acq: 19 Jun 2023 12:41

Tgt Ion: 65 Resp: 81714  
Ion Ratio Lower Upper  
65 100  
67 55.4 0.0 115.0





#34

1,4-Difluorobenzene

Concen: 50.000 ug/l

RT: 8.775 min Scan# 1

Delta R.T. -0.000 min

Lab File: VD076465.D

Acq: 19 Jun 2023 12:41

Instrument :

MSVOA\_D

ClientSampleId :

VD0619SBL01





Tgt Ion:114 Resp: 284336

Ion Ratio Lower Upper

114 100

63 19.4 0.0 33.4

88 15.5 0.0 26.2



#35

Dibromofluoromethane

Concen: 49.784 ug/l

RT: 7.804 min Scan# 1057

Delta R.T. -0.000 min

Lab File: VD076465.D

Acq: 19 Jun 2023 12:41




Tgt Ion:113 Resp: 84093


Ion Ratio Lower Upper

113 100

111 103.8 84.7 127.1

192 21.0 16.8 25.2








#50  
Toluene-d8  
Concen: 49.152 ug/l  
RT: 10.269 min Scan# 1476  
Delta R.T. -0.000 min  
Lab File: VD076465.D  
Acq: 19 Jun 2023 12:41




Instrument :  
MSVOA\_D  
ClientSampleId :  
VD0619SBL01


Tgt Ion: 98 Resp: 314870  
Ion Ratio Lower Upper  
98 100  
100 63.9 50.3 75.5



#62  
4-Bromofluorobenzene  
Concen: 48.127 ug/l  
RT: 12.575 min Scan# 1868  
Delta R.T. -0.000 min  
Lab File: VD076465.D  
Acq: 19 Jun 2023 12:41

Tgt Ion: 95 Resp: 100057  
Ion Ratio Lower Upper  
95 100  
174 87.7 0.0 201.8  
176 84.2 0.0 191.8









#63  
Chlorobenzene-d5  
Concen: 50.000 ug/l  
RT: 11.581 min Scan# 11  
Delta R.T. -0.000 min  
Lab File: VD076465.D  
Acq: 19 Jun 2023 12:41

Instrument :  
MSVOA\_D  
ClientSampleId :  
VD0619SBL01

Tgt Ion:117 Resp: 253166  
Ion Ratio Lower Upper  
117 100  
82 53.0 38.3 57.5  
119 32.3 25.0 37.4



#72  
1,4-Dichlorobenzene-d4  
Concen: 50.000 ug/l  
RT: 13.516 min Scan# 2028  
Delta R.T. -0.000 min  
Lab File: VD076465.D  
Acq: 19 Jun 2023 12:41

Tgt Ion:152 Resp: 117577  
Ion Ratio Lower Upper  
152 100  
115 56.6 27.1 81.3  
150 156.8 0.0 353.6

