

Data Path : Z:\voasrv\HPCHEM1\MSVOA D\Data\VD081820\
 Data File : VD066294.D
 Acq On : 18 Aug 2020 23:30
 Operator : VA/SY
 Sample : VSTDCCC050
 Misc : 5.00G/5.00ml/MSVOA D/SOIL
 ALS Vial : 27 Sample Multiplier: 1

Instrument :
 MSVOA_D
 LabSampleId :
 VSTDCCC050

Quant Time: Aug 19 08:15:18 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_D\METHOD\82D080520S.M
 Quant Title : SW846 8260
 QLast Update : Wed Aug 05 13:49:25 2020
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	63	0.00
2 T	Dichlorodifluoromethane	0.441	0.359	18.6	58	0.00
3 P	Chloromethane	0.343	0.293	14.6	62	0.00
4 C	Vinyl Chloride	0.303	0.291	4.0#	66	0.00
5 T	Bromomethane	0.201	0.207	-3.0	68	0.00
6 T	Chloroethane	0.186	0.195	-4.8	72	0.00
7 T	Trichlorofluoromethane	0.791	0.799	-1.0	68	0.01
8 T	Diethyl Ether	0.223	0.228	-2.2	66	0.01
9 T	1,1,2-Trichlorotrifluoroeth	0.469	0.469	0.0	66	0.00
10 T	Methyl Iodide	0.353	0.492	-39.4#	85	0.00
11 T	Tert butyl alcohol	0.046	0.039	15.2	77	-0.01
12 CM	1,1-Dichloroethene	0.443	0.432	2.5#	64	0.00
13 T	Acrolein	0.036	0.029	19.4	57	0.00
14 T	Allyl chloride	0.671	0.657	2.1	63	0.00
15 T	Acrylonitrile	0.094	0.107	-13.8	74	0.00
16 T	Acetone	0.085	0.086	-1.2	63	0.00
17 T	Carbon Disulfide	1.408	1.215	13.7	57	0.00
18 T	Methyl Acetate	0.215	0.235	-9.3	76	0.00
19 T	Methyl tert-butyl Ether	1.015	1.171	-15.4	75	0.00
20 T	Methylene Chloride	0.576	0.585	-1.6	75	0.00
21 T	trans-1,2-Dichloroethene	0.509	0.515	-1.2	67	0.00
22 T	Diisopropyl ether	1.327	1.396	-5.2	68	0.00
23 T	Vinyl Acetate	0.777	0.843	-8.5	68	0.00
24 P	1,1-Dichloroethane	0.821	0.867	-5.6	69	0.00
25 T	2-Butanone	0.124	0.131	-5.6	69	0.00
26 T	2,2-Dichloropropane	0.736	0.742	-0.8	67	0.00
27 T	cis-1,2-Dichloroethene	0.534	0.592	-10.9	72	0.00
28 T	Bromochloromethane	0.288	0.320	-11.1	70	0.00
29 T	Tetrahydrofuran	0.077	0.083	-7.8	68	0.00
30 C	Chloroform	0.862	0.959	-11.3#	73	0.00
31 T	Cyclohexane	0.781	0.668	14.5	59	0.00
32 T	1,1,1-Trichloroethane	0.808	0.897	-11.0	72	0.00
33 S	1,2-Dichloroethane-d4	0.446	0.542	-21.5#	76	-0.01
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	66	0.00
35 S	Dibromofluoromethane	0.317	0.346	-9.1	70	0.00
36 T	1,1-Dichloropropene	0.470	0.452	3.8	64	0.00
37 T	Ethyl Acetate	0.186	0.198	-6.5	74	0.00
38 T	Carbon Tetrachloride	0.524	0.552	-5.3	72	0.00
39 T	Methylcyclohexane	0.568	0.531	6.5	62	0.00
40 TM	Benzene	1.303	1.321	-1.4	69	0.00
41 T	Methacrylonitrile	0.109	0.120	-10.1	76	0.00
42 TM	1,2-Dichloroethane	0.383	0.449	-17.2	80	0.00
43 T	Isopropyl Acetate	0.367	0.399	-8.7	74	0.00
44 TM	Trichloroethene	0.393	0.399	-1.5	69	0.00
45 C	1,2-Dichloropropane	0.319	0.330	-3.4#	70	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA D\Data\VD081820\
 Data File : VD066294.D
 Acq On : 18 Aug 2020 23:30
 Operator : VA/SY
 Sample : VSTDCCC050
 Misc : 5.00G/5.00ml/MSVOA D/SOIL
 ALS Vial : 27 Sample Multiplier: 1

Instrument :
 MSVOA_D
 LabSampleId :
 VSTDCCC050

Quant Time: Aug 19 08:15:18 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_D\METHOD\82D080520S.M
 Quant Title : SW846 8260
 QLast Update : Wed Aug 05 13:49:25 2020
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
46 T	Dibromomethane	0.176	0.193	-9.7	72	0.00
47 T	Bromodichloromethane	0.464	0.517	-11.4	75	0.00
48 T	Methyl methacrylate	0.187	0.189	-1.1	65	0.00
49 T	1,4-Dioxane	0.002	0.003	-50.0#	74	0.00
50 S	Toluene-d8	1.169	1.268	-8.5	68	0.00
51 T	4-Methyl-2-Pentanone	0.188	0.211	-12.2	74	0.00
52 CM	Toluene	0.858	0.888	-3.5#	68	0.00
53 T	t-1,3-Dichloropropene	0.440	0.477	-8.4	72	0.00
54 T	cis-1,3-Dichloropropene	0.516	0.554	-7.4	71	0.00
55 T	1,1,2-Trichloroethane	0.253	0.272	-7.5	74	0.00
56 T	Ethyl methacrylate	0.304	0.339	-11.5	72	0.00
57 T	1,3-Dichloropropane	0.420	0.455	-8.3	72	0.00
58 T	2-Chloroethyl Vinyl ether	0.137	0.157	-14.6	74	0.00
59 T	2-Hexanone	0.132	0.146	-10.6	73	0.00
60 T	Dibromochloromethane	0.349	0.396	-13.5	76	0.00
61 T	1,2-Dibromoethane	0.243	0.273	-12.3	75	0.00
62 S	4-Bromofluorobenzene	0.421	0.461	-9.5	71	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	65	0.00
64 T	Tetrachloroethene	0.384	0.395	-2.9	70	0.00
65 PM	Chlorobenzene	1.015	1.069	-5.3	71	0.00
66 T	1,1,1,2-Tetrachloroethane	0.397	0.438	-10.3	74	0.00
67 C	Ethyl Benzene	1.759	1.863	-5.9#	71	0.00
68 T	m/p-Xylenes	0.681	0.705	-3.5	68	0.00
69 T	o-Xylene	0.620	0.671	-8.2	71	0.00
70 T	Styrene	1.086	1.195	-10.0	72	0.00
71 P	Bromoform	0.235	0.268	-14.0	77	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	66	0.00
73 T	Isopropylbenzene	3.338	3.528	-5.7	70	0.00
74 T	N-amyl acetate	0.735	0.795	-8.2	70	0.00
75 P	1,1,2,2-Tetrachloroethane	0.569	0.618	-8.6	76	0.00
76 T	1,2,3-Trichloropropane	0.417	0.472	-13.2	80	0.00
77 T	Bromobenzene	0.859	0.922	-7.3	72	0.00
78 T	n-propylbenzene	3.880	4.021	-3.6	69	0.00
79 T	2-Chlorotoluene	2.219	2.322	-4.6	70	0.00
80 T	1,3,5-Trimethylbenzene	2.791	3.006	-7.7	71	0.00
81 T	trans-1,4-Dichloro-2-butene	0.189	0.201	-6.3	71	0.00
82 T	4-Chlorotoluene	2.342	2.480	-5.9	71	0.00
83 T	tert-Butylbenzene	2.455	2.571	-4.7	69	0.00
84 T	1,2,4-Trimethylbenzene	2.793	2.967	-6.2	70	0.00
85 T	sec-Butylbenzene	3.314	3.483	-5.1	69	0.00
86 T	p-Isopropyltoluene	3.108	3.234	-4.1	69	0.00
87 T	1,3-Dichlorobenzene	1.615	1.659	-2.7	70	0.00
88 T	1,4-Dichlorobenzene	1.610	1.633	-1.4	69	0.00
89 T	n-Butylbenzene	2.785	2.845	-2.2	67	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA D\Data\VD081820\
Data File : VD066294.D
Acq On : 18 Aug 2020 23:30
Operator : VA/SY
Sample : VSTDCCC050
Misc : 5.00G/5.00ml/MSVOA D/SOIL
ALS Vial : 27 Sample Multiplier: 1

Instrument :
MSVOA_D
LabSampleId :
VSTDCCC050

Quant Time: Aug 19 08:15:18 2020
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_D\METHOD\82D080520S.M
Quant Title : SW846 8260
QLast Update : Wed Aug 05 13:49:25 2020
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
90 T	Hexachloroethane	0.620	0.661	-6.6	73	0.00
91 T	1,2-Dichlorobenzene	1.428	1.511	-5.8	72	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.098	0.109	-11.2	79	0.00
93 T	1,2,4-Trichlorobenzene	1.052	1.075	-2.2	68	0.00
94 T	Hexachlorobutadiene	0.620	0.648	-4.5	71	0.00
95 T	Naphthalene	1.715	1.975	-15.2	74	0.00
96 T	1,2,3-Trichlorobenzene	0.929	0.986	-6.1	70	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 6