

Data Path : Z:\voasrv\HPCHEM1\MSVOA_D\Data\VD120621\
 Data File : VD071162.D
 Acq On : 06 Dec 2021 09:53
 Operator : VA/SY
 Sample : VSTDCCC050
 Misc : 5.00G/5.00ml/MSVOA_D/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_D
 LabSampleId :
 VSTDCCC050

Quant Time: Dec 07 06:49:16 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_D\Method\82D112921S.M
 Quant Title : SW846 8260
 QLast Update : Mon Nov 29 17:54:09 2021
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	88	-0.01
2 T	Dichlorodifluoromethane	0.426	0.371	12.9	83	0.00
3 P	Chloromethane	0.564	0.560	0.7	92	0.00
4 C	Vinyl Chloride	0.629	0.667	-6.0#	94	0.00
5 T	Bromomethane	0.454	0.459	-1.1	94	0.00
6 T	Chloroethane	0.433	0.470	-8.5	94	0.00
7 T	Trichlorofluoromethane	0.853	0.842	1.3	87	0.00
8 T	Diethyl Ether	0.231	0.227	1.7	87	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.503	0.491	2.4	86	0.00
10 T	Methyl Iodide	0.509	0.516	-1.4	81	0.00
11 T	Tert butyl alcohol	0.065	0.038	41.5#	89	0.00
12 CM	1,1-Dichloroethene	0.464	0.446	3.9#	86	0.00
13 T	Acrolein	0.040	0.031	22.5	79	0.00
14 T	Allyl chloride	0.882	0.877	0.6	86	0.00
15 T	Acrylonitrile	0.112	0.119	-6.2	97	0.00
16 T	Acetone	0.140	0.159	-13.6	103	0.00
17 T	Carbon Disulfide	1.359	1.258	7.4	83	0.00
18 T	Methyl Acetate	0.433	0.428	1.2	97	0.00
19 T	Methyl tert-butyl Ether	1.138	1.155	-1.5	90	0.00
20 T	Methylene Chloride	0.737	0.548	25.6#	84	0.00
21 T	trans-1,2-Dichloroethene	0.523	0.517	1.1	86	-0.01
22 T	Diisopropyl ether	1.766	1.850	-4.8	90	0.00
23 T	Vinyl Acetate	0.837	0.902	-7.8	93	0.00
24 P	1,1-Dichloroethane	1.016	1.035	-1.9	87	0.00
25 T	2-Butanone	0.161	0.176	-9.3	100	-0.01
26 T	2,2-Dichloropropane	0.924	0.909	1.6	85	0.00
27 T	cis-1,2-Dichloroethene	0.591	0.609	-3.0	87	-0.01
28 T	Bromochloromethane	0.441	0.444	-0.7	88	0.00
29 T	Tetrahydrofuran	0.093	0.098	-5.4	101	0.00
30 C	Chloroform	1.020	1.063	-4.2#	89	0.00
31 T	Cyclohexane	0.998	0.907	9.1	84	0.00
32 T	1,1,1-Trichloroethane	0.915	0.934	-2.1	87	0.00
33 S	1,2-Dichloroethane-d4	0.587	0.541	7.8	89	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	85	0.00
35 S	Dibromofluoromethane	0.318	0.305	4.1	85	0.00
36 T	1,1-Dichloropropene	0.467	0.477	-2.1	86	0.00
37 T	Ethyl Acetate	0.202	0.212	-5.0	100	0.00
38 T	Carbon Tetrachloride	0.461	0.488	-5.9	89	0.00
39 T	Methylcyclohexane	0.562	0.551	2.0	83	0.00
40 TM	Benzene	1.269	1.304	-2.8	87	0.00
41 T	Methacrylonitrile	0.119	0.126	-5.9	106	0.00
42 TM	1,2-Dichloroethane	0.387	0.412	-6.5	92	0.00
43 T	Isopropyl Acetate	0.398	0.429	-7.8	96	0.00
44 TM	Trichloroethene	0.338	0.339	-0.3	85	0.00
45 C	1,2-Dichloropropane	0.334	0.349	-4.5#	87	0.00
46 T	Dibromomethane	0.173	0.185	-6.9	93	0.00
47 T	Bromodichloromethane	0.458	0.494	-7.9	91	0.00
48 T	Methyl methacrylate	0.198	0.205	-3.5	92	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_D\Data\VD120621\
 Data File : VD071162.D
 Acq On : 06 Dec 2021 09:53
 Operator : VA/SY
 Sample : VSTDCCC050
 Misc : 5.00G/5.00ml/MSVOA_D/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_D
 LabSampleId :
 VSTDCCC050

Quant Time: Dec 07 06:49:16 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_D\Method\82D112921S.M
 Quant Title : SW846 8260
 QLast Update : Mon Nov 29 17:54:09 2021
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
49 T	1,4-Dioxane	0.002	0.002	0.0	105	-0.01
50 S	Toluene-d8	1.212	1.101	9.2	82	0.00
51 T	4-Methyl-2-Pentanone	0.200	0.222	-11.0	100	0.00
52 CM	Toluene	0.805	0.832	-3.4#	86	0.00
53 T	t-1,3-Dichloropropene	0.421	0.440	-4.5	87	0.00
54 T	cis-1,3-Dichloropropene	0.500	0.525	-5.0	87	0.00
55 T	1,1,2-Trichloroethane	0.227	0.244	-7.5	94	0.00
56 T	Ethyl methacrylate	0.286	0.307	-7.3	95	0.00
57 T	1,3-Dichloropropane	0.399	0.433	-8.5	92	0.00
58 T	2-Chloroethyl Vinyl ether	0.155	0.152	1.9	93	0.00
59 T	2-Hexanone	0.147	0.165	-12.2	100	0.00
60 T	Dibromochloromethane	0.282	0.308	-9.2	94	0.00
61 T	1,2-Dibromoethane	0.218	0.227	-4.1	91	0.00
62 S	4-Bromofluorobenzene	0.420	0.397	5.5	85	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	88	0.00
64 T	Tetrachloroethene	0.317	0.314	0.9	87	0.00
65 PM	Chlorobenzene	0.928	0.956	-3.0	89	0.00
66 T	1,1,1,2-Tetrachloroethane	0.339	0.348	-2.7	89	0.00
67 C	Ethyl Benzene	1.746	1.784	-2.2#	87	0.00
68 T	m/p-Xylenes	0.659	0.676	-2.6	87	0.00
69 T	o-Xylene	0.620	0.637	-2.7	88	0.00
70 T	Styrene	1.044	1.087	-4.1	88	0.00
71 P	Bromoform	0.175	0.190	-8.6	97	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	92	0.00
73 T	Isopropylbenzene	3.620	3.682	-1.7	89	0.00
74 T	N-amyl acetate	0.876	0.916	-4.6	97	0.00
75 P	1,1,2,2-Tetrachloroethane	0.596	0.640	-7.4	98	0.00
76 T	1,2,3-Trichloropropane	0.476	0.531	-11.6	112	0.00
77 T	Bromobenzene	0.784	0.799	-1.9	91	0.00
78 T	n-propylbenzene	4.509	4.547	-0.8	88	0.00
79 T	2-Chlorotoluene	2.530	2.517	0.5	88	0.00
80 T	1,3,5-Trimethylbenzene	2.985	3.014	-1.0	87	0.00
81 T	trans-1,4-Dichloro-2-butene	0.180	0.185	-2.8	96	0.00
82 T	4-Chlorotoluene	2.627	2.599	1.1	87	0.00
83 T	tert-Butylbenzene	2.564	2.599	-1.4	88	0.00
84 T	1,2,4-Trimethylbenzene	2.915	3.007	-3.2	89	0.00
85 T	sec-Butylbenzene	3.916	3.946	-0.8	87	0.00
86 T	p-Isopropyltoluene	3.203	3.279	-2.4	88	0.00
87 T	1,3-Dichlorobenzene	1.561	1.623	-4.0	90	0.00
88 T	1,4-Dichlorobenzene	1.547	1.573	-1.7	90	0.00
89 T	n-Butylbenzene	3.127	3.210	-2.7	87	0.00
90 T	Hexachloroethane	0.607	0.623	-2.6	88	0.00
91 T	1,2-Dichlorobenzene	1.328	1.363	-2.6	91	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.097	0.105	-8.2	104	0.00
93 T	1,2,4-Trichlorobenzene	0.828	0.868	-4.8	91	0.00
94 T	Hexachlorobutadiene	0.469	0.472	-0.6	86	0.00
95 T	Naphthalene	1.460	1.580	-8.2	96	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_D\Data\VD120621\
Data File : VD071162.D
Acq On : 06 Dec 2021 09:53
Operator : VA/SY
Sample : VSTDCCC050
Misc : 5.00G/5.00ml/MSVOA_D/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_D
LabSampleId :
VSTDCCC050

Quant Time: Dec 07 06:49:16 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_D\Method\82D112921S.M
Quant Title : SW846 8260
QLast Update : Mon Nov 29 17:54:09 2021
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
96 T	1,2,3-Trichlorobenzene	0.703	0.738	-5.0	91	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 6