

Data Path : Z:\voasrv\HPCHEM1\MSVOA_N\Data\VN010925\
 Data File : VN085416.D
 Acq On : 09 Jan 2025 18:23
 Operator : JC\MD
 Sample : VSTDCCC050
 Misc : 5.0mL/MSVOA_N/WATER
 ALS Vial : 17 Sample Multiplier: 1

Instrument :
 MSVOA_N
 LabSampleId :
 VSTDCCC050

Quant Time: Jan 10 00:26:36 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_N\methods\82N122724W.M
 Quant Title : SW846 8260
 QLast Update : Sat Dec 28 01:36:16 2024
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	119	0.00
2 T	Dichlorodifluoromethane	0.676	0.660	2.4	112	0.00
3 P	Chloromethane	0.760	0.699	8.0	121	0.00
4 C	Vinyl Chloride	0.804	0.701	12.8#	110	0.00
5 T	Bromomethane	0.526	0.399	24.1	98	-0.02
6 T	Chloroethane	0.510	0.437	14.3	107	-0.01
7 T	Trichlorofluoromethane	1.057	1.024	3.1	119	0.00
8 T	Diethyl Ether	0.350	0.367	-4.9	122	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.601	0.579	3.7	119	0.00
10 T	Methyl Iodide	0.696	0.719	-3.3	119	0.00
11 T	Tert butyl alcohol	0.089	0.094	-5.6	130	0.00
12 CM	1,1-Dichloroethene	0.556	0.548	1.4#	121	0.00
13 T	Acrolein	0.139	0.147	-5.8	134	0.00
14 T	Allyl chloride	0.889	0.896	-0.8	124	0.00
15 T	Acrylonitrile	0.281	0.287	-2.1	124	0.00
16 T	Acetone	0.235	0.236	-0.4	126	0.00
17 T	Carbon Disulfide	1.690	1.593	5.7	123	0.00
18 T	Methyl Acetate	0.718	0.775	-7.9	132	0.00
19 T	Methyl tert-butyl Ether	1.806	1.887	-4.5	120	0.00
20 T	Methylene Chloride	0.631	0.635	-0.6	123	0.00
21 T	trans-1,2-Dichloroethene	0.580	0.567	2.2	119	0.00
22 T	Diisopropyl ether	1.916	2.061	-7.6	125	0.00
23 T	Vinyl Acetate	1.386	1.528	-10.2	127	0.00
24 P	1,1-Dichloroethane	1.154	1.177	-2.0	125	0.00
25 T	2-Butanone	0.364	0.376	-3.3	122	0.00
26 T	2,2-Dichloropropane	1.011	0.988	2.3	114	0.00
27 T	cis-1,2-Dichloroethene	0.681	0.687	-0.9	118	0.00
28 T	Bromochloromethane	0.536	0.477	11.0	106	0.00
29 T	Tetrahydrofuran	0.234	0.253	-8.1	126	0.00
30 C	Chloroform	1.181	1.143	3.2#	120	0.00
31 T	Cyclohexane	1.054	0.983	6.7	119	0.00
32 T	1,1,1-Trichloroethane	1.055	1.030	2.4	120	0.00
33 S	1,2-Dichloroethane-d4	0.713	0.686	3.8	113	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	117	0.00
35 S	Dibromofluoromethane	0.312	0.293	6.1	108	0.00
36 T	1,1-Dichloropropene	0.457	0.466	-2.0	119	0.00
37 T	Ethyl Acetate	0.454	0.457	-0.7	129	0.00
38 T	Carbon Tetrachloride	0.498	0.499	-0.2	117	0.00
39 T	Methylcyclohexane	0.474	0.502	-5.9	117	0.00
40 TM	Benzene	1.381	1.420	-2.8	121	0.00
41 T	Methacrylonitrile	0.232	0.259	-11.6	129	0.00
42 TM	1,2-Dichloroethane	0.495	0.502	-1.4	125	0.00
43 T	Isopropyl Acetate	0.747	0.780	-4.4	123	0.00
44 TM	Trichloroethene	0.327	0.317	3.1	120	0.00
45 C	1,2-Dichloropropane	0.351	0.357	-1.7#	123	0.00
46 T	Dibromomethane	0.244	0.241	1.2	118	0.00
47 T	Bromodichloromethane	0.507	0.518	-2.2	120	0.00
48 T	Methyl methacrylate	0.324	0.377	-16.4	129	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_N\Data\VN010925\
 Data File : VN085416.D
 Acq On : 09 Jan 2025 18:23
 Operator : JC\MD
 Sample : VSTDCCC050
 Misc : 5.0mL/MSVOA_N/WATER
 ALS Vial : 17 Sample Multiplier: 1

Instrument :
 MSVOA_N
 LabSampleId :
 VSTDCCC050

Quant Time: Jan 10 00:26:36 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_N\methods\82N122724W.M
 Quant Title : SW846 8260
 QLast Update : Sat Dec 28 01:36:16 2024
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
49 T	1,4-Dioxane	0.005	0.005	0.0	109	0.00
50 S	Toluene-d8	1.145	1.063	7.2	107	0.00
51 T	4-Methyl-2-Pentanone	0.420	0.459	-9.3	124	0.00
52 CM	Toluene	0.822	0.863	-5.0#	120	0.00
53 T	t-1,3-Dichloropropene	0.498	0.525	-5.4	117	0.00
54 T	cis-1,3-Dichloropropene	0.539	0.564	-4.6	119	0.00
55 T	1,1,2-Trichloroethane	0.310	0.315	-1.6	121	0.00
56 T	Ethyl methacrylate	0.452	0.518	-14.6	121	0.00
57 T	1,3-Dichloropropane	0.545	0.565	-3.7	120	0.00
58 T	2-Chloroethyl Vinyl ether	0.219	0.237	-8.2	115	0.00
59 T	2-Hexanone	0.291	0.321	-10.3	122	0.00
60 T	Dibromochloromethane	0.350	0.371	-6.0	118	0.00
61 T	1,2-Dibromoethane	0.307	0.313	-2.0	117	0.00
62 S	4-Bromofluorobenzene	0.380	0.372	2.1	109	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	116	0.00
64 T	Tetrachloroethene	0.317	0.309	2.5	115	0.00
65 PM	Chlorobenzene	1.080	1.075	0.5	119	0.00
66 T	1,1,1,2-Tetrachloroethane	0.363	0.373	-2.8	119	0.00
67 C	Ethyl Benzene	1.797	1.935	-7.7#	120	0.00
68 T	m/p-Xylenes	0.658	0.720	-9.4	118	0.00
69 T	o-Xylene	0.636	0.698	-9.7	118	0.00
70 T	Styrene	1.031	1.171	-13.6	119	0.00
71 P	Bromoform	0.251	0.271	-8.0	119	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	113	0.00
73 T	Isopropylbenzene	3.596	3.891	-8.2	117	0.00
74 T	N-amyl acetate	1.539	1.739	-13.0	121	0.00
75 P	1,1,2,2-Tetrachloroethane	1.145	1.167	-1.9	123	0.00
76 T	1,2,3-Trichloropropane	0.934	0.846	9.4	115	0.00
77 T	Bromobenzene	0.891	0.881	1.1	118	0.00
78 T	n-propylbenzene	4.191	4.531	-8.1	116	0.00
79 T	2-Chlorotoluene	2.638	2.767	-4.9	118	0.00
80 T	1,3,5-Trimethylbenzene	2.908	3.171	-9.0	116	0.00
81 T	trans-1,4-Dichloro-2-butene	0.390	0.430	-10.3	120	0.00
82 T	4-Chlorotoluene	2.657	2.733	-2.9	116	0.00
83 T	tert-Butylbenzene	2.519	2.729	-8.3	118	0.00
84 T	1,2,4-Trimethylbenzene	2.896	3.208	-10.8	116	0.00
85 T	sec-Butylbenzene	3.497	3.766	-7.7	113	0.00
86 T	p-Isopropyltoluene	2.816	3.137	-11.4	115	0.00
87 T	1,3-Dichlorobenzene	1.615	1.633	-1.1	116	0.00
88 T	1,4-Dichlorobenzene	1.659	1.617	2.5	116	0.00
89 T	n-Butylbenzene	2.561	2.738	-6.9	113	0.00
90 T	Hexachloroethane	0.573	0.604	-5.4	114	0.00
91 T	1,2-Dichlorobenzene	1.538	1.569	-2.0	117	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.204	0.208	-2.0	116	0.00
93 T	1,2,4-Trichlorobenzene	0.768	0.781	-1.7	115	0.00
94 T	Hexachlorobutadiene	0.381	0.346	9.2	115	0.00
95 T	Naphthalene	2.603	2.512	3.5	112	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_N\Data\VN010925\
Data File : VN085416.D
Acq On : 09 Jan 2025 18:23
Operator : JC\MD
Sample : VSTDCCC050
Misc : 5.0mL/MSVOA_N/WATER
ALS Vial : 17 Sample Multiplier: 1

Instrument :
MSVOA_N
LabSampleId :
VSTDCCC050

Quant Time: Jan 10 00:26:36 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_N\methods\82N122724W.M
Quant Title : SW846 8260
QLast Update : Sat Dec 28 01:36:16 2024
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
96 T	1,2,3-Trichlorobenzene	0.767	0.751	2.1	113	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 6