

Data Path : Z:\VOASRV\HPCHEM1\MSVOA N\DATA\VN011520\
 Data File : VN059716.D
 Acq On : 15 Jan 2020 13:00
 Operator : JC/MD
 Sample : PB126097ZHE#01
 Misc : 5.00mL/MSVOA N/WATER
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 MSVOA_N
 ClientSampleId :
 PB126097ZHE#01

Quant Time: Jan 16 04:14:08 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_N\METHODS\82N011320W.M
 Quant Title : SW846 8260
 QLast Update : Tue Jan 14 08:58:21 2020
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	7.64	168	189452	50.00	ug/l	0.00
34) 1,4-Difluorobenzene	8.57	114	282723	50.00	ug/l	0.00
63) Chlorobenzene-d5	11.40	117	244562	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.34	152	106824	50.00	ug/l	0.00
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.00	65	97888	46.53	ug/l	0.00
Spiked Amount 50.000			Recovery	=	93.06%	
35) Dibromofluoromethane	7.57	113	86203	51.13	ug/l	0.00
Spiked Amount 50.000			Recovery	=	102.26%	
50) Toluene-d8	10.08	98	321753	49.25	ug/l	0.00
Spiked Amount 50.000			Recovery	=	98.50%	
62) 4-Bromofluorobenzene	12.40	95	111189	47.22	ug/l	0.00
Spiked Amount 50.000			Recovery	=	94.44%	
Target Compounds						
43) Isopropyl Acetate	8.14	43	43945	11.064	ug/l #	Qvalue 91


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA N\DATA\VN011520\
Data File : VN059716.D
Acq On : 15 Jan 2020 13:00
Operator : JC/MD
Sample : PB126097ZHE#01
Misc : 5.00mL/MSVOA N/WATER
ALS Vial : 9 Sample Multiplier: 1

Instrument :
MSVOA_N
ClientSampleId :
PB126097ZHE#01

Quant Time: Jan 16 04:14:08 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_N\METHODS\82N011320W.M
Quant Title : SW846 8260
QLast Update : Tue Jan 14 08:58:21 2020
Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 50.000 ug/l

RT: 7.64 min Scan# 1826

Delta R.T. 0.00 min

Lab File: VN059716.D

Acq: 15 Jan 2020 13:00

Instrument :

MSVOA_N

ClientSampleId :


PB126097ZHE#01

Tot Ion:168 Resp: 189452

Ion Ratio Lower Upper




168 100

99 51.1 48.2 72.4



Abundance Ion 167.90 (167.60 to 168.60): V

Ion 98.90 (98.60 to 99.60): VNO



#33

1,2-Dichloroethane-d4

Concen: 46.527 ug/l

RT: 8.00 min Scan# 1938

Delta R.T. 0.00 min

Lab File: VN059716.D


Acq: 15 Jan 2020 13:00

Tgt Ion: 65 Resp: 97888

Ion Ratio Lower Upper



65 100


67 52.9 0.0 103.0



Abundance Ion 64.90 (64.60 to 65.60): VNO

Ion 66.90 (66.60 to 67.60): VNO









#34
 1,4-Difluorobenzene
 Concen: 50.000 ug/l
 RT: 8.57 min Scan# 2113
 Delta R.T. 0.00 min
 Lab File: VN059716.D
 Acq: 15 Jan 2020 13:00

Instrument :
 MSVOA_N
 ClientSampleId :
 PB126097ZHE#01

Tot Ion:114 Resp: 282723
 Ion Ratio Lower Upper
 114 100
 63 18.1 0.0 43.6
 88 14.8 0.0 31.4




Abundance Ion 113.90 (113.60 to 114.60): V
 Ion 63.00 (62.70 to 63.70): V
 Ion 87.90 (87.60 to 88.60): V






#35
 Dibromofluoromethane
 Concen: 51.129 ug/l
 RT: 7.57 min Scan# 1802
 Delta R.T. 0.00 min
 Lab File: VN059716.D
 Acq: 15 Jan 2020 13:00

Tgt Ion:113 Resp: 86203
 Ion Ratio Lower Upper
 113 100
 111 103.3 83.5 125.3
 192 21.2 15.4 23.2



Abundance Ion 112.80 (112.50 to 113.50): V
 Ion 110.80 (110.50 to 111.50): V
 Ion 191.70 (191.40 to 192.40): V





#43

Isopropyl Acetate

Concen: 11.064 ug/l

RT: 8.14 min Scan# 1980

Delta R.T. 0.00 min

Lab File: VN059716.D

Acq: 15 Jan 2020 13:00

Instrument :

MSVOA_N

ClientSampleId :

PB126097ZHE#01





Tot Ion: 43 Resp: 43945

Ion Ratio Lower Upper

43 100

61 20.2 20.2 30.2

87 14.7 9.5 14.3#



#50

Toluene-d8

Concen: 49.255 ug/l

RT: 10.08 min Scan# 2583

Delta R.T. 0.00 min

Lab File: VN059716.D




Acq: 15 Jan 2020 13:00


Tgt Ion: 98 Resp: 321753

Ion Ratio Lower Upper

98 100

100 64.6 51.2 76.8





#62

4-Bromofluorobenzene

Concen: 47.215 ug/l

RT: 12.40 min Scan# 3304

Delta R.T. 0.00 min

Lab File: VN059716.D

Acq: 15 Jan 2020 13:00

Instrument :

MSVOA_N

ClientSampleId :

PB126097ZHE#01


Tot Ion: 95 Resp: 111189

Ion Ratio Lower Upper

95 100

174 89.5 0.0 151.4




176 86.0 0.0 146.0



Abundance Ion 94.90 (94.60 to 95.60): VN059716.D (-3211) (-)

Ion 173.80 (173.50 to 174.50): VN059716.D (-3211) (-)

Ion 175.80 (175.50 to 176.50): VN059716.D (-3211) (-)



#63

Chlorobenzene-d5

Concen: 50.000 ug/l

RT: 11.40 min Scan# 2994

Delta R.T. 0.00 min

Lab File: VN059716.D

Acq: 15 Jan 2020 13:00


Tgt Ion: 117 Resp: 244562

Ion Ratio Lower Upper

117 100

82 51.5 45.9 68.9



119 32.0 25.5 38.3




Abundance Ion 116.90 (116.60 to 117.60): VN059716.D (-2901) (-)

Ion 82.00 (81.70 to 82.70): VN059716.D (-2901) (-)

Ion 118.90 (118.60 to 119.60): VN059716.D (-2901) (-)





#72

1,4-Dichlorobenzene-d4

Concen: 50.000 ug/l

RT: 13.34 min Scan# 3597

Delta R.T. 0.00 min

Lab File: VN059716.D

Acq: 15 Jan 2020 13:00

Instrument :

MSVOA_N

ClientSampleId :

PB126097ZHE#01


Tot Ion:152 Resp: 106824

Ion Ratio Lower Upper

152 100

115 57.9 30.3 90.9

150 156.7 0.0 345.2



Abundance Ion 151.90 (151.60 to 152.60): V

Ion 114.90 (114.60 to 115.60): V

Ion 149.90 (149.60 to 150.60): V

