

Data Path : Z:\voasrv\HPCHEM1\MSVOA_N\Data\VN011524\
 Data File : VN080710.D
 Acq On : 15 Jan 2024 12:04
 Operator : JC\MD
 Sample : VSTDCCC050
 Misc : 5.0mL/MSVOA_N/WATER
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_N
 LabSampleId :
 VSTDCCC050

Quant Time: Jan 16 00:39:25 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_N\methods\82N011024W.M
 Quant Title : SW846 8260
 QLast Update : Thu Jan 11 06:34:36 2024
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	50.000	50.000	0.0	87	0.00
2 T	Dichlorodifluoromethane	50.000	45.766	8.5	73	0.00
3 P	Chloromethane	50.000	61.677	-23.4	107	0.00
4 C	Vinyl Chloride	50.000	56.090	-12.2#	97	0.00
5 T	Bromomethane	50.000	57.686	-15.4	102	0.00
6 T	Chloroethane	50.000	57.281	-14.6	98	0.00
7 T	Trichlorofluoromethane	50.000	45.077	9.8	74	0.00
8 T	Diethyl Ether	50.000	53.645	-7.3	94	0.00
9 T	1,1,2-Trichlorotrifluoroeth	50.000	49.188	1.6	83	0.00
10 T	Methyl Iodide	50.000	56.342	-12.7	92	0.00
11 T	Tert butyl alcohol	250.000	260.510	-4.2	87	-0.01
12 CM	1,1-Dichloroethene	50.000	47.791	4.4#	89	0.00
13 T	Acrolein	250.000	251.968	-0.8	96	0.00
14 T	Allyl chloride	50.000	49.391	1.2	90	0.00
15 T	Acrylonitrile	250.000	260.726	-4.3	90	0.00
16 T	Acetone	250.000	204.531	18.2	64	0.00
17 T	Carbon Disulfide	50.000	48.969	2.1	92	0.00
18 T	Methyl Acetate	50.000	54.250	-8.5	92	0.00
19 T	Methyl tert-butyl Ether	50.000	53.144	-6.3	92	0.00
20 T	Methylene Chloride	50.000	53.505	-7.0	101	0.00
21 T	trans-1,2-Dichloroethene	50.000	53.395	-6.8	96	0.00
22 T	Diisopropyl ether	50.000	60.044	-20.1	106	0.00
23 T	Vinyl Acetate	250.000	281.935	-12.8	96	0.00
24 P	1,1-Dichloroethane	50.000	54.203	-8.4	95	0.00
25 T	2-Butanone	250.000	238.954	4.4	83	0.00
26 T	2,2-Dichloropropane	50.000	51.316	-2.6	89	0.00
27 T	cis-1,2-Dichloroethene	50.000	57.881	-15.8	99	0.00
28 T	Bromochloromethane	50.000	49.823	0.4	88	0.00
29 T	Tetrahydrofuran	250.000	257.543	-3.0	89	0.00
30 C	Chloroform	50.000	55.332	-10.7#	96	0.00
31 T	Cyclohexane	50.000	49.265	1.5	92	0.00
32 T	1,1,1-Trichloroethane	50.000	48.407	3.2	84	0.00
33 S	1,2-Dichloroethane-d4	50.000	45.928	8.1	76	0.00
34 I	1,4-Difluorobenzene	50.000	50.000	0.0	90	0.00
35 S	Dibromofluoromethane	50.000	51.666	-3.3	83	0.00
36 T	1,1-Dichloropropene	50.000	49.265	1.5	90	0.00
37 T	Ethyl Acetate	50.000	48.772	2.5	87	0.00
38 T	Carbon Tetrachloride	50.000	45.566	8.9	80	0.00
39 T	Methylcyclohexane	50.000	49.167	1.7	87	0.00
40 TM	Benzene	50.000	56.205	-12.4	102	0.00
41 T	Methacrylonitrile	50.000	50.030	-0.1	86	0.00
42 TM	1,2-Dichloroethane	50.000	49.659	0.7	88	0.00
43 T	Isopropyl Acetate	50.000	50.164	-0.3	89	0.00
44 TM	Trichloroethene	50.000	49.793	0.4	91	0.00
45 C	1,2-Dichloropropane	50.000	57.334	-14.7#	104	0.00
46 T	Dibromomethane	50.000	51.760	-3.5	93	0.00
47 T	Bromodichloromethane	50.000	51.284	-2.6	94	0.00
48 T	Methyl methacrylate	50.000	50.172	-0.3	90	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_N\Data\VN011524\
 Data File : VN080710.D
 Acq On : 15 Jan 2024 12:04
 Operator : JC\MD
 Sample : VSTDCCC050
 Misc : 5.0mL/MSVOA_N/WATER
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_N
 LabSampleId :
 VSTDCCC050

Quant Time: Jan 16 00:39:25 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_N\methods\82N011024W.M
 Quant Title : SW846 8260
 QLast Update : Thu Jan 11 06:34:36 2024
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
49 T	1,4-Dioxane	1000.000	934.292	6.6	76	0.00
50 S	Toluene-d8	50.000	52.432	-4.9	88	0.00
51 T	4-Methyl-2-Pentanone	250.000	248.630	0.5	88	0.00
52 CM	Toluene	50.000	56.421	-12.8#	101	0.00
53 T	t-1,3-Dichloropropene	50.000	55.362	-10.7	96	0.00
54 T	cis-1,3-Dichloropropene	50.000	56.087	-12.2	99	0.00
55 T	1,1,2-Trichloroethane	50.000	55.840	-11.7	103	0.00
56 T	Ethyl methacrylate	50.000	51.178	-2.4	93	0.00
57 T	1,3-Dichloropropane	50.000	58.047	-16.1	101	0.00
58 T	2-Chloroethyl Vinyl ether	250.000	252.573	-1.0	90	0.00
59 T	2-Hexanone	250.000	241.970	3.2	85	0.00
60 T	Dibromochloromethane	50.000	54.555	-9.1	98	0.00
61 T	1,2-Dibromoethane	50.000	55.301	-10.6	96	0.00
62 S	4-Bromofluorobenzene	50.000	48.283	3.4	81	0.00
63 I	Chlorobenzene-d5	50.000	50.000	0.0	94	0.00
64 T	Tetrachloroethene	50.000	47.798	4.4	92	0.00
65 PM	Chlorobenzene	50.000	53.823	-7.6	99	0.00
66 T	1,1,1,2-Tetrachloroethane	50.000	53.153	-6.3	96	0.00
67 C	Ethyl Benzene	50.000	52.604	-5.2#	96	0.00
68 T	m/p-Xylenes	100.000	106.851	-6.9	95	0.00
69 T	o-Xylene	50.000	56.484	-13.0	99	0.00
70 T	Styrene	50.000	55.659	-11.3	98	0.00
71 P	Bromoform	50.000	51.256	-2.5	91	0.00
72 I	1,4-Dichlorobenzene-d4	50.000	50.000	0.0	95	0.00
73 T	Isopropylbenzene	50.000	51.054	-2.1	93	0.00
74 T	N-amyl acetate	50.000	48.954	2.1	93	0.00
75 P	1,1,2,2-Tetrachloroethane	50.000	49.777	0.4	93	0.00
76 T	1,2,3-Trichloropropane	50.000	45.202	9.6	86	0.00
77 T	Bromobenzene	50.000	52.172	-4.3	98	0.00
78 T	n-propylbenzene	50.000	50.756	-1.5	94	0.00
79 T	2-Chlorotoluene	50.000	49.403	1.2	95	0.00
80 T	1,3,5-Trimethylbenzene	50.000	50.217	-0.4	92	0.00
81 T	trans-1,4-Dichloro-2-butene	50.000	49.342	1.3	96	0.00
82 T	4-Chlorotoluene	50.000	51.433	-2.9	97	0.00
83 T	tert-Butylbenzene	50.000	49.692	0.6	94	0.00
84 T	1,2,4-Trimethylbenzene	50.000	51.279	-2.6	94	0.00
85 T	sec-Butylbenzene	50.000	51.286	-2.6	93	0.00
86 T	p-Isopropyltoluene	50.000	51.498	-3.0	95	0.00
87 T	1,3-Dichlorobenzene	50.000	51.305	-2.6	97	0.00
88 T	1,4-Dichlorobenzene	50.000	51.301	-2.6	96	0.00
89 T	n-Butylbenzene	50.000	52.135	-4.3	93	0.00
90 T	Hexachloroethane	50.000	49.248	1.5	91	0.00
91 T	1,2-Dichlorobenzene	50.000	53.143	-6.3	97	0.00
92 T	1,2-Dibromo-3-Chloropropane	50.000	39.809	20.4	73	0.00
93 T	1,2,4-Trichlorobenzene	50.000	51.955	-3.9	93	0.00
94 T	Hexachlorobutadiene	50.000	43.916	12.2	87	0.00
95 T	Naphthalene	50.000	46.447	7.1	84	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_N\Data\VN011524\
Data File : VN080710.D
Acq On : 15 Jan 2024 12:04
Operator : JC\MD
Sample : VSTDCCC050
Misc : 5.0mL/MSVOA_N/WATER
ALS Vial : 2 Sample Multiplier: 1

Instrument :
MSVOA_N
LabSampleId :
VSTDCCC050

Quant Time: Jan 16 00:39:25 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_N\methods\82N011024W.M
Quant Title : SW846 8260
QLast Update : Thu Jan 11 06:34:36 2024
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
96 T	1,2,3-Trichlorobenzene	50.000	49.949	0.1	88	0.00

(#) = Out of Range SPCC's out = 0 CCC's out = 6