

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_N\Data\VN011625\  
 Data File : VN085476.D  
 Acq On : 16 Jan 2025 17:44  
 Operator : JC\MD  
 Sample : Q1109-02  
 Misc : 5.0mL/MSVOA\_N/WATER  
 ALS Vial : 14 Sample Multiplier: 1

Instrument :  
 MSVOA\_N  
 ClientSampleId :  
 TAPIAL1-MW04S-011525-00-T2

Quant Time: Jan 17 01:07:58 2025  
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_N\methods\82N011425W.M  
 Quant Title : SW846 8260  
 QLast Update : Wed Jan 15 02:16:08 2025  
 Response via : Initial Calibration

| Compound                    | R.T.   | QIon  | Response | Conc     | Units | Dev(Min) |
|-----------------------------|--------|-------|----------|----------|-------|----------|
| -----                       |        |       |          |          |       |          |
| Internal Standards          |        |       |          |          |       |          |
| 1) Pentafluorobenzene       | 8.218  | 168   | 168866   | 50.000   | ug/l  | 0.00     |
| 34) 1,4-Difluorobenzene     | 9.100  | 114   | 305065   | 50.000   | ug/l  | 0.00     |
| 63) Chlorobenzene-d5        | 11.865 | 117   | 270969   | 50.000   | ug/l  | 0.00     |
| 72) 1,4-Dichlorobenzene-d4  | 13.788 | 152   | 106916   | 50.000   | ug/l  | 0.00     |
| System Monitoring Compounds |        |       |          |          |       |          |
| 33) 1,2-Dichloroethane-d4   | 8.577  | 65    | 150180   | 55.095   | ug/l  | 0.00     |
| Spiked Amount               | 50.000 | Range | 74 - 125 | Recovery | =     | 110.180% |
| 35) Dibromofluoromethane    | 8.165  | 113   | 112060   | 52.948   | ug/l  | 0.00     |
| Spiked Amount               | 50.000 | Range | 75 - 124 | Recovery | =     | 105.900% |
| 50) Toluene-d8              | 10.565 | 98    | 376841   | 50.115   | ug/l  | 0.00     |
| Spiked Amount               | 50.000 | Range | 86 - 113 | Recovery | =     | 100.220% |
| 62) 4-Bromofluorobenzene    | 12.847 | 95    | 122424   | 47.594   | ug/l  | 0.00     |
| Spiked Amount               | 50.000 | Range | 77 - 121 | Recovery | =     | 95.180%  |

Target Compounds Qvalue

-----

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_N\Data\VN011625\  
Data File : VN085476.D  
Acq On : 16 Jan 2025 17:44  
Operator : JC\MD  
Sample : Q1109-02  
Misc : 5.0mL/MSVOA\_N/WATER  
ALS Vial : 14 Sample Multiplier: 1

Instrument :  
MSVOA\_N  
ClientSampleId :  
TAPIAL1-MW04S-011525-00-T2

Quant Time: Jan 17 01:07:58 2025  
Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_N\methods\82N011425W.M  
Quant Title : SW846 8260  
QLast Update : Wed Jan 15 02:16:08 2025  
Response via : Initial Calibration

