

Data Path : Z:\voasrv\HPCHEM1\MSVOA_N\Data\VN011722\
 Data File : VN070657.D
 Acq On : 17 Jan 2022 20:18
 Operator : JC/MD
 Sample : N1148-04RE
 Misc : 5.00mL/MSVOA_N/WATER
 ALS Vial : 19 Sample Multiplier: 1

Instrument :
 MSVOA_N
 ClientSampleId :
 MW-33RE

Integration Parameters: RTEINT.P

Integrator: RTE

Smoothing : ON

Filtering: 5

Sampling : 1

Min Area: 3 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_N\methods\82N122721W.M
 Title : SW846 8260

Signal : TIC: VN070657.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	2.445	158	170	189	rVB	317545	513269	1.01%	0.108%
2	3.140	409	429	462	rBV	1806654	4091354	8.01%	0.860%
3	3.513	548	568	601	rBV	540894	1296695	2.54%	0.273%
4	4.256	813	845	879	rBV2	392105	1413046	2.77%	0.297%
5	5.079	1113	1152	1164	rBV3	1221403	4465221	8.74%	0.939%
6	5.374	1238	1262	1294	rBV2	245263	854627	1.67%	0.180%
7	5.618	1320	1353	1409	rBV	4149254	14526145	28.44%	3.055%
8	6.122	1511	1541	1576	rBV	883491	2704678	5.30%	0.569%
9	7.045	1861	1885	1902	rVV	388025	1144486	2.24%	0.241%
10	7.147	1902	1923	1955	rVB	1747110	5152192	10.09%	1.084%
11	7.844	2154	2183	2209	rBV3	250443	695957	1.36%	0.146%
12	8.024	2225	2250	2256	rBV	590978	1320068	2.58%	0.278%
13	8.086	2259	2273	2291	rVV6	2128787	6135956	12.02%	1.290%
14	8.174	2292	2306	2331	rVV	1405364	3497253	6.85%	0.735%
15	8.297	2332	2352	2364	rVV	1046968	2442866	4.78%	0.514%
16	8.356	2366	2374	2389	rVV3	426931	986104	1.93%	0.207%
17	8.456	2389	2411	2430	rVV3	1947994	5511400	10.79%	1.159%
18	8.568	2430	2453	2465	rVV3	1665147	4707171	9.22%	0.990%
19	8.638	2469	2479	2493	rVV3	1529744	3656964	7.16%	0.769%
20	8.708	2494	2505	2527	rVB2	715924	1620318	3.17%	0.341%
21	8.826	2533	2549	2572	rVB2	528455	1091189	2.14%	0.229%
22	8.968	2581	2602	2631	rBV	1421480	2998598	5.87%	0.631%
23	9.459	2750	2785	2800	rBV3	2283056	6567254	12.86%	1.381%
24	9.638	2840	2852	2867	rVB	408497	766822	1.50%	0.161%
25	9.732	2867	2887	2902	rVB3	238395	547471	1.07%	0.115%
26	9.880	2924	2942	2961	rBV4	397897	838703	1.64%	0.176%
27	10.017	2962	2993	3006	rBV3	556265	1298510	2.54%	0.273%
28	10.207	3045	3064	3101	rBV10	416358	1471504	2.88%	0.309%
29	10.440	3134	3151	3166	rBV	3268285	6383820	12.50%	1.343%
30	10.609	3204	3214	3238	rVB7	387746	1033646	2.02%	0.217%
31	10.781	3264	3278	3294	rVB3	352834	662276	1.30%	0.139%
32	10.875	3295	3313	3329	rBV4	585845	1226040	2.40%	0.258%
33	11.744	3620	3637	3657	rBV	2272883	4171883	8.17%	0.877%
34	11.843	3658	3674	3696	rVV	6694975	11626898	22.77%	2.445%
35	11.950	3696	3714	3754	rVB	13207613	26416118	51.73%	5.555%
36	12.280	3812	3837	3857	rBV	5664048	9698754	18.99%	2.040%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_N\Data\VN011722\
 Data File : VN070657.D
 Acq On : 17 Jan 2022 20:18
 Operator : JC/MD
 Sample : N1148-04RE
 Misc : 5.00mL/MSVOA_N/WATER
 ALS Vial : 19 Sample Multiplier: 1

Instrument :
 MSVOA_N
 ClientSampleId :
 MW-33RE

Integration Parameters: RTEINT.P

Integrator: RTE

Smoothing : ON

Filtering: 5

Sampling : 1

Min Area: 3 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_N\methods\82N122721W.M
 Title : SW846 8260

37	12.578	3934	3948	3965	rVB	2184456	3622487	7.09%	0.762%
38	12.731	3990	4005	4025	rVB	2239320	3910903	7.66%	0.822%
39	12.918	4060	4075	4086	rBV	5987489	9669652	18.93%	2.034%
40	12.983	4086	4099	4107	rBV	17061078	29308230	57.39%	6.164%
41	13.058	4119	4127	4152	rVB	10936272	17666128	34.59%	3.715%
42	13.219	4170	4187	4208	rBV	9094444	15091521	29.55%	3.174%
43	13.366	4219	4242	4269	rVB2	30565741	51068087	100.00%	10.740%
44	13.495	4272	4290	4303	rBV3	1186215	2874246	5.63%	0.604%
45	13.559	4303	4314	4325	rVB	1018575	1547223	3.03%	0.325%
46	13.616	4325	4335	4344	rVB	445533	638633	1.25%	0.134%
47	13.704	4344	4368	4383	rBV2	7442652	15343936	30.05%	3.227%
48	13.838	4403	4418	4423	rBV	7823842	12456793	24.39%	2.620%
49	13.873	4423	4431	4440	rBV2	12264660	17115884	33.52%	3.600%
50	14.002	4468	4479	4491	rVB	1291833	2011681	3.94%	0.423%
51	14.069	4491	4504	4515	rBV	1937170	3085961	6.04%	0.649%
52	14.131	4515	4527	4532	rBV	5160416	8217071	16.09%	1.728%
53	14.217	4547	4559	4571	rVB	11348421	17348316	33.97%	3.648%
54	14.278	4571	4582	4590	rVV	3710896	5891833	11.54%	1.239%
55	14.329	4590	4601	4617	rVB	13198182	22283687	43.64%	4.686%
56	14.461	4637	4650	4662	rVB3	1698101	2738795	5.36%	0.576%
57	14.538	4662	4679	4686	rBV	4960000	8023438	15.71%	1.687%
58	14.579	4686	4694	4704	rVV	5634396	9080714	17.78%	1.910%
59	14.622	4704	4710	4718	rVV2	1042743	1555702	3.05%	0.327%
60	14.659	4718	4724	4743	rVB3	591857	977075	1.91%	0.205%
61	14.764	4752	4763	4768	rBV	696332	1036281	2.03%	0.218%
62	14.809	4768	4780	4791	rVV	7428660	12560445	24.60%	2.641%
63	14.852	4792	4796	4806	rVB2	952048	1210919	2.37%	0.255%
64	14.930	4806	4825	4839	rBV3	11175493	22967558	44.97%	4.830%
65	14.986	4839	4846	4863	rVB5	681288	1448095	2.84%	0.305%
66	15.083	4871	4882	4899	rBV2	802677	1554684	3.04%	0.327%
67	15.193	4900	4923	4932	rBV4	2501008	6332347	12.40%	1.332%
68	15.308	4951	4966	4989	rVB3	2841890	7036827	13.78%	1.480%
69	15.504	5027	5039	5053	rVB	1979059	3721877	7.29%	0.783%
70	15.614	5068	5080	5091	rBV2	756291	1493624	2.92%	0.314%
71	15.670	5093	5101	5124	rVB2	657160	1303950	2.55%	0.274%
72	15.804	5134	5151	5170	rBV	1192018	2348075	4.60%	0.494%
73	15.981	5200	5217	5242	rBV	703495	1809784	3.54%	0.381%
74	16.107	5253	5264	5278	rVV	347359	636782	1.25%	0.134%
75	16.190	5279	5295	5331	rVB2	588436	1444389	2.83%	0.304%
76	16.550	5404	5429	5439	rBV	236460	592877	1.16%	0.125%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_N\Data\VN011722\
Data File : VN070657.D
Acq On : 17 Jan 2022 20:18
Operator : JC/MD
Sample : N1148-04RE
Misc : 5.00mL/MSVOA_N/WATER
ALS Vial : 19 Sample Multiplier: 1

Instrument :
MSVOA_N
ClientSampleId :
MW-33RE

Integration Parameters: RTEINT.P
Integrator: RTE
Smoothing : ON Filtering: 5
Sampling : 1 Min Area: 3 % of largest Peak
Start Thrs: 0.2 Max Peaks: 100
Stop Thrs : 0 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_N\methods\82N122721W.M
Title : SW846 8260

77	16.617	5440	5454	5488	rVB	1281158	2943215	5.76%	0.619%
----	--------	------	------	------	-----	---------	---------	-------	--------




Sum of corrected areas: 475504981

Data Path : Z:\voasrv\HPCHEM1\MSVOA_N\Data\VN011722\
Data File : VN070657.D
Acq On : 17 Jan 2022 20:18
Operator : JC/MD
Sample : N1148-04RE
Misc : 5.00mL/MSVOA_N/WATER
ALS Vial : 19 Sample Multiplier: 1

Instrument :
MSVOA_N
ClientSampleId :
MW-33RE

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_N\methods\82N122721W.M
Quant Title : SW846 8260

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P



Data Path : Z:\voasrv\HPCHEM1\MSVOA_N\Data\VN011722\
Data File : VN070657.D
Acq On : 17 Jan 2022 20:18
Operator : JC/MD
Sample : N1148-04RE
Misc : 5.00mL/MSVOA_N/WATER
ALS Vial : 19 Sample Multiplier: 1

Instrument :
MSVOA_N
ClientSampleId :
MW-33RE

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_N\methods\82N122721W.M
Quant Title : SW846 8260

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\voasrv\HPCHEM1\MSVOA_N\Data\VN011722\
Data File : VN070657.D
Acq On : 17 Jan 2022 20:18
Operator : JC/MD
Sample : N1148-04RE
Misc : 5.00mL/MSVOA_N/WATER
ALS Vial : 19 Sample Multiplier: 1

Instrument :
MSVOA_N
ClientSampleId :
MW-33RE

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_N\methods\82N122721W.M
Quant Title : SW846 8260

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	#	RT	Resp	Conc
------------------	----	---------	-------	----------	---	----	------	------