

Data Path : Z:\VOASRV\HPCHEM1\MSVOA N\DATA\VN012220\
 Data File : VN059828.D
 Acq On : 22 Jan 2020 13:41
 Operator : JC/MD
 Sample : L1220-01
 Misc : 5.00mL/MSVOA N/WATER
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 MSVOA_N
 ClientSampleId :
 TB-01-200121

Quant Time: Jan 22 18:09:18 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_N\METHODS\82N011320W.M
 Quant Title : SW846 8260
 QLast Update : Sat Jan 18 03:09:32 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	7.64	168	211709	50.00	ug/l	0.00
34) 1,4-Difluorobenzene	8.57	114	316047	50.00	ug/l	0.00
63) Chlorobenzene-d5	11.40	117	278735	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.34	152	113676	50.00	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.00	65	112181	47.71	ug/l	0.00
Spiked Amount	50.000		Recovery	=	95.42%	
35) Dibromofluoromethane	7.57	113	94677	50.23	ug/l	0.00
Spiked Amount	50.000		Recovery	=	100.46%	
50) Toluene-d8	10.08	98	370076	50.68	ug/l	0.00
Spiked Amount	50.000		Recovery	=	101.36%	
62) 4-Bromofluorobenzene	12.40	95	124113	47.15	ug/l	0.00
Spiked Amount	50.000		Recovery	=	94.30%	


Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA N\DATA\VN012220\
Data File : VN059828.D
Acq On : 22 Jan 2020 13:41
Operator : JC/MD
Sample : L1220-01
Misc : 5.00mL/MSVOA N/WATER
ALS Vial : 9 Sample Multiplier: 1

Instrument :
MSVOA_N
ClientSampleId :
TB-01-200121

Quant Time: Jan 22 18:09:18 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_N\METHODS\82N011320W.M
Quant Title : SW846 8260
QLast Update : Sat Jan 18 03:09:32 2020
Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 50.000 ug/l

RT: 7.64 min Scan# 1825

Delta R.T. 0.00 min

Lab File: VN059828.D

Acq: 22 Jan 2020 13:41

Instrument :

MSVOA_N

ClientSampleId :


TB-01-200121

Tot Ion:168 Resp: 211709

Ion Ratio Lower Upper



168 100

99 51.5 48.2 72.4



Abundance Ion 167.90 (167.60 to 168.60): V

Ion 98.90 (98.60 to 99.60): VNO



#33

1,2-Dichloroethane-d4

Concen: 47.715 ug/l

RT: 8.00 min Scan# 1938

Delta R.T. 0.00 min

Lab File: VN059828.D


Acq: 22 Jan 2020 13:41

Tgt Ion: 65 Resp: 112181

Ion Ratio Lower Upper



65 100


67 51.8 0.0 103.0



Abundance Ion 64.90 (64.60 to 65.60): VNO

Ion 66.90 (66.60 to 67.60): VNO









#34
1,4-Difluorobenzene
Concen: 50.000 ug/l
RT: 8.57 min Scan# 2113
Delta R.T. 0.00 min
Lab File: VN059828.D
Acq: 22 Jan 2020 13:41




Instrument :
MSVOA_N
ClientSampleId :
TB-01-200121


Tot Ion:114 Resp: 316047
Ion Ratio Lower Upper
114 100
63 18.2 0.0 43.6
88 14.7 0.0 31.4



#35
Dibromofluoromethane
Concen: 50.234 ug/l
RT: 7.57 min Scan# 1802
Delta R.T. 0.00 min
Lab File: VN059828.D
Acq: 22 Jan 2020 13:41

Tgt Ion:113 Resp: 94677
Ion Ratio Lower Upper
113 100
111 103.2 83.5 125.3
192 21.7 15.4 23.2





#50

Toluene-d8

Concen: 50.679 ug/l

RT: 10.08 min Scan# 2583

Delta R.T. 0.00 min

Lab File: VN059828.D

Acq: 22 Jan 2020 13:41

Instrument :

MSVOA_N

ClientSampleId :





TB-01-200121

Tot Ion: 98 Resp: 370076

Ion Ratio Lower Upper

98 100

100 64.4 51.2 76.8



#62

4-Bromofluorobenzene

Concen: 47.146 ug/l

RT: 12.40 min Scan# 3304

Delta R.T. 0.00 min

Lab File: VN059828.D

Acq: 22 Jan 2020 13:41




Tgt Ion: 95 Resp: 124113


Ion Ratio Lower Upper

95 100

174 87.1 0.0 151.4

176 84.6 0.0 146.0









#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 11.40 min Scan# 2994
Delta R.T. 0.00 min
Lab File: VN059828.D
Acq: 22 Jan 2020 13:41

Instrument :
MSVOA_N
ClientSampleId :
TB-01-200121

Tot Ion:117 Resp: 278735
Ion Ratio Lower Upper
117 100
82 53.5 45.9 68.9
119 32.1 25.5 38.3




Abundance Ion 116.90 (116.60 to 117.60): V
Ion 82.00 (81.70 to 82.70): V
Ion 118.90 (118.60 to 119.60): V



#72
1,4-Dichlorobenzene-d4
Concen: 50.000 ug/l
RT: 13.34 min Scan# 3597
Delta R.T. 0.00 min
Lab File: VN059828.D
Acq: 22 Jan 2020 13:41

Tgt Ion:152 Resp: 113676
Ion Ratio Lower Upper
152 100
115 57.7 30.3 90.9
150 157.2 0.0 345.2



Abundance Ion 151.90 (151.60 to 152.60): V
Ion 114.90 (114.60 to 115.60): V
Ion 149.90 (149.60 to 150.60): V

