

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_N\Data\VN012523\  
 Data File : VN076401.D  
 Acq On : 25 Jan 2023 14:58  
 Operator : JC\MD  
 Sample : 01291-10  
 Misc : 5.0mL/MSVOA\_N/WATER  
 ALS Vial : 13 Sample Multiplier: 1

Instrument :  
 MSVOA\_N  
 ClientSampleId :  
 BP-VPB-RW10-DUP-20230124

Quant Time: Jan 26 07:17:20 2023  
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_N\methods\82N011623W.M  
 Quant Title : SW846 8260  
 QLast Update : Tue Jan 17 03:59:22 2023  
 Response via : Initial Calibration

| Compound                   | R.T.   | QIon | Response | Conc   | Units | Dev(Min) |
|----------------------------|--------|------|----------|--------|-------|----------|
| -----                      |        |      |          |        |       |          |
| Internal Standards         |        |      |          |        |       |          |
| 1) Pentafluorobenzene      | 8.230  | 168  | 377878   | 50.000 | ug/l  | 0.00     |
| 34) 1,4-Difluorobenzene    | 9.106  | 114  | 619065   | 50.000 | ug/l  | 0.00     |
| 63) Chlorobenzene-d5       | 11.871 | 117  | 522820   | 50.000 | ug/l  | 0.00     |
| 72) 1,4-Dichlorobenzene-d4 | 13.794 | 152  | 192699   | 50.000 | ug/l  | 0.00     |

|                             |        |       |          |          |      |          |
|-----------------------------|--------|-------|----------|----------|------|----------|
| System Monitoring Compounds |        |       |          |          |      |          |
| 33) 1,2-Dichloroethane-d4   | 8.583  | 65    | 223422   | 52.805   | ug/l | 0.00     |
| Spiked Amount               | 50.000 | Range | 74 - 125 | Recovery | =    | 105.620% |
| 35) Dibromofluoromethane    | 8.171  | 113   | 191752   | 49.516   | ug/l | 0.00     |
| Spiked Amount               | 50.000 | Range | 75 - 124 | Recovery | =    | 99.040%  |
| 50) Toluene-d8              | 10.571 | 98    | 711504   | 49.750   | ug/l | 0.00     |
| Spiked Amount               | 50.000 | Range | 86 - 113 | Recovery | =    | 99.500%  |
| 62) 4-Bromofluorobenzene    | 12.853 | 95    | 210513   | 45.089   | ug/l | 0.00     |
| Spiked Amount               | 50.000 | Range | 83 - 123 | Recovery | =    | 90.180%  |

| Target Compounds | Qvalue |
|------------------|--------|
| -----            |        |

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_N\Data\VN012523\  
Data File : VN076401.D  
Acq On : 25 Jan 2023 14:58  
Operator : JC\MD  
Sample : 01291-10  
Misc : 5.0mL/MSVOA\_N/WATER  
ALS Vial : 13 Sample Multiplier: 1

Instrument :  
MSVOA\_N  
ClientSampleId :  
BP-VPB-RW10-DUP-20230124

Quant Time: Jan 26 07:17:20 2023  
Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_N\methods\82N011623W.M  
Quant Title : SW846 8260  
QLast Update : Tue Jan 17 03:59:22 2023  
Response via : Initial Calibration

