

Data Path : Z:\voasrv\HPCHEM1\MSVOA_N\Data\VN012621\
 Data File : VN065593.D
 Acq On : 26 Jan 2021 9:59
 Operator : JC/MD
 Sample : VSTDCCC050
 Misc : 5.00mL/MSVOA_N/WATER
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_N
 LabSampleId :
 VSTDCCC050

Quant Time: Jan 27 03:24:56 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_N\methods\82N012521W.M
 Quant Title : SW846 8260
 QLast Update : Mon Jan 25 13:47:28 2021
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	50.000	50.000	0.0	97	0.00
2 T	Dichlorodifluoromethane	50.000	50.639	-1.3	96	0.00
3 P	Chloromethane	50.000	50.118	-0.2	95	0.00
4 C	Vinyl Chloride	50.000	49.031	1.9#	93	0.00
5 T	Bromomethane	50.000	50.210	-0.4	95	0.00
6 T	Chloroethane	50.000	50.464	-0.9	94	0.00
7 T	Trichlorofluoromethane	50.000	49.353	1.3	93	0.00
8 T	Diethyl Ether	50.000	50.050	-0.1	95	0.00
9 T	1,1,2-Trichlorotrifluoroeth	50.000	51.476	-3.0	99	0.00
10 T	Methyl Iodide	50.000	49.275	1.5	93	0.00
11 T	Tert butyl alcohol	250.000	246.111	1.6	93	0.00
12 CM	1,1-Dichloroethene	50.000	47.116	5.8#	95	0.00
13 T	Acrolein	250.000	255.281	-2.1	99	0.00
14 T	Allyl chloride	50.000	51.657	-3.3	96	0.00
15 T	Acrylonitrile	250.000	256.142	-2.5	95	0.00
16 T	Acetone	250.000	283.802	-13.5	110	0.00
17 T	Carbon Disulfide	50.000	46.243	7.5	95	0.00
18 T	Methyl Acetate	50.000	49.428	1.1	97	0.00
19 T	Methyl tert-butyl Ether	50.000	50.445	-0.9	97	0.00
20 T	Methylene Chloride	50.000	48.089	3.8	96	0.00
21 T	trans-1,2-Dichloroethene	50.000	48.250	3.5	96	0.00
22 T	Diisopropyl ether	50.000	51.358	-2.7	98	0.00
23 T	Vinyl Acetate	250.000	261.367	-4.5	97	0.00
24 P	1,1-Dichloroethane	50.000	50.704	-1.4	95	0.00
25 T	2-Butanone	250.000	272.076	-8.8	99	0.00
26 T	2,2-Dichloropropane	50.000	50.740	-1.5	97	0.00
27 T	cis-1,2-Dichloroethene	50.000	49.755	0.5	97	0.00
28 T	Bromochloromethane	50.000	47.518	5.0	97	0.00
29 T	Tetrahydrofuran	250.000	245.545	1.8	95	0.00
30 C	Chloroform	50.000	50.314	-0.6#	96	0.00
31 T	Cyclohexane	50.000	48.126	3.7	96	0.00
32 T	1,1,1-Trichloroethane	50.000	49.340	1.3	94	0.00
33 S	1,2-Dichloroethane-d4	50.000	46.481	7.0	95	0.00
34 I	1,4-Difluorobenzene	50.000	50.000	0.0	95	0.00
35 S	Dibromofluoromethane	50.000	47.781	4.4	95	0.00
36 T	1,1-Dichloropropene	50.000	50.882	-1.8	96	0.00
37 T	Ethyl Acetate	50.000	53.113	-6.2	96	0.00
38 T	Carbon Tetrachloride	50.000	51.352	-2.7	95	0.00
39 T	Methylcyclohexane	50.000	51.572	-3.1	97	0.00
40 TM	Benzene	50.000	51.007	-2.0	95	0.00
41 T	Methacrylonitrile	50.000	48.562	2.9	94	0.00
42 TM	1,2-Dichloroethane	50.000	52.378	-4.8	96	0.00
43 T	Isopropyl Acetate	50.000	50.709	-1.4	96	0.00
44 TM	Trichloroethene	50.000	50.809	-1.6	96	0.00
45 C	1,2-Dichloropropane	50.000	52.113	-4.2#	97	0.00
46 T	Dibromomethane	50.000	52.259	-4.5	96	0.00
47 T	Bromodichloromethane	50.000	51.830	-3.7	97	0.00
48 T	Methyl methacrylate	50.000	52.299	-4.6	98	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_N\Data\VN012621\
 Data File : VN065593.D
 Acq On : 26 Jan 2021 9:59
 Operator : JC/MD
 Sample : VSTDCCC050
 Misc : 5.00mL/MSVOA_N/WATER
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_N
 LabSampleId :
 VSTDCCC050

Quant Time: Jan 27 03:24:56 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_N\methods\82N012521W.M
 Quant Title : SW846 8260
 QLast Update : Mon Jan 25 13:47:28 2021
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
49 T	1,4-Dioxane	1000.000	1037.695	-3.8	95	0.00
50 S	Toluene-d8	50.000	47.620	4.8	95	0.00
51 T	4-Methyl-2-Pentanone	250.000	260.163	-4.1	96	0.00
52 CM	Toluene	50.000	51.704	-3.4#	97	0.00
53 T	t-1,3-Dichloropropene	50.000	52.809	-5.6	98	0.00
54 T	cis-1,3-Dichloropropene	50.000	53.052	-6.1	98	0.00
55 T	1,1,2-Trichloroethane	50.000	51.823	-3.6	97	0.00
56 T	Ethyl methacrylate	50.000	52.463	-4.9	96	0.00
57 T	1,3-Dichloropropane	50.000	51.903	-3.8	96	0.00
58 T	2-Chloroethyl Vinyl ether	250.000	260.937	-4.4	97	0.00
59 T	2-Hexanone	250.000	268.545	-7.4	97	0.00
60 T	Dibromochloromethane	50.000	51.588	-3.2	96	0.00
61 T	1,2-Dibromoethane	50.000	51.868	-3.7	96	0.00
62 S	4-Bromofluorobenzene	50.000	48.686	2.6	98	0.00
63 I	Chlorobenzene-d5	50.000	50.000	0.0	96	0.00
64 T	Tetrachloroethene	50.000	47.995	4.0	95	0.00
65 PM	Chlorobenzene	50.000	50.865	-1.7	97	0.00
66 T	1,1,1,2-Tetrachloroethane	50.000	50.841	-1.7	96	0.00
67 C	Ethyl Benzene	50.000	51.163	-2.3#	98	0.00
68 T	m/p-Xylenes	100.000	102.910	-2.9	97	0.00
69 T	o-Xylene	50.000	50.954	-1.9	97	0.00
70 T	Styrene	50.000	52.174	-4.3	96	0.00
71 P	Bromoform	50.000	52.323	-4.6	96	0.00
72 I	1,4-Dichlorobenzene-d4	50.000	50.000	0.0	97	0.00
73 T	Isopropylbenzene	50.000	49.909	0.2	97	0.00
74 T	N-ethyl acetate	50.000	52.454	-4.9	97	0.00
75 P	1,1,2,2-Tetrachloroethane	50.000	49.283	1.4	98	0.00
76 T	1,2,3-Trichloropropane	50.000	48.459	3.1	96	0.00
77 T	Bromobenzene	50.000	49.735	0.5	97	0.00
78 T	n-propylbenzene	50.000	49.927	0.1	98	0.00
79 T	2-Chlorotoluene	50.000	48.894	2.2	97	0.00
80 T	1,3,5-Trimethylbenzene	50.000	49.216	1.6	97	0.00
81 T	trans-1,4-Dichloro-2-butene	50.000	50.805	-1.6	98	0.00
82 T	4-Chlorotoluene	50.000	49.650	0.7	98	0.00
83 T	tert-Butylbenzene	50.000	48.810	2.4	97	0.00
84 T	1,2,4-Trimethylbenzene	50.000	49.237	1.5	98	0.00
85 T	sec-Butylbenzene	50.000	49.464	1.1	98	0.00
86 T	p-Isopropyltoluene	50.000	50.621	-1.2	99	0.00
87 T	1,3-Dichlorobenzene	50.000	50.544	-1.1	98	0.00
88 T	1,4-Dichlorobenzene	50.000	48.985	2.0	97	0.00
89 T	n-Butylbenzene	50.000	52.176	-4.4	100	0.00
90 T	Hexachloroethane	50.000	50.819	-1.6	97	0.00
91 T	1,2-Dichlorobenzene	50.000	49.923	0.2	97	0.00
92 T	1,2-Dibromo-3-Chloropropane	50.000	50.789	-1.6	95	0.00
93 T	1,2,4-Trichlorobenzene	50.000	48.731	2.5	99	0.00
94 T	Hexachlorobutadiene	50.000	50.042	-0.1	98	0.00
95 T	Naphthalene	50.000	47.153	5.7	96	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_N\Data\VN012621\
Data File : VN065593.D
Acq On : 26 Jan 2021 9:59
Operator : JC/MD
Sample : VSTDCCC050
Misc : 5.00mL/MSVOA_N/WATER
ALS Vial : 2 Sample Multiplier: 1

Instrument :
MSVOA_N
LabSampleId :
VSTDCCC050

Quant Time: Jan 27 03:24:56 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_N\methods\82N012521W.M
Quant Title : SW846 8260
QLast Update : Mon Jan 25 13:47:28 2021
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
96 T	1,2,3-Trichlorobenzene	50.000	48.234	3.5	98	0.00

(#) = Out of Range SPCC's out = 0 CCC's out = 6