

Data Path : Z:\voasrv\HPCHEM1\MSVOA N\Data\VN012819\
 Data File : VN053533.D
 Acq On : 28 Jan 2019 9:21
 Operator : JC/SP
 Sample : VSTDCCC050
 Misc : 5.00mL/MSVOA N/WATER
 ALS Vial : 2 Sample Multiplier: 28

Instrument :
 MSVOA_N
 LabSampleId :
 VSTDCCC050

Quant Time: Jan 29 06:31:11 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_N\METHODS\82N011519W.M
 Quant Title : SW846 8260
 QLast Update : Wed Jan 16 03:10:53 2019
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	85	0.00
2 T	Dichlorodifluoromethane	0.402	0.376	6.5	78	0.00
3 P	Chloromethane	0.575	0.546	5.0	82	0.00
4 C	Vinyl Chloride	0.554	0.518	6.5#	80	0.00
5 T	Bromomethane	0.380	0.312	17.9	73	0.02
6 T	Chloroethane	0.335	0.317	5.4	81	0.00
7 T	Trichlorofluoromethane	0.725	0.724	0.1	86	0.00
8 T	Diethyl Ether	0.272	0.280	-2.9	86	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.459	0.475	-3.5	89	0.00
10 T	Methyl Iodide	0.701	0.658	6.1	79	0.00
11 T	Tert butyl alcohol	0.024	0.032	-33.3#	120	0.00
12 CM	1,1-Dichloroethene	0.445	0.440	1.1#	84	0.00
13 T	Acrolein	0.043	0.044	-2.3	85	0.00
14 T	Allyl chloride	0.723	0.708	2.1	81	0.00
15 T	Acrylonitrile	0.159	0.173	-8.8	91	0.00
16 T	Acetone	0.116	0.101	12.9	78	0.00
17 T	Carbon Disulfide	1.346	1.262	6.2	81	0.00
18 T	Methyl Acetate	0.391	0.431	-10.2	95	0.00
19 T	Methyl tert-butyl Ether	1.183	1.253	-5.9	89	0.00
20 T	Methylene Chloride	0.529	0.522	1.3	86	0.00
21 T	trans-1,2-Dichloroethene	0.476	0.483	-1.5	85	0.00
22 T	Diisopropyl ether	1.509	1.528	-1.3	84	0.00
23 T	Vinyl Acetate	0.928	0.988	-6.5	87	0.00
24 P	1,1-Dichloroethane	0.892	0.921	-3.3	87	0.00
25 T	2-Butanone	0.179	0.181	-1.1	85	0.00
26 T	2,2-Dichloropropane	0.674	0.717	-6.4	91	0.00
27 T	cis-1,2-Dichloroethene	0.544	0.571	-5.0	88	0.00
28 T	Bromochloromethane	0.393	0.396	-0.8	85	0.00
29 T	Tetrahydrofuran	0.116	0.126	-8.6	91	0.00
30 C	Chloroform	0.869	0.908	-4.5#	89	0.00
31 T	Cyclohexane	0.982	0.829	15.6	83	0.00
32 T	1,1,1-Trichloroethane	0.738	0.769	-4.2	89	0.00
33 S	1,2-Dichloroethane-d4	0.494	0.497	-0.6	86	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	83	0.00
35 S	Dibromofluoromethane	0.285	0.326	-14.4	94	0.00
36 T	1,1-Dichloropropene	0.455	0.482	-5.9	87	0.00
37 T	Ethyl Acetate	0.262	0.291	-11.1	89	0.00
38 T	Carbon Tetrachloride	0.431	0.470	-9.0	90	0.00
39 T	Methylcyclohexane	0.563	0.588	-4.4	85	0.00
40 TM	Benzene	1.384	1.452	-4.9	86	0.00
41 T	Methacrylonitrile	0.142	0.163	-14.8	83	0.00
42 TM	1,2-Dichloroethane	0.403	0.429	-6.5	88	0.00
43 T	Isopropyl Acetate	0.471	0.512	-8.7	86	0.00
44 TM	Trichloroethene	0.384	0.408	-6.2	88	0.00
45 C	1,2-Dichloropropane	0.367	0.384	-4.6#	86	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA N\Data\VN012819\
 Data File : VN053533.D
 Acq On : 28 Jan 2019 9:21
 Operator : JC/SP
 Sample : VSTDCCC050
 Misc : 5.00mL/MSVOA N/WATER
 ALS Vial : 2 Sample Multiplier: 28

Instrument :
 MSVOA_N
 LabSampleId :
 VSTDCCC050

Quant Time: Jan 29 06:31:11 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_N\METHODS\82N011519W.M
 Quant Title : SW846 8260
 QLast Update : Wed Jan 16 03:10:53 2019
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
46 T	Dibromomethane	0.211	0.224	-6.2	88	0.00
47 T	Bromodichloromethane	0.443	0.487	-9.9	90	0.00
48 T	Methyl methacrylate	0.243	0.249	-2.5	82	0.00
49 T	1,4-Dioxane	0.002	0.004	-100.0#	138	0.00
50 S	Toluene-d8	1.207	1.232	-2.1	83	0.00
51 T	4-Methyl-2-Pentanone	0.257	0.281	-9.3	87	0.00
52 CM	Toluene	0.859	0.899	-4.7#	85	0.00
53 T	t-1,3-Dichloropropene	0.449	0.502	-11.8	89	0.00
54 T	cis-1,3-Dichloropropene	0.526	0.585	-11.2	89	0.00
55 T	1,1,2-Trichloroethane	0.296	0.327	-10.5	89	0.00
56 T	Ethyl methacrylate	0.377	0.413	-9.5	84	0.00
57 T	1,3-Dichloropropane	0.512	0.549	-7.2	87	0.00
58 T	2-Chloroethyl Vinyl ether	0.207	0.228	-10.1	87	0.00
59 T	2-Hexanone	0.181	0.191	-5.5	85	0.00
60 T	Dibromochloromethane	0.336	0.374	-11.3	90	0.00
61 T	1,2-Dibromoethane	0.300	0.320	-6.7	86	0.00
62 S	4-Bromofluorobenzene	0.423	0.436	-3.1	85	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	80	0.00
64 T	Tetrachloroethene	0.471	0.438	7.0	76	0.00
65 PM	Chlorobenzene	1.058	1.130	-6.8	85	0.00
66 T	1,1,1,2-Tetrachloroethane	0.368	0.398	-8.2	87	0.00
67 C	Ethyl Benzene	1.804	1.910	-5.9#	84	0.00
68 T	m/p-Xylenes	0.681	0.737	-8.2	84	0.00
69 T	o-Xylene	0.662	0.715	-8.0	85	0.00
70 T	Styrene	1.074	1.191	-10.9	85	0.00
71 P	Bromoform	0.253	0.286	-13.0	88	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	84	0.00
73 T	Isopropylbenzene	3.662	3.756	-2.6	84	0.00
74 T	N-amyl acetate	0.976	0.974	0.2	80	0.00
75 P	1,1,2,2-Tetrachloroethane	0.768	0.870	-13.3	95	0.00
76 T	1,2,3-Trichloropropane	0.659	0.657	0.3	90	0.00
77 T	Bromobenzene	0.965	0.992	-2.8	86	0.00
78 T	n-propylbenzene	4.203	4.418	-5.1	86	0.00
79 T	2-Chlorotoluene	2.491	2.559	-2.7	86	0.00
80 T	1,3,5-Trimethylbenzene	2.979	3.144	-5.5	86	0.00
81 T	trans-1,4-Dichloro-2-butene	0.230	0.256	-11.3	88	0.00
82 T	4-Chlorotoluene	2.541	2.670	-5.1	87	0.00
83 T	tert-Butylbenzene	2.631	2.759	-4.9	85	0.00
84 T	1,2,4-Trimethylbenzene	3.004	3.226	-7.4	87	0.00
85 T	sec-Butylbenzene	3.609	3.839	-6.4	87	0.00
86 T	p-Isopropyltoluene	3.133	3.426	-9.4	89	0.00
87 T	1,3-Dichlorobenzene	1.697	1.810	-6.7	88	0.00
88 T	1,4-Dichlorobenzene	1.702	1.805	-6.1	90	0.00
89 T	n-Butylbenzene	2.671	3.060	-14.6	93	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA N\Data\VN012819\
Data File : VN053533.D
Acq On : 28 Jan 2019 9:21
Operator : JC/SP
Sample : VSTDCCC050
Misc : 5.00mL/MSVOA N/WATER
ALS Vial : 2 Sample Multiplier: 28

Instrument :
MSVOA_N
LabSampleId :
VSTDCCC050

Quant Time: Jan 29 06:31:11 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_N\METHODS\82N011519W.M
Quant Title : SW846 8260
QLast Update : Wed Jan 16 03:10:53 2019
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
90 T	Hexachloroethane	0.491	0.523	-6.5	88	0.00
91 T	1,2-Dichlorobenzene	1.561	1.717	-10.0	90	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.097	0.129	-33.0#	109	0.00
93 T	1,2,4-Trichlorobenzene	0.602	1.104	-83.4#	141	0.00
94 T	Hexachlorobutadiene	0.487	0.651	-33.7#	106	0.00
95 T	Naphthalene	0.993	2.326	-134.2#	175#	0.00
96 T	1,2,3-Trichlorobenzene	0.427	1.018	-138.4#	185#	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 6