

Data Path : Z:\voasrv\HPCHEM1\MSVOA_N\Data\VN013125\
 Data File : VN085595.D
 Acq On : 31 Jan 2025 12:03
 Operator : JC\MD
 Sample : Q1211-02RE
 Misc : 5.0mL/MSVOA_N/WATER
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 MSVOA_N
 ClientSampleId :

Quant Time: Jan 31 22:26:25 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_N\methods\82N011425W.M
 Quant Title : SW846 8260
 QLast Update : Wed Jan 15 02:16:08 2025
 Response via : Initial Calibration


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) Pentafluorobenzene	8.224	168	165654	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	9.100	114	310451	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.865	117	268445	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.788	152	102272	50.000	ug/l	0.00
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.577	65	151665	56.718	ug/l	0.00
Spiked Amount	50.000	Range 74 - 125	Recovery	=	113.440%	
35) Dibromofluoromethane	8.165	113	113642	52.764	ug/l	0.00
Spiked Amount	50.000	Range 75 - 124	Recovery	=	105.520%	
50) Toluene-d8	10.565	98	376541	49.206	ug/l	0.00
Spiked Amount	50.000	Range 86 - 113	Recovery	=	98.420%	
62) 4-Bromofluorobenzene	12.847	95	119830	45.778	ug/l	0.00
Spiked Amount	50.000	Range 77 - 121	Recovery	=	91.560%	
Target Compounds						Qvalue
3) Chloromethane	2.365	50	695	0.286	ug/l #	85
5) Bromomethane	2.959	94	340	0.231	ug/l #	5
16) Acetone	4.436	43	756	0.875	ug/l #	45
18) Methyl Acetate	5.024	43	683	0.260	ug/l #	52
31) Cyclohexane	8.218	56	4619	1.361	ug/l #	9
36) 1,1-Dichloropropene	8.218	75	15437	5.107	ug/l #	53
38) Carbon Tetrachloride	8.224	117	19349	5.591	ug/l #	17
43) Isopropyl Acetate	8.694	43	1286	0.263	ug/l #	55
59) 2-Hexanone	11.194	43	716	0.359	ug/l #	40
71) Bromoform	12.841	173	1031	0.668	ug/l #	1
76) 1,2,3-Trichloropropane	12.847	75	65881	31.693	ug/l #	1
81) trans-1,4-Dichloro-2-b...	12.847	75	65881	85.748	ug/l #	3
87) 1,3-Dichlorobenzene	13.729	146	682	0.205	ug/l #	68
88) 1,4-Dichlorobenzene	13.800	146	1179	0.342	ug/l #	7
89) n-Butylbenzene	14.059	91	1045	0.220	ug/l	82
91) 1,2-Dichlorobenzene	14.094	146	665	0.201	ug/l #	64
93) 1,2,4-Trichlorobenzene	15.400	180	939	0.610	ug/l #	89
94) Hexachlorobutadiene	15.500	225	563	0.689	ug/l	83
95) Naphthalene	15.641	128	3368	0.733	ug/l #	85
96) 1,2,3-Trichlorobenzene	15.841	180	980	0.629	ug/l	94

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_N\Data\VN013125\
Data File : VN085595.D
Acq On : 31 Jan 2025 12:03
Operator : JC\MD
Sample : Q1211-02RE
Misc : 5.0mL/MSVOA_N/WATER
ALS Vial : 7 Sample Multiplier: 1

Instrument :
MSVOA_N
ClientSampleId :

Quant Time: Jan 31 22:26:25 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_N\methods\82N011425W.M
Quant Title : SW846 8260
QLast Update : Wed Jan 15 02:16:08 2025
Response via : Initial Calibration









#1
Pentafluorobenzene
Concen: 50.000 ug/l
RT: 8.224 min Scan# 10
Delta R.T. 0.006 min
Lab File: VN085595.D
Acq: 31 Jan 2025 12:03




Instrument :
MSVOA_N
ClientSampleId :


Tgt Ion:168 Resp: 165654
Ion Ratio Lower Upper
168 100
99 64.6 53.6 80.4



#3
Chloromethane
Concen: 0.286 ug/l
RT: 2.365 min Scan# 70
Delta R.T. 0.006 min
Lab File: VN085595.D
Acq: 31 Jan 2025 12:03

Tgt Ion: 50 Resp: 695
Ion Ratio Lower Upper
50 100
52 42.5 27.0 40.6#








#5
Bromomethane
Concen: 0.231 ug/l
RT: 2.959 min Scan# 11
Delta R.T. 0.006 min
Lab File: VN085595.D
Acq: 31 Jan 2025 12:03




Instrument :
MSVOA_N
ClientSampleId :

Tgt Ion: 94 Resp: 340
Ion Ratio Lower Upper
94 100
96 0.0 71.8 107.6#



#16
Acetone
Concen: 0.875 ug/l
RT: 4.436 min Scan# 422
Delta R.T. 0.018 min
Lab File: VN085595.D
Acq: 31 Jan 2025 12:03

Tgt Ion: 43 Resp: 756
Ion Ratio Lower Upper
43 100
58 0.0 23.8 35.6#









#18
Methyl Acetate
Concen: 0.260 ug/l
RT: 5.024 min Scan# 51
Delta R.T. 0.006 min
Lab File: VN085595.D
Acq: 31 Jan 2025 12:03




Instrument :
MSVOA_N
ClientSampleId :


Tgt Ion: 43 Resp: 683
Ion Ratio Lower Upper
43 100
74 0.0 18.6 28.0#



#31
Cyclohexane
Concen: 1.361 ug/l
RT: 8.218 min Scan# 1065
Delta R.T. -0.035 min
Lab File: VN085595.D
Acq: 31 Jan 2025 12:03

Tgt Ion: 56 Resp: 4619
Ion Ratio Lower Upper
56 100
69 163.4 22.2 33.4#
84 114.2 66.4 99.6#





#33

1,2-Dichloroethane-d4

Concen: 56.718 ug/l

RT: 8.577 min Scan# 1125

Delta R.T. 0.006 min

Lab File: VN085595.D

Acq: 31 Jan 2025 12:03

Instrument :

MSVOA_N





ClientSampleId :

Tgt Ion: 65 Resp: 151665

Ion Ratio Lower Upper

65 100

67 49.9 0.0 101.6



#34

1,4-Difluorobenzene

Concen: 50.000 ug/l

RT: 9.100 min Scan# 1215

Delta R.T. 0.006 min

Lab File: VN085595.D

Acq: 31 Jan 2025 12:03




Tgt Ion: 114 Resp: 310451

Ion Ratio Lower Upper

114 100

63 22.2 0.0 47.6


88 15.2 0.0 32.6








#35
Dibromofluoromethane
Concen: 52.764 ug/l
RT: 8.165 min Scan# 1056
Delta R.T. 0.006 min
Lab File: VN085595.D
Acq: 31 Jan 2025 12:03

Instrument :
MSVOA_N
ClientSampleId :







Tgt Ion:113 Resp: 113642
Ion Ratio Lower Upper
113 100
111 101.9 82.7 124.1
192 18.1 14.3 21.5



#36
1,1-Dichloropropene
Concen: 5.107 ug/l
RT: 8.218 min Scan# 1065
Delta R.T. -0.147 min
Lab File: VN085595.D
Acq: 31 Jan 2025 12:03


Tgt Ion: 75 Resp: 15437
Ion Ratio Lower Upper
75 100
110 11.2 16.5 49.5#
77 0.0 24.4 36.6#








#38
Carbon Tetrachloride
Concen: 5.591 ug/l
RT: 8.224 min Scan# 1066
Delta R.T. -0.135 min
Lab File: VN085595.D
Acq: 31 Jan 2025 12:03

Instrument :
MSVOA_N
ClientSampleId :







Tgt Ion:117 Resp: 19349
Ion Ratio Lower Upper
117 100
119 5.1 75.4 113.2#
121 0.0 24.6 37.0#



#43
Isopropyl Acetate
Concen: 0.263 ug/l
RT: 8.694 min Scan# 1146
Delta R.T. 0.012 min
Lab File: VN085595.D
Acq: 31 Jan 2025 12:03

Tgt Ion: 43 Resp: 1286
Ion Ratio Lower Upper
43 100
61 0.0 20.7 31.1#
87 0.0 9.8 14.8#









#50
Toluene-d8
Concen: 49.206 ug/l
RT: 10.565 min Scan# 1464
Delta R.T. -0.000 min
Lab File: VN085595.D
Acq: 31 Jan 2025 12:03




Instrument :
MSVOA_N
ClientSampleId :


Tgt Ion: 98 Resp: 376541
Ion Ratio Lower Upper
98 100
100 64.1 52.2 78.4



#59
2-Hexanone
Concen: 0.359 ug/l
RT: 11.194 min Scan# 1571
Delta R.T. 0.006 min
Lab File: VN085595.D
Acq: 31 Jan 2025 12:03

Tgt Ion: 43 Resp: 716
Ion Ratio Lower Upper
43 100
58 10.1 26.2 78.6#









#62
4-Bromofluorobenzene
Concen: 45.778 ug/l
RT: 12.847 min Scan# 1852
Delta R.T. -0.000 min
Lab File: VN085595.D
Acq: 31 Jan 2025 12:03




Instrument :
MSVOA_N
ClientSampleId :


Tgt Ion: 95 Resp: 119830
Ion Ratio Lower Upper
95 100
174 74.9 0.0 145.0
176 70.3 0.0 142.4



#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 11.865 min Scan# 1685
Delta R.T. -0.000 min
Lab File: VN085595.D
Acq: 31 Jan 2025 12:03

Tgt Ion: 117 Resp: 268445
Ion Ratio Lower Upper
117 100
82 58.4 48.6 72.8
119 31.9 26.6 39.8





#71

Bromoform

Concen: 0.668 ug/l

RT: 12.841 min Scan# 1806

Delta R.T. 0.265 min

Lab File: VN085595.D

Acq: 31 Jan 2025 12:03





Instrument :

MSVOA_N

ClientSampleId :

Tgt Ion:173 Resp: 1031

Ion	Ratio	Lower	Upper
173	100		
175	487.3	24.4	73.2#
254	0.0	0.0	0.0



#72

1,4-Dichlorobenzene-d4

Concen: 50.000 ug/l

RT: 13.788 min Scan# 2012




Delta R.T. -0.000 min


Lab File: VN085595.D

Acq: 31 Jan 2025 12:03

Tgt Ion:152 Resp: 102272

Ion	Ratio	Lower	Upper
152	100		
115	62.8	31.1	93.3
150	160.3	0.0	343.6









#76
1,2,3-Trichloropropane
Concen: 31.693 ug/l
RT: 12.847 min Scan# 1852
Delta R.T. -0.141 min
Lab File: VN085595.D
Acq: 31 Jan 2025 12:03




Instrument :
MSVOA_N
ClientSampleId :


Tgt Ion: 75 Resp: 65881
Ion Ratio Lower Upper
75 100
77 1.3 109.7 329.2#



#81
trans-1,4-Dichloro-2-butene
Concen: 85.748 ug/l
RT: 12.847 min Scan# 1852
Delta R.T. 0.112 min
Lab File: VN085595.D
Acq: 31 Jan 2025 12:03

Tgt Ion: 75 Resp: 65881
Ion Ratio Lower Upper
75 100
53 0.0 95.6 143.4#
89 0.0 37.0 55.6#





#87

1,3-Dichlorobenzene

Concen: 0.205 ug/l

RT: 13.729 min Scan# 2002

Delta R.T. -0.000 min


Lab File: VN085595.D

Acq: 31 Jan 2025 12:03



Instrument :

MSVOA_N

ClientSampleId :



Tgt Ion:	146	Resp:	682
Ion	Ratio	Lower	Upper
146	100		
111	0.0	21.4	64.3#
148	57.9	32.3	96.9



#88

1,4-Dichlorobenzene

Concen: 0.342 ug/l




RT: 13.800 min Scan# 2014


Delta R.T. -0.012 min

Lab File: VN085595.D

Acq: 31 Jan 2025 12:03

Tgt Ion:	146	Resp:	1179
Ion	Ratio	Lower	Upper
146	100		
111	174.5	21.3	63.7#
148	50.6	32.4	97.0





#89

n-Butylbenzene

Concen: 0.220 ug/l

RT: 14.059 min Scan# 2058

Delta R.T. 0.006 min

Lab File: VN085595.D





Acq: 31 Jan 2025 12:03

Instrument :

MSVOA_N

ClientSampleId :

Tgt Ion: 91	Resp: 1045
Ion Ratio	Lower Upper
91	100
92	40.0 25.8 77.3
134	13.7 11.7 35.1



#91

1,2-Dichlorobenzene

Concen: 0.201 ug/l




RT: 14.094 min Scan# 2064


Delta R.T. -0.006 min

Lab File: VN085595.D

Acq: 31 Jan 2025 12:03


Tgt Ion: 146	Resp: 665
Ion Ratio	Lower Upper
146	100
111	0.0 21.7 65.1#
148	51.9 31.4 94.2








#93
1,2,4-Trichlorobenzene
Concen: 0.610 ug/l
RT: 15.400 min Scan# 21
Delta R.T. 0.012 min
Lab File: VN085595.D
Acq: 31 Jan 2025 12:03


Instrument :
MSVOA_N
ClientSampleId :





Tgt Ion:180 Resp: 939
Ion Ratio Lower Upper
180 100
182 93.6 46.8 140.3
145 7.3 16.0 48.0#




#94
Hexachlorobutadiene
Concen: 0.689 ug/l
RT: 15.500 min Scan# 2303
Delta R.T. -0.000 min
Lab File: VN085595.D
Acq: 31 Jan 2025 12:03



Tgt Ion:225 Resp: 563
Ion Ratio Lower Upper
225 100
223 47.8 30.7 92.1
227 73.5 30.9 92.5





#95

Naphthalene

Concen: 0.733 ug/l

RT: 15.641 min Scan# 21

Delta R.T. 0.006 min

Lab File: VN085595.D





Acq: 31 Jan 2025 12:03

Instrument :

MSVOA_N

ClientSampleId :

Tgt Ion:128	Resp:	3368
Ion Ratio	Lower	Upper
128	100	
127	17.6	10.6 16.0#
129	3.4	8.8 13.2#



#96

1,2,3-Trichlorobenzene

Concen: 0.629 ug/l

RT: 15.841 min Scan# 2361

Delta R.T. 0.006 min

Lab File: VN085595.D

Acq: 31 Jan 2025 12:03

Tgt Ion:180	Resp:	980
Ion Ratio	Lower	Upper
180	100	
182	91.2	47.4 142.2
145	26.0	16.9 50.7

