

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_N\Data\VN020123\  
 Data File : VN076496.D  
 Acq On : 01 Feb 2023 14:02  
 Operator : JC\MD  
 Sample : 01383-03  
 Misc : 5.03g/10mL/100uL/5.00mL/MSVOA\_N/MEOH  
 ALS Vial : 10 Sample Multiplier: 1

Instrument :  
 MSVOA\_N  
 ClientSampleId :  
 2876

Quant Time: Feb 01 23:51:53 2023  
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_N\methods\82N011623W.M  
 Quant Title : SW846 8260  
 QLast Update : Tue Jan 17 03:59:22 2023  
 Response via : Initial Calibration

| Compound                   | R.T.   | QIon | Response | Conc   | Units | Dev(Min) |
|----------------------------|--------|------|----------|--------|-------|----------|
| -----                      |        |      |          |        |       |          |
| Internal Standards         |        |      |          |        |       |          |
| 1) Pentafluorobenzene      | 8.224  | 168  | 454331   | 50.000 | ug/l  | 0.00     |
| 34) 1,4-Difluorobenzene    | 9.100  | 114  | 728427   | 50.000 | ug/l  | 0.00     |
| 63) Chlorobenzene-d5       | 11.865 | 117  | 616353   | 50.000 | ug/l  | 0.00     |
| 72) 1,4-Dichlorobenzene-d4 | 13.794 | 152  | 256748   | 50.000 | ug/l  | 0.00     |

|                             |        |       |          |          |      |          |
|-----------------------------|--------|-------|----------|----------|------|----------|
| System Monitoring Compounds |        |       |          |          |      |          |
| 33) 1,2-Dichloroethane-d4   | 8.576  | 65    | 254541   | 50.037   | ug/l | 0.00     |
| Spiked Amount               | 50.000 | Range | 74 - 125 | Recovery | =    | 100.080% |
| 35) Dibromofluoromethane    | 8.165  | 113   | 213328   | 46.817   | ug/l | 0.00     |
| Spiked Amount               | 50.000 | Range | 75 - 124 | Recovery | =    | 93.640%  |
| 50) Toluene-d8              | 10.570 | 98    | 821320   | 48.806   | ug/l | 0.00     |
| Spiked Amount               | 50.000 | Range | 86 - 113 | Recovery | =    | 97.620%  |
| 62) 4-Bromofluorobenzene    | 12.853 | 95    | 261079   | 47.524   | ug/l | 0.00     |
| Spiked Amount               | 50.000 | Range | 83 - 123 | Recovery | =    | 95.040%  |

| Target Compounds | Qvalue |
|------------------|--------|
| -----            |        |

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_N\Data\VN020123\  
Data File : VN076496.D  
Acq On : 01 Feb 2023 14:02  
Operator : JC\MD  
Sample : 01383-03  
Misc : 5.03g/10mL/100uL/5.00mL/MSVOA\_N/MEOH  
ALS Vial : 10 Sample Multiplier: 1

Instrument :  
MSVOA\_N  
ClientSampleId :  
2876

Quant Time: Feb 01 23:51:53 2023  
Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_N\methods\82N011623W.M  
Quant Title : SW846 8260  
QLast Update : Tue Jan 17 03:59:22 2023  
Response via : Initial Calibration

