

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_N\Data\VN020421\  
 Data File : VN065721.D  
 Acq On : 4 Feb 2021 16:43  
 Operator : JC/MD  
 Sample : M1288-20  
 Misc : 5.00mL/MSVOA\_N/WATER  
 ALS Vial : 15 Sample Multiplier: 1

Instrument :  
 MSVOA\_N  
 ClientSampleId :  
 152140-DDC-4-PS

Integration Parameters: RTEINT.P

Integrator: RTE

Smoothing : ON

Filtering: 5

Sampling : 1

Min Area: 3 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA\_N\methods\82N012521W.M

Title : SW846 8260

Signal : TIC: VN065721.D\data.ms

| peak<br># | R.T.<br>min | first<br>scan | max<br>scan | last<br>scan | PK<br>TY | peak<br>height | corr.<br>area | corr.<br>% max. | % of<br>total |
|-----------|-------------|---------------|-------------|--------------|----------|----------------|---------------|-----------------|---------------|
| 1         | 7.547       | 1788          | 1806        | 1817         | rBV2     | 121004         | 300854        | 27.88%          | 5.600%        |
| 2         | 7.624       | 1817          | 1830        | 1862         | rVB      | 239730         | 577574        | 53.53%          | 10.750%       |
| 3         | 7.987       | 1926          | 1943        | 1972         | rBV      | 143392         | 340394        | 31.55%          | 6.336%        |
| 4         | 8.547       | 2096          | 2117        | 2144         | rBV      | 370449         | 771159        | 71.47%          | 14.354%       |
| 5         | 10.058      | 2569          | 2587        | 2616         | rBV      | 585544         | 1079067       | 100.00%         | 20.085%       |
| 6         | 10.598      | 2743          | 2755        | 2773         | rVB      | 104392         | 187298        | 17.36%          | 3.486%        |
| 7         | 11.376      | 2980          | 2997        | 3029         | rBV      | 497321         | 878004        | 81.37%          | 16.342%       |
| 8         | 12.373      | 3294          | 3307        | 3334         | rBV      | 334144         | 580949        | 53.84%          | 10.813%       |
| 9         | 13.312      | 3587          | 3599        | 3624         | rBV      | 354168         | 611259        | 56.65%          | 11.377%       |
| 10        | 13.846      | 3755          | 3765        | 3774         | rVB2     | 27473          | 45992         | 4.26%           | 0.856%        |


Sum of corrected areas: 5372550

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_N\Data\VN020421\  
Data File : VN065721.D  
Acq On : 4 Feb 2021 16:43  
Operator : JC/MD  
Sample : M1288-20  
Misc : 5.00mL/MSVOA\_N/WATER  
ALS Vial : 15 Sample Multiplier: 1

Instrument :  
MSVOA\_N  
ClientSampleId :  
152140-DDC-4-PS

Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_N\methods\82N012521W.M  
Quant Title : SW846 8260

TIC Library : C:\DATABASE\NIST11.L  
TIC Integration Parameters: LSCINT.P



Data Path : Z:\voasrv\HPCHEM1\MSVOA\_N\Data\VN020421\  
Data File : VN065721.D  
Acq On : 4 Feb 2021 16:43  
Operator : JC/MD  
Sample : M1288-20  
Misc : 5.00mL/MSVOA\_N/WATER  
ALS Vial : 15 Sample Multiplier: 1

Instrument :  
MSVOA\_N  
ClientSampleId :  
152140-DDC-4-PS

Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_N\methods\82N012521W.M  
Quant Title : SW846 8260

TIC Library : C:\DATABASE\NIST11.L  
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

\*\*\*\*\*

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_N\Data\VN020421\  
Data File : VN065721.D  
Acq On : 4 Feb 2021 16:43  
Operator : JC/MD  
Sample : M1288-20  
Misc : 5.00mL/MSVOA\_N/WATER  
ALS Vial : 15 Sample Multiplier: 1

Instrument :  
MSVOA\_N  
ClientSampleId :  
152140-DDC-4-PS

Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_N\methods\82N012521W.M  
Quant Title : SW846 8260

TIC Library : C:\DATABASE\NIST11.L  
TIC Integration Parameters: LSCINT.P

| TIC Top Hit name | RT | EstConc | Units | Response | # | RT | Resp | Conc |
|------------------|----|---------|-------|----------|---|----|------|------|
|------------------|----|---------|-------|----------|---|----|------|------|