

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_N\Data\VN020524\  
 Data File : VN080893.D  
 Acq On : 05 Feb 2024 13:41  
 Operator : JC\MD  
 Sample : VN0205MBL01  
 Misc : 5.00g/10mL/100uL/5.00mL/MSVOA\_N/MEOH  
 ALS Vial : 4 Sample Multiplier: 1

Instrument :  
 MSVOA\_N  
 ClientSampleId :  
 VN0205MBL01

Quant Time: Feb 06 04:40:50 2024  
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_N\methods\82N012924W.M  
 Quant Title : SW846 8260  
 QLast Update : Mon Jan 29 12:54:23 2024  
 Response via : Initial Calibration

| Compound                   | R.T.   | QIon | Response | Conc   | Units | Dev(Min) |
|----------------------------|--------|------|----------|--------|-------|----------|
| -----                      |        |      |          |        |       |          |
| Internal Standards         |        |      |          |        |       |          |
| 1) Pentafluorobenzene      | 8.224  | 168  | 93383    | 50.000 | ug/l  | 0.00     |
| 34) 1,4-Difluorobenzene    | 9.100  | 114  | 187983   | 50.000 | ug/l  | 0.00     |
| 63) Chlorobenzene-d5       | 11.865 | 117  | 203028   | 50.000 | ug/l  | 0.00     |
| 72) 1,4-Dichlorobenzene-d4 | 13.794 | 152  | 77961    | 50.000 | ug/l  | 0.00     |

|                             |        |       |          |          |      |          |
|-----------------------------|--------|-------|----------|----------|------|----------|
| System Monitoring Compounds |        |       |          |          |      |          |
| 33) 1,2-Dichloroethane-d4   | 8.577  | 65    | 83807    | 51.877   | ug/l | 0.00     |
| Spiked Amount               | 50.000 | Range | 74 - 125 | Recovery | =    | 103.760% |
| 35) Dibromofluoromethane    | 8.171  | 113   | 54687    | 47.550   | ug/l | 0.00     |
| Spiked Amount               | 50.000 | Range | 75 - 124 | Recovery | =    | 95.100%  |
| 50) Toluene-d8              | 10.565 | 98    | 212089   | 47.117   | ug/l | 0.00     |
| Spiked Amount               | 50.000 | Range | 86 - 113 | Recovery | =    | 94.240%  |
| 62) 4-Bromofluorobenzene    | 12.853 | 95    | 82511    | 52.602   | ug/l | 0.00     |
| Spiked Amount               | 50.000 | Range | 83 - 123 | Recovery | =    | 105.200% |

| Target Compounds | Qvalue |
|------------------|--------|
| -----            |        |

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_N\Data\VN020524\  
Data File : VN080893.D  
Acq On : 05 Feb 2024 13:41  
Operator : JC\MD  
Sample : VN0205MBL01  
Misc : 5.00g/10mL/100uL/5.00mL/MSVOA\_N/MEOH  
ALS Vial : 4 Sample Multiplier: 1

Instrument :  
MSVOA\_N  
ClientSampleId :  
VN0205MBL01

Quant Time: Feb 06 04:40:50 2024  
Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_N\methods\82N012924W.M  
Quant Title : SW846 8260  
QLast Update : Mon Jan 29 12:54:23 2024  
Response via : Initial Calibration

