

Data Path : Z:\VOASRV\HPCHEM1\MSVOA N\DATA\VN020620\
 Data File : VN060013.D
 Acq On : 6 Feb 2020 13:24
 Operator : JC/MD
 Sample : PB126618ZHE#09
 Misc : 5.00mL/MSVOA N/WATER
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 MSVOA_N
 ClientSampleId :
 PB126618ZHE#09

Quant Time: Feb 06 18:12:19 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_N\METHODS\82N011320W.M
 Quant Title : SW846 8260
 QLast Update : Sat Jan 18 03:09:32 2020
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	7.64	168	197699	50.00	ug/l	0.00
34) 1,4-Difluorobenzene	8.57	114	309453	50.00	ug/l	0.00
63) Chlorobenzene-d5	11.40	117	286191	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.34	152	125974	50.00	ug/l	0.00
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.00	65	114392	52.10	ug/l	0.00
Spiked Amount 50.000			Recovery	=	104.20%	
35) Dibromofluoromethane	7.57	113	93890	50.88	ug/l	0.00
Spiked Amount 50.000			Recovery	=	101.76%	
50) Toluene-d8	10.08	98	368574	51.55	ug/l	0.00
Spiked Amount 50.000			Recovery	=	103.10%	
62) 4-Bromofluorobenzene	12.40	95	131180	50.89	ug/l	0.00
Spiked Amount 50.000			Recovery	=	101.78%	
Target Compounds						
43) Isopropyl Acetate	8.14	43	47857	11.008	ug/l #	91

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA N\DATA\VN020620\
Data File : VN060013.D
Acq On : 6 Feb 2020 13:24
Operator : JC/MD
Sample : PB126618ZHE#09
Misc : 5.00mL/MSVOA N/WATER
ALS Vial : 9 Sample Multiplier: 1

Instrument :
MSVOA_N
ClientSampleId :
PB126618ZHE#09

Quant Time: Feb 06 18:12:19 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_N\METHODS\82N011320W.M
Quant Title : SW846 8260
QLast Update : Sat Jan 18 03:09:32 2020
Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 50.000 ug/l

RT: 7.64 min Scan# 1825

Delta R.T. 0.00 min

Lab File: VN060013.D

Acq: 6 Feb 2020 13:24

Instrument :

MSVOA_N

ClientSampleId :


PB126618ZHE#09

Tot Ion:168 Resp: 197699

Ion Ratio Lower Upper



168 100

99 53.1 48.2 72.4



Abundance Ion 167.90 (167.60 to 168.60): V

Ion 98.90 (98.60 to 99.60): VN0



#33

1,2-Dichloroethane-d4

Concen: 52.103 ug/l

RT: 8.00 min Scan# 1938

Delta R.T. 0.00 min

Lab File: VN060013.D


Acq: 6 Feb 2020 13:24

Tgt Ion: 65 Resp: 114392

Ion Ratio Lower Upper



65 100


67 51.1 0.0 103.0



Abundance Ion 64.90 (64.60 to 65.60): VN0

Ion 66.90 (66.60 to 67.60): VN0









#34
1,4-Difluorobenzene
Concen: 50.000 ug/l
RT: 8.57 min Scan# 2113
Delta R.T. 0.00 min
Lab File: VN060013.D
Acq: 6 Feb 2020 13:24

Instrument :
MSVOA_N
ClientSampleId :
PB126618ZHE#09

Tot Ion:114 Resp: 309453
Ion Ratio Lower Upper
114 100
63 19.8 0.0 43.6
88 15.1 0.0 31.4




Abundance Ion 113.90 (113.60 to 114.60): V
Ion 63.00 (62.70 to 63.70): V
Ion 87.90 (87.60 to 88.60): V






#35
Dibromofluoromethane
Concen: 50.878 ug/l
RT: 7.57 min Scan# 1802
Delta R.T. 0.00 min
Lab File: VN060013.D
Acq: 6 Feb 2020 13:24

Tgt Ion:113 Resp: 93890
Ion Ratio Lower Upper
113 100
111 102.9 83.5 125.3
192 20.4 15.4 23.2



Abundance Ion 112.80 (112.50 to 113.50): V
Ion 110.80 (110.50 to 111.50): V
Ion 191.70 (191.40 to 192.40): V





#43

Isopropyl Acetate

Concen: 11.008 ug/l

RT: 8.14 min Scan# 1981

Delta R.T. 0.00 min

Lab File: VN060013.D

Acq: 6 Feb 2020 13:24

Instrument :

MSVOA_N

ClientSampleId :

PB126618ZHE#09


Tot Ion: 43 Resp: 47857

Ion Ratio Lower Upper




43 100

61 19.8 20.2 30.2#

87 14.2 9.5 14.3



Abundance Ion 43.00 (42.70 to 43.70): VN0
Ion 61.00 (60.70 to 61.70): VN0
Ion 87.00 (86.70 to 87.70): VN0



#50

Toluene-d8

Concen: 51.549 ug/l

RT: 10.08 min Scan# 2583

Delta R.T. 0.00 min

Lab File: VN060013.D


Acq: 6 Feb 2020 13:24

Tgt Ion: 98 Resp: 368574



Ion Ratio Lower Upper


98 100

100 65.1 51.2 76.8



Abundance Ion 98.00 (97.70 to 98.70): VN0
Ion 100.00 (99.70 to 100.70): VN0





#62

4-Bromofluorobenzene

Concen: 50.893 ug/l

RT: 12.40 min Scan# 3304

Delta R.T. 0.00 min

Lab File: VN060013.D

Acq: 6 Feb 2020 13:24

Instrument :

MSVOA_N

ClientSampleId :

PB126618ZHE#09


Tot Ion: 95 Resp: 131180

Ion Ratio Lower Upper

95 100

174 85.5 0.0 151.4




176 83.2 0.0 146.0



Abundance Ion 94.90 (94.60 to 95.60): VN060013.D (-3211) (-)

Ion 173.80 (173.50 to 174.50): VN060013.D (-3211) (-)

Ion 175.80 (175.50 to 176.50): VN060013.D (-3211) (-)



#63

Chlorobenzene-d5

Concen: 50.000 ug/l

RT: 11.40 min Scan# 2994

Delta R.T. 0.00 min

Lab File: VN060013.D

Acq: 6 Feb 2020 13:24


Tgt Ion: 117 Resp: 286191

Ion Ratio Lower Upper

117 100

82 53.7 45.9 68.9



119 31.3 25.5 38.3




Abundance Ion 116.90 (116.60 to 117.60): VN060013.D (-2901) (-)

Ion 82.00 (81.70 to 82.70): VN060013.D (-2901) (-)

Ion 118.90 (118.60 to 119.60): VN060013.D (-2901) (-)





#72

1,4-Dichlorobenzene-d4

Concen: 50.000 ug/l

RT: 13.34 min Scan# 3597

Delta R.T. 0.00 min

Lab File: VN060013.D

Acq: 6 Feb 2020 13:24

Instrument :

MSVOA_N

ClientSampleId :

PB126618ZHE#09


Tot Ion:152 Resp: 125974

Ion Ratio Lower Upper

152 100

115 57.9 30.3 90.9

150 156.2 0.0 345.2



Abundance Ion 151.90 (151.60 to 152.60): V

Ion 114.90 (114.60 to 115.60): V

Ion 149.90 (149.60 to 150.60): V

