

Data Path : Z:\voasrv\HPCHEM1\MSVOA_N\Data\VN021025\
 Data File : VN085729.D
 Acq On : 10 Feb 2025 17:23
 Operator : JC\MD
 Sample : Q1328-03
 Misc : 5.0mL/MSVOA_N/WATER
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 MSVOA_N
 ClientSampleId :
 Storage-Blank-WATER-REF-4

Quant Time: Feb 11 03:26:31 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_N\methods\82N011425W.M
 Quant Title : SW846 8260
 QLast Update : Wed Jan 15 02:16:08 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	8.224	168	225145	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	9.100	114	415405	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.865	117	357489	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.788	152	132906	50.000	ug/l	0.00
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.576	65	182740	50.282	ug/l	0.00
Spiked Amount	50.000	Range	74 - 125	Recovery	= 100.560%	
35) Dibromofluoromethane	8.165	113	149101	51.737	ug/l	0.00
Spiked Amount	50.000	Range	75 - 124	Recovery	= 103.480%	
50) Toluene-d8	10.565	98	504451	49.266	ug/l	0.00
Spiked Amount	50.000	Range	86 - 113	Recovery	= 98.540%	
62) 4-Bromofluorobenzene	12.847	95	153520	43.830	ug/l	0.00
Spiked Amount	50.000	Range	77 - 121	Recovery	= 87.660%	


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_N\Data\VN021025\
Data File : VN085729.D
Acq On : 10 Feb 2025 17:23
Operator : JC\MD
Sample : Q1328-03
Misc : 5.0mL/MSVOA_N/WATER
ALS Vial : 15 Sample Multiplier: 1

Instrument :
MSVOA_N
ClientSampleId :
Storage-Blank-WATER-REF-4

Quant Time: Feb 11 03:26:31 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_N\methods\82N011425W.M
Quant Title : SW846 8260
QLast Update : Wed Jan 15 02:16:08 2025
Response via : Initial Calibration









#1
Pentafluorobenzene
Concen: 50.000 ug/l
RT: 8.224 min Scan# 1066
Delta R.T. 0.006 min
Lab File: VN085729.D
Acq: 10 Feb 2025 17:23




Instrument :
MSVOA_N
ClientSampleId :
Storage-Blank-WATER-REF-4


Tgt Ion:168 Resp: 225145
Ion Ratio Lower Upper
168 100
99 62.2 53.6 80.4



#33
1,2-Dichloroethane-d4
Concen: 50.282 ug/l
RT: 8.576 min Scan# 1126
Delta R.T. 0.006 min
Lab File: VN085729.D
Acq: 10 Feb 2025 17:23

Tgt Ion: 65 Resp: 182740
Ion Ratio Lower Upper
65 100
67 51.5 0.0 101.6









#34
1,4-Difluorobenzene
Concen: 50.000 ug/l
RT: 9.100 min Scan# 11
Delta R.T. 0.006 min
Lab File: VN085729.D
Acq: 10 Feb 2025 17:23




Instrument :
MSVOA_N
ClientSampleId :
Storage-Blank-WATER-REF-4


Tgt Ion:114 Resp: 415405
Ion Ratio Lower Upper
114 100
63 20.8 0.0 47.6
88 17.0 0.0 32.6



#35
Dibromofluoromethane
Concen: 51.737 ug/l
RT: 8.165 min Scan# 1056
Delta R.T. 0.006 min
Lab File: VN085729.D
Acq: 10 Feb 2025 17:23

Tgt Ion:113 Resp: 149101
Ion Ratio Lower Upper
113 100
111 102.1 82.7 124.1
192 17.9 14.3 21.5









#50
Toluene-d8
Concen: 49.266 ug/l
RT: 10.565 min Scan# 1464
Delta R.T. -0.000 min
Lab File: VN085729.D
Acq: 10 Feb 2025 17:23




Instrument : MSVOA_N
ClientSampleId : Storage-Blank-WATER-REF-4


Tgt Ion: 98 Resp: 504451
Ion Ratio Lower Upper
98 100
100 64.1 52.2 78.4



#62
4-Bromofluorobenzene
Concen: 43.830 ug/l
RT: 12.847 min Scan# 1852
Delta R.T. -0.000 min
Lab File: VN085729.D
Acq: 10 Feb 2025 17:23

Tgt Ion: 95 Resp: 153520
Ion Ratio Lower Upper
95 100
174 76.0 0.0 145.0
176 73.4 0.0 142.4









#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 11.865 min Scan# 117
Delta R.T. -0.000 min
Lab File: VN085729.D
Acq: 10 Feb 2025 17:23

Instrument :
MSVOA_N
ClientSampleId :
Storage-Blank-WATER-REF-4

Tgt Ion:117 Resp: 357489
Ion Ratio Lower Upper
117 100
82 56.7 48.6 72.8
119 31.7 26.6 39.8



#72
1,4-Dichlorobenzene-d4
Concen: 50.000 ug/l
RT: 13.788 min Scan# 2012
Delta R.T. -0.000 min
Lab File: VN085729.D
Acq: 10 Feb 2025 17:23

Tgt Ion:152 Resp: 132906
Ion Ratio Lower Upper
152 100
115 60.7 31.1 93.3
150 157.0 0.0 343.6

