

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_N\Data\VN021323\  
 Data File : VN076636.D  
 Acq On : 13 Feb 2023 18:44  
 Operator : JC\MD  
 Sample : 01529-10  
 Misc : 5.0mL/MSVOA\_N/WATER  
 ALS Vial : 19 Sample Multiplier: 1

Instrument :  
 MSVOA\_N  
 ClientSampleId :  
 TRIP-BLANK-1

Quant Time: Feb 14 05:25:59 2023  
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_N\methods\82N021323W.M  
 Quant Title : SW846 8260  
 QLast Update : Tue Feb 14 01:44:47 2023  
 Response via : Initial Calibration

| Compound                   | R.T.   | QIon | Response | Conc   | Units | Dev(Min) |
|----------------------------|--------|------|----------|--------|-------|----------|
| -----                      |        |      |          |        |       |          |
| Internal Standards         |        |      |          |        |       |          |
| 1) Pentafluorobenzene      | 8.231  | 168  | 345120   | 50.000 | ug/l  | 0.00     |
| 34) 1,4-Difluorobenzene    | 9.107  | 114  | 610894   | 50.000 | ug/l  | 0.00     |
| 63) Chlorobenzene-d5       | 11.872 | 117  | 547984   | 50.000 | ug/l  | 0.00     |
| 72) 1,4-Dichlorobenzene-d4 | 13.795 | 152  | 225258   | 50.000 | ug/l  | 0.00     |

|                             |        |       |          |          |      |         |
|-----------------------------|--------|-------|----------|----------|------|---------|
| System Monitoring Compounds |        |       |          |          |      |         |
| 33) 1,2-Dichloroethane-d4   | 8.584  | 65    | 232645   | 48.818   | ug/l | 0.00    |
| Spiked Amount               | 50.000 | Range | 74 - 125 | Recovery | =    | 97.640% |
| 35) Dibromofluoromethane    | 8.172  | 113   | 189189   | 47.290   | ug/l | 0.00    |
| Spiked Amount               | 50.000 | Range | 75 - 124 | Recovery | =    | 94.580% |
| 50) Toluene-d8              | 10.572 | 98    | 744673   | 49.842   | ug/l | 0.00    |
| Spiked Amount               | 50.000 | Range | 86 - 113 | Recovery | =    | 99.680% |
| 62) 4-Bromofluorobenzene    | 12.848 | 95    | 232244   | 46.933   | ug/l | 0.00    |
| Spiked Amount               | 50.000 | Range | 83 - 123 | Recovery | =    | 93.860% |

| Target Compounds | Qvalue |
|------------------|--------|
| -----            |        |

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_N\Data\VN021323\  
Data File : VN076636.D  
Acq On : 13 Feb 2023 18:44  
Operator : JC\MD  
Sample : 01529-10  
Misc : 5.0mL/MSVOA\_N/WATER  
ALS Vial : 19 Sample Multiplier: 1

Instrument :  
MSVOA\_N  
ClientSampleId :  
TRIP-BLANK-1

Quant Time: Feb 14 05:25:59 2023  
Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_N\methods\82N021323W.M  
Quant Title : SW846 8260  
QLast Update : Tue Feb 14 01:44:47 2023  
Response via : Initial Calibration

