

Data Path : Z:\VOASRV\HPCHEM1\MSVOA N\DATA\VN021420\  
 Data File : VN060100.D  
 Acq On : 14 Feb 2020 10:33  
 Operator : JC/MD  
 Sample : VN0214WBL01  
 Misc : 5.00mL/MSVOA N/WATER  
 ALS Vial : 4 Sample Multiplier: 1

Instrument :  
 MSVOA\_N  
 ClientSampleId :  
 VN0214WBL01

Quant Time: Feb 15 02:52:04 2020  
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA\_N\METHODS\82N021220W.M  
 Quant Title : SW846 8260  
 QLast Update : Wed Feb 12 14:12:21 2020  
 Response via : Initial Calibration

| Internal Standards         | R.T.  | QIon | Response | Conc  | Units | Dev(Min) |
|----------------------------|-------|------|----------|-------|-------|----------|
| 1) Pentafluorobenzene      | 7.64  | 168  | 184340   | 50.00 | ug/l  | 0.00     |
| 34) 1,4-Difluorobenzene    | 8.56  | 114  | 294778   | 50.00 | ug/l  | 0.00     |
| 63) Chlorobenzene-d5       | 11.40 | 117  | 263560   | 50.00 | ug/l  | 0.00     |
| 72) 1,4-Dichlorobenzene-d4 | 13.34 | 152  | 109170   | 50.00 | ug/l  | 0.00     |

| System Monitoring Compounds |        |     |          |       |        |      |
|-----------------------------|--------|-----|----------|-------|--------|------|
| 33) 1,2-Dichloroethane-d4   | 8.00   | 65  | 111540   | 49.73 | ug/l   | 0.00 |
| Spiked Amount               | 50.000 |     | Recovery | =     | 99.46% |      |
| 35) Dibromofluoromethane    | 7.57   | 113 | 89762    | 49.54 | ug/l   | 0.00 |
| Spiked Amount               | 50.000 |     | Recovery | =     | 99.08% |      |
| 50) Toluene-d8              | 10.08  | 98  | 351747   | 49.29 | ug/l   | 0.00 |
| Spiked Amount               | 50.000 |     | Recovery | =     | 98.58% |      |
| 62) 4-Bromofluorobenzene    | 12.40  | 95  | 119354   | 45.52 | ug/l   | 0.00 |
| Spiked Amount               | 50.000 |     | Recovery | =     | 91.04% |      |

| Target Compounds | Qvalue |
|------------------|--------|
| -----            |        |

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA N\DATA\VN021420\  
Data File : VN060100.D  
Acq On : 14 Feb 2020 10:33  
Operator : JC/MD  
Sample : VN0214WBL01  
Misc : 5.00mL/MSVOA N/WATER  
ALS Vial : 4 Sample Multiplier: 1

Instrument :  
MSVOA\_N  
ClientSampleId :  
VN0214WBL01

Quant Time: Feb 15 02:52:04 2020  
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA\_N\METHODS\82N021220W.M  
Quant Title : SW846 8260  
QLast Update : Wed Feb 12 14:12:21 2020  
Response via : Initial Calibration

