

Data Path : Z:\voasrv\HPCHEM1\MSVOA_N\Data\VN022324\
 Data File : VN081168.D
 Acq On : 23 Feb 2024 18:57
 Operator : JC\MD
 Sample : P1576-02
 Misc : 5.0mL/MSVOA_N/WATER
 ALS Vial : 19 Sample Multiplier: 1

Instrument :
 MSVOA_N
 ClientSampleId :
 BP-VPB-195-EB-20240222

Quant Time: Feb 23 22:03:33 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_N\methods\82N021624W.M
 Quant Title : SW846 8260
 QLast Update : Fri Feb 16 23:45:20 2024
 Response via : Initial Calibration

Manual Integrations
 APPROVED

Reviewed By : John Carlone 02/26/2024
 Supervised By : Mahesh Dadoda 02/26/2024

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	8.224	168	276312	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	9.106	114	529397	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.871	117	461351	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.794	152	185261	50.000	ug/l	0.00
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.577	65	175961	51.955	ug/l	0.00
Spiked Amount 50.000	Range 74 - 125		Recovery = 103.900%			
35) Dibromofluoromethane	8.171	113	147107	49.141	ug/l	0.00
Spiked Amount 50.000	Range 75 - 124		Recovery = 98.280%			
50) Toluene-d8	10.571	98	464478	43.685	ug/l	0.00
Spiked Amount 50.000	Range 86 - 113		Recovery = 87.380%			
62) 4-Bromofluorobenzene	12.853	95	175230	43.861	ug/l	0.00
Spiked Amount 50.000	Range 83 - 123		Recovery = 87.720%			
Target Compounds					Qvalue	
16) Acetone	4.430	43	5557m	4.170	ug/l	
37) Ethyl Acetate	7.565	43	5288	1.142	ug/l #	93

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_N\Data\VN022324\
Data File : VN081168.D
Acq On : 23 Feb 2024 18:57
Operator : JC\MD
Sample : P1576-02
Misc : 5.0mL/MSVOA_N/WATER
ALS Vial : 19 Sample Multiplier: 1

Instrument :
MSVOA_N
ClientSampleId :
BP-VPB-195-EB-20240222

Quant Time: Feb 23 22:03:33 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_N\methods\82N021624W.M
Quant Title : SW846 8260
QLast Update : Fri Feb 16 23:45:20 2024
Response via : Initial Calibration

Manual Integrations
APPROVED

Reviewed By :John Carlone 02/26/2024
Supervised By :Mahesh Dadoda 02/26/2024

