

Data Path : Z:\voasrv\HPCHEM1\MSVOA_N\Data\VN022724\
 Data File : VN081216.D
 Acq On : 27 Feb 2024 13:58
 Operator : JC\MD
 Sample : P1577-06
 Misc : 5.0mL/MSVOA_N/WATER
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 MSVOA_N
 ClientSampleId :
 RW10-MW01D-20240221

Manual Integrations
 APPROVED

Reviewed By : John Carlone 02/28/2024
 Supervised By : Semsettin Yesilyurt 02/28/2024

Quant Time: Feb 28 04:17:28 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_N\methods\82N021624W.M
 Quant Title : SW846 8260
 QLast Update : Fri Feb 16 23:45:20 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	8.230	168	324481	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	9.106	114	610080	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.871	117	526312	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.794	152	204917	50.000	ug/l	0.00
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.582	65	218587	54.960	ug/l	0.00
Spiked Amount 50.000	Range 74 - 125		Recovery = 109.920%			
35) Dibromofluoromethane	8.171	113	168524	48.850	ug/l	0.00
Spiked Amount 50.000	Range 75 - 124		Recovery = 97.700%			
50) Toluene-d8	10.571	98	658124	53.712	ug/l	0.00
Spiked Amount 50.000	Range 86 - 113		Recovery = 107.420%			
62) 4-Bromofluorobenzene	12.853	95	213031	46.270	ug/l	0.00
Spiked Amount 50.000	Range 83 - 123		Recovery = 92.540%			
Target Compounds						
16) Acetone	4.436	43	4526m	2.892	ug/l	
52) Toluene	10.629	92	74147	6.846	ug/l	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_N\Data\VN022724\
Data File : VN081216.D
Acq On : 27 Feb 2024 13:58
Operator : JC\MD
Sample : P1577-06
Misc : 5.0mL/MSVOA_N/WATER
ALS Vial : 10 Sample Multiplier: 1

Instrument :
MSVOA_N
ClientSampleId :
RW10-MW01D-20240221

Quant Time: Feb 28 04:17:28 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_N\methods\82N021624W.M
Quant Title : SW846 8260
QLast Update : Fri Feb 16 23:45:20 2024
Response via : Initial Calibration

Manual Integrations
APPROVED

Reviewed By :John Carlone 02/28/2024
Supervised By :Semsettin Yesilyurt 02/28/2024

