

Data Path : Z:\VOASRV\HPCHEM1\MSVOA N\DATA\VN022819\  
 Data File : VN053994.D  
 Acq On : 28 Feb 2019 10:15  
 Operator : JC/SP  
 Sample : VN0228WBL01  
 Misc : 5.00mL/MSVOA N/WATER  
 ALS Vial : 3 Sample Multiplier: 1

Instrument :  
 MSVOA\_N  
 ClientSampleId :  
 VN0228WBL01

Quant Time: Mar 01 04:14:35 2019  
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA\_N\METHODS\82N022519W.M  
 Quant Title : SW846 8260  
 QLast Update : Thu Feb 28 04:05:45 2019  
 Response via : Initial Calibration

| Internal Standards         | R.T.  | QIon | Response | Conc  | Units | Dev(Min) |
|----------------------------|-------|------|----------|-------|-------|----------|
| 1) Pentafluorobenzene      | 7.66  | 168  | 583936   | 50.00 | ug/l  | 0.00     |
| 34) 1,4-Difluorobenzene    | 8.59  | 114  | 1052922  | 50.00 | ug/l  | 0.00     |
| 63) Chlorobenzene-d5       | 11.41 | 117  | 1009299  | 50.00 | ug/l  | 0.00     |
| 72) 1,4-Dichlorobenzene-d4 | 13.34 | 152  | 360157   | 50.00 | ug/l  | 0.00     |

| System Monitoring Compounds |        |     |          |       |         |      |
|-----------------------------|--------|-----|----------|-------|---------|------|
| 33) 1,2-Dichloroethane-d4   | 8.03   | 65  | 386464   | 56.46 | ug/l    | 0.00 |
| Spiked Amount               | 50.000 |     | Recovery | =     | 112.92% |      |
| 35) Dibromofluoromethane    | 7.59   | 113 | 355435   | 52.20 | ug/l    | 0.00 |
| Spiked Amount               | 50.000 |     | Recovery | =     | 104.40% |      |
| 50) Toluene-d8              | 10.09  | 98  | 1322243  | 52.17 | ug/l    | 0.00 |
| Spiked Amount               | 50.000 |     | Recovery | =     | 104.34% |      |
| 62) 4-Bromofluorobenzene    | 12.40  | 95  | 424004   | 50.21 | ug/l    | 0.00 |
| Spiked Amount               | 50.000 |     | Recovery | =     | 100.42% |      |

| Target Compounds | Qvalue |
|------------------|--------|
| -----            |        |

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA N\DATA\VN022819\  
Data File : VN053994.D  
Acq On : 28 Feb 2019 10:15  
Operator : JC/SP  
Sample : VN0228WBL01  
Misc : 5.00mL/MSVOA N/WATER  
ALS Vial : 3 Sample Multiplier: 1

Instrument :  
MSVOA\_N  
ClientSampleId :  
VN0228WBL01

Quant Time: Mar 01 04:14:35 2019  
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA\_N\METHODS\82N022519W.M  
Quant Title : SW846 8260  
QLast Update : Thu Feb 28 04:05:45 2019  
Response via : Initial Calibration

