

Data Path : Z:\VOASRV\HPCHEM1\MSVOA N\DATA\VN030419\  
 Data File : VN054065.D  
 Acq On : 4 Mar 2019 14:59  
 Operator : JC/SP  
 Sample : VN0304WBL02  
 Misc : 5.00mL/MSVOA N/WATER  
 ALS Vial : 10 Sample Multiplier: 1

Instrument :  
 MSVOA\_N  
 ClientSampleId :  
 VN0304WBL02

Quant Time: Mar 05 00:09:37 2019  
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA\_N\METHODS\82N022519W.M  
 Quant Title : SW846 8260  
 QLast Update : Thu Feb 28 04:05:45 2019  
 Response via : Initial Calibration

| Internal Standards         | R.T.  | QIon | Response | Conc  | Units | Dev(Min) |
|----------------------------|-------|------|----------|-------|-------|----------|
| 1) Pentafluorobenzene      | 7.66  | 168  | 522330   | 50.00 | ug/l  | 0.00     |
| 34) 1,4-Difluorobenzene    | 8.59  | 114  | 988379   | 50.00 | ug/l  | 0.00     |
| 63) Chlorobenzene-d5       | 11.41 | 117  | 961084   | 50.00 | ug/l  | 0.00     |
| 72) 1,4-Dichlorobenzene-d4 | 13.34 | 152  | 334623   | 50.00 | ug/l  | 0.00     |

| System Monitoring Compounds |        |     |          |       |         |      |
|-----------------------------|--------|-----|----------|-------|---------|------|
| 33) 1,2-Dichloroethane-d4   | 8.03   | 65  | 363895   | 59.43 | ug/l    | 0.00 |
| Spiked Amount               | 50.000 |     | Recovery | =     | 118.86% |      |
| 35) Dibromofluoromethane    | 7.59   | 113 | 324516   | 50.77 | ug/l    | 0.00 |
| Spiked Amount               | 50.000 |     | Recovery | =     | 101.54% |      |
| 50) Toluene-d8              | 10.09  | 98  | 1262097  | 53.05 | ug/l    | 0.00 |
| Spiked Amount               | 50.000 |     | Recovery | =     | 106.10% |      |
| 62) 4-Bromofluorobenzene    | 12.40  | 95  | 412075   | 51.98 | ug/l    | 0.00 |
| Spiked Amount               | 50.000 |     | Recovery | =     | 103.96% |      |

| Target Compounds | Qvalue |
|------------------|--------|
| -----            |        |

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA N\DATA\VN030419\  
Data File : VN054065.D  
Acq On : 4 Mar 2019 14:59  
Operator : JC/SP  
Sample : VN0304WBL02  
Misc : 5.00mL/MSVOA N/WATER  
ALS Vial : 10 Sample Multiplier: 1

Instrument :  
MSVOA\_N  
ClientSampleId :  
VN0304WBL02

Quant Time: Mar 05 00:09:37 2019  
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA\_N\METHODS\82N022519W.M  
Quant Title : SW846 8260  
QLast Update : Thu Feb 28 04:05:45 2019  
Response via : Initial Calibration

