

Data Path : Z:\voasrv\HPCHEM1\MSVOA_N\Data\VN030424\
 Data File : VN081299.D
 Acq On : 04 Mar 2024 13:33
 Operator : JC\MD
 Sample : P1660-02
 Misc : 5.0mL/MSVOA_N/WATER
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 MSVOA_N
 ClientSampleId :
 BP-VPB-195-EB-20240228

Manual Integrations
 APPROVED

Reviewed By : John Carlone 03/04/2024
 Supervised By : Mahesh Dadoda 03/05/2024

Quant Time: Mar 04 15:26:36 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_N\methods\82N021624W.M
 Quant Title : SW846 8260
 QLast Update : Fri Feb 16 23:45:20 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	8.230	168	324799	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	9.106	114	593654	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.871	117	521153	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.794	152	202580	50.000	ug/l	0.00
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.583	65	220054	55.274	ug/l	0.00
Spiked Amount 50.000	Range 74 - 125		Recovery = 110.540%			
35) Dibromofluoromethane	8.171	113	173200	51.595	ug/l	0.00
Spiked Amount 50.000	Range 75 - 124		Recovery = 103.180%			
50) Toluene-d8	10.571	98	657820	55.173	ug/l	0.00
Spiked Amount 50.000	Range 86 - 113		Recovery = 110.340%			
62) 4-Bromofluorobenzene	12.853	95	206370	46.064	ug/l	0.00
Spiked Amount 50.000	Range 64 - 133		Recovery = 92.120%			
Target Compounds						
16) Acetone	4.448	43	7378m	4.710	ug/l	
25) 2-Butanone	7.477	43	7060	2.790	ug/l	95

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_N\Data\VN030424\
Data File : VN081299.D
Acq On : 04 Mar 2024 13:33
Operator : JC\MD
Sample : P1660-02
Misc : 5.0mL/MSVOA_N/WATER
ALS Vial : 9 Sample Multiplier: 1

Instrument :
MSVOA_N
ClientSampleId :
BP-VPB-195-EB-20240228

Quant Time: Mar 04 15:26:36 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_N\methods\82N021624W.M
Quant Title : SW846 8260
QLast Update : Fri Feb 16 23:45:20 2024
Response via : Initial Calibration

Manual Integrations
APPROVED

Reviewed By :John Carlone 03/04/2024
Supervised By :Mahesh Dadoda 03/05/2024

