

Data Path : Z:\voasrv\HPCHEM1\MSVOA_N\Data\VN030822\
 Data File : VN071183.D
 Acq On : 08 Mar 2022 11:37
 Operator : JC\MD
 Sample : VSTDCCC050
 Misc : 5.0mL/MSVOA_N/WATER
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_N
 LabSampleId :
 VSTDCCC050

Quant Time: Mar 09 03:59:56 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_N\methods\82N030722W.M
 Quant Title : SW846 8260
 QLast Update : Tue Mar 08 06:52:46 2022
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	96	0.00
2 T	Dichlorodifluoromethane	0.548	0.506	7.7	96	0.00
3 P	Chloromethane	0.822	0.680	17.3	93	0.00
4 C	Vinyl Chloride	0.672	0.625	7.0#	96	0.00
5 T	Bromomethane	0.335	0.344	-2.7	100	0.00
6 T	Chloroethane	0.407	0.404	0.7	97	0.00
7 T	Trichlorofluoromethane	0.884	0.825	6.7	97	0.00
8 T	Diethyl Ether	0.378	0.367	2.9	100	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.512	0.486	5.1	99	0.00
10 T	Methyl Iodide	0.723	0.693	4.1	95	0.00
11 T	Tert butyl alcohol	0.135	0.124	8.1	96	-0.01
12 CM	1,1-Dichloroethene	0.501	0.468	6.6#	96	0.00
13 T	Acrolein	0.142	0.127	10.6	97	0.00
14 T	Allyl chloride	1.090	1.025	6.0	96	0.00
15 T	Acrylonitrile	0.400	0.369	7.8	93	0.00
16 T	Acetone	0.333	0.319	4.2	100	0.00
17 T	Carbon Disulfide	1.427	1.320	7.5	96	0.00
18 T	Methyl Acetate	0.979	0.847	13.5	95	0.00
19 T	Methyl tert-butyl Ether	1.882	1.836	2.4	98	0.00
20 T	Methylene Chloride	0.661	0.585	11.5	97	0.00
21 T	trans-1,2-Dichloroethene	0.548	0.510	6.9	96	0.00
22 T	Diisopropyl ether	2.148	2.091	2.7	98	0.00
23 T	Vinyl Acetate	1.818	1.803	0.8	96	0.00
24 P	1,1-Dichloroethane	1.135	1.077	5.1	97	0.00
25 T	2-Butanone	0.537	0.504	6.1	95	0.00
26 T	2,2-Dichloropropane	0.876	0.863	1.5	100	0.00
27 T	cis-1,2-Dichloroethene	0.651	0.613	5.8	96	0.00
28 T	Bromochloromethane	0.505	0.485	4.0	97	0.00
29 T	Tetrahydrofuran	0.372	0.343	7.8	93	0.00
30 C	Chloroform	1.083	1.020	5.8#	97	0.00
31 T	Cyclohexane	1.094	1.018	6.9	98	0.00
32 T	1,1,1-Trichloroethane	0.922	0.877	4.9	96	0.00
33 S	1,2-Dichloroethane-d4	0.685	0.682	0.4	105	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	93	0.00
35 S	Dibromofluoromethane	0.316	0.323	-2.2	105	0.00
36 T	1,1-Dichloropropene	0.506	0.488	3.6	96	0.00
37 T	Ethyl Acetate	0.696	0.631	9.3	90	0.00
38 T	Carbon Tetrachloride	0.489	0.477	2.5	97	0.00
39 T	Methylcyclohexane	0.595	0.616	-3.5	99	0.00
40 TM	Benzene	1.523	1.488	2.3	97	0.00
41 T	Methacrylonitrile	0.340	0.349	-2.6	102	0.00
42 TM	1,2-Dichloroethane	0.530	0.526	0.8	97	0.00
43 T	Isopropyl Acetate	1.040	0.989	4.9	97	0.00
44 TM	Trichloroethene	0.359	0.353	1.7	96	0.00
45 C	1,2-Dichloropropane	0.409	0.398	2.7#	95	0.00
46 T	Dibromomethane	0.252	0.248	1.6	97	0.00
47 T	Bromodichloromethane	0.509	0.505	0.8	97	0.00
48 T	Methyl methacrylate	0.482	0.479	0.6	94	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_N\Data\VN030822\
 Data File : VN071183.D
 Acq On : 08 Mar 2022 11:37
 Operator : JC\MD
 Sample : VSTDCCC050
 Misc : 5.0mL/MSVOA_N/WATER
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_N
 LabSampleId :
 VSTDCCC050

Quant Time: Mar 09 03:59:56 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_N\methods\82N030722W.M
 Quant Title : SW846 8260
 QLast Update : Tue Mar 08 06:52:46 2022
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
49 T	1,4-Dioxane	0.008	0.008	0.0	94	0.00
50 S	Toluene-d8	1.270	1.315	-3.5	104	0.00
51 T	4-Methyl-2-Pentanone	0.646	0.626	3.1	93	0.00
52 CM	Toluene	0.938	0.947	-1.0#	97	0.00
53 T	t-1,3-Dichloropropene	0.561	0.577	-2.9	98	0.00
54 T	cis-1,3-Dichloropropene	0.613	0.629	-2.6	98	0.00
55 T	1,1,2-Trichloroethane	0.376	0.364	3.2	97	0.00
56 T	Ethyl methacrylate	0.614	0.621	-1.1	96	0.00
57 T	1,3-Dichloropropane	0.675	0.657	2.7	97	0.00
58 T	2-Chloroethyl Vinyl ether	0.101	0.095	5.9	84	0.00
59 T	2-Hexanone	0.441	0.440	0.2	92	0.00
60 T	Dibromochloromethane	0.373	0.382	-2.4	96	0.00
61 T	1,2-Dibromoethane	0.384	0.376	2.1	96	0.00
62 S	4-Bromofluorobenzene	0.430	0.451	-4.9	106	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	93	0.00
64 T	Tetrachloroethene	0.349	0.343	1.7	99	0.00
65 PM	Chlorobenzene	1.074	1.050	2.2	97	0.00
66 T	1,1,1,2-Tetrachloroethane	0.394	0.387	1.8	96	0.00
67 C	Ethyl Benzene	1.899	1.924	-1.3#	97	0.00
68 T	m/p-Xylenes	0.695	0.730	-5.0	98	0.00
69 T	o-Xylene	0.696	0.720	-3.4	97	0.00
70 T	Styrene	1.078	1.155	-7.1	98	0.00
71 P	Bromoform	0.299	0.310	-3.7	97	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	94	0.00
73 T	Isopropylbenzene	4.820	4.627	4.0	98	0.00
74 T	N-amyl acetate	1.812	1.738	4.1	95	0.00
75 P	1,1,2,2-Tetrachloroethane	1.655	1.471	11.1	95	0.00
76 T	1,2,3-Trichloropropane	1.407	1.322	6.0	105	0.00
77 T	Bromobenzene	1.124	1.066	5.2	99	0.00
78 T	n-propylbenzene	5.172	5.117	1.1	98	0.00
79 T	2-Chlorotoluene	3.320	3.115	6.2	97	0.00
80 T	1,3,5-Trimethylbenzene	3.750	3.710	1.1	98	0.00
81 T	trans-1,4-Dichloro-2-butene	0.463	0.448	3.2	95	0.00
82 T	4-Chlorotoluene	2.957	2.973	-0.5	100	0.00
83 T	tert-Butylbenzene	3.347	3.279	2.0	98	0.00
84 T	1,2,4-Trimethylbenzene	3.592	3.592	0.0	98	0.00
85 T	sec-Butylbenzene	4.448	4.531	-1.9	98	0.00
86 T	p-Isopropyltoluene	3.498	3.628	-3.7	98	0.00
87 T	1,3-Dichlorobenzene	1.826	1.747	4.3	98	0.00
88 T	1,4-Dichlorobenzene	1.785	1.699	4.8	100	0.00
89 T	n-Butylbenzene	2.736	2.805	-2.5	100	0.00
90 T	Hexachloroethane	0.696	0.673	3.3	97	0.00
91 T	1,2-Dichlorobenzene	1.756	1.677	4.5	98	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.280	0.254	9.3	94	0.00
93 T	1,2,4-Trichlorobenzene	0.797	0.809	-1.5	103	0.00
94 T	Hexachlorobutadiene	0.493	0.498	-1.0	101	0.00
95 T	Naphthalene	2.115	2.070	2.1	100	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_N\Data\VN030822\
Data File : VN071183.D
Acq On : 08 Mar 2022 11:37
Operator : JC\MD
Sample : VSTDCCC050
Misc : 5.0mL/MSVOA_N/WATER
ALS Vial : 2 Sample Multiplier: 1

Instrument :
MSVOA_N
LabSampleId :
VSTDCCC050

Quant Time: Mar 09 03:59:56 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_N\methods\82N030722W.M
Quant Title : SW846 8260
QLast Update : Tue Mar 08 06:52:46 2022
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
96 T	1,2,3-Trichlorobenzene	0.775	0.765	1.3	100	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 6