

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_N\DATA\VN031419\
 Data File : VN054262.D
 Acq On : 14 Mar 2019 15:21
 Operator : JC/SP
 Sample : K1898-06
 Misc : 5.00mL/MSVOA_N/WATER
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 MSVOA_N
 ClientSampleId :
 FIELD-BLANK

Quant Time: Mar 15 07:32:44 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_N\METHODS\82N031219W.M
 Quant Title : SW846 8260
 QLast Update : Wed Mar 13 03:33:31 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	7.67	168	1311686	50.00	ug/l	0.00
34) 1,4-Difluorobenzene	8.59	114	2223816	50.00	ug/l	0.00
63) Chlorobenzene-d5	11.41	117	2321178	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.35	152	987769	50.00	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.03	65	706067	50.69	ug/l	0.00
Spiked Amount	50.000		Recovery	=	101.38%	
35) Dibromofluoromethane	7.59	113	678990	47.34	ug/l	0.00
Spiked Amount	50.000		Recovery	=	94.68%	
50) Toluene-d8	10.09	98	2753609	51.98	ug/l	0.00
Spiked Amount	50.000		Recovery	=	103.96%	
62) 4-Bromofluorobenzene	12.40	95	1051276	56.72	ug/l	0.00
Spiked Amount	50.000		Recovery	=	113.44%	


Target Compounds	Qvalue
------------------	--------


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA_N\DATA\VN031419\
Data File : VN054262.D
Acq On : 14 Mar 2019 15:21
Operator : JC/SP
Sample : K1898-06
Misc : 5.00mL/MSVOA_N/WATER
ALS Vial : 11 Sample Multiplier: 1

Instrument :
MSVOA_N
ClientSampleId :
FIELD-BLANK

Quant Time: Mar 15 07:32:44 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_N\METHODS\82N031219W.M
Quant Title : SW846 8260
QLast Update : Wed Mar 13 03:33:31 2019
Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 50.000 ug/l

RT: 7.67 min Scan# 1833

Delta R.T. 0.00 min

Lab File: VN054262.D

Acq: 14 Mar 2019 15:21

Instrument :

MSVOA_N

ClientSampleId :


FIELD-BLANK

Tgt Ion:168 Resp: 1311686

Ion Ratio Lower Upper

168 100

99 48.4 37.1 55.7



Abundance Ion 167.90 (167.60 to 168.60): VN054262.D (-1811) (-)

Ion 98.90 (98.60 to 99.60): VN054262.D (-1811) (-)

7.67

600000

500000

400000

300000



200000

100000

0

7.60 7.65 7.70 7.75

Time-->



#33

1,2-Dichloroethane-d4

Concen: 50.686 ug/l

RT: 8.03 min Scan# 1946

Delta R.T. 0.00 min

Lab File: VN054262.D


Acq: 14 Mar 2019 15:21

Tgt Ion: 65 Resp: 706067

Ion Ratio Lower Upper

65 100

67 52.7 0.0 104.6



Abundance Ion 64.90 (64.60 to 65.60): VN054262.D (-1852) (-)

Ion 66.90 (66.60 to 67.60): VN054262.D (-1852) (-)

8.03

300000


200000


100000

0

7.90 8.00 8.10

Time-->









#34
 1,4-Difluorobenzene
 Concen: 50.000 ug/l
 RT: 8.59 min Scan# 2119
 Delta R.T. 0.00 min
 Lab File: VN054262.D
 Acq: 14 Mar 2019 15:21

Instrument :
 MSVOA_N
 ClientSampleId :
 FIELD-BLANK

Tgt Ion:114 Resp: 2223816
 Ion Ratio Lower Upper
 114 100
 63 17.5 0.0 35.2
 88 14.7 0.0 30.2




Abundance Ion 113.90 (113.60 to 114.60): V
 Ion 63.00 (62.70 to 63.70): VN
 Ion 87.90 (87.60 to 88.60): VN






#35
 Dibromofluoromethane
 Concen: 47.340 ug/l
 RT: 7.59 min Scan# 1810
 Delta R.T. 0.00 min
 Lab File: VN054262.D
 Acq: 14 Mar 2019 15:21

Tgt Ion:113 Resp: 678990
 Ion Ratio Lower Upper
 113 100
 111 102.4 82.2 123.4
 192 24.1 19.2 28.8



Abundance Ion 112.80 (112.50 to 113.50): V
 Ion 110.80 (110.50 to 111.50): V
 Ion 191.70 (191.40 to 192.40): V





#50

Toluene-d8

Concen: 51.985 ug/l

RT: 10.09 min Scan# 2587

Delta R.T. 0.00 min

Lab File: VN054262.D

Acq: 14 Mar 2019 15:21

Instrument :

MSVOA_N

ClientSampled :





FIELD-BLANK

Tgt Ion: 98 Resp: 2753609

Ion Ratio Lower Upper

98 100

100 64.3 51.2 76.8



#62

4-Bromofluorobenzene

Concen: 56.721 ug/l

RT: 12.40 min Scan# 3305

Delta R.T. 0.00 min

Lab File: VN054262.D

Acq: 14 Mar 2019 15:21




Tgt Ion: 95 Resp: 1051276


Ion Ratio Lower Upper

95 100

174 97.1 0.0 191.0

176 94.8 0.0 187.4









#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 11.41 min Scan# 2996
Delta R.T. 0.00 min
Lab File: VN054262.D
Acq: 14 Mar 2019 15:21

Instrument :
MSVOA_N
ClientSampleId :
FIELD-BLANK

Tgt Ion:117 Resp: 2321178
Ion Ratio Lower Upper
117 100
82 50.4 40.0 60.0
119 31.8 25.8 38.6




Abundance Ion 116.90 (116.60 to 117.60): V
Ion 82.00 (81.70 to 82.70): V
Ion 118.90 (118.60 to 119.60): V



#72
1,4-Dichlorobenzene-d4
Concen: 50.000 ug/l
RT: 13.35 min Scan# 3599
Delta R.T. 0.00 min
Lab File: VN054262.D
Acq: 14 Mar 2019 15:21

Tgt Ion:152 Resp: 987769
Ion Ratio Lower Upper
152 100
115 54.7 27.2 81.6
150 157.0 0.0 349.2



Abundance Ion 151.90 (151.60 to 152.60): V
Ion 114.90 (114.60 to 115.60): V
Ion 149.90 (149.60 to 150.60): V

