

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_N\DATA\VN031419\
 Data File : VN054274.D
 Acq On : 14 Mar 2019 20:48
 Operator : JC/SP
 Sample : K1887-02
 Misc : 5.00mL/MSVOA_N/WATER
 ALS Vial : 23 Sample Multiplier: 1

Instrument :
 MSVOA_N
 ClientSampleId :
 MW-3

Quant Time: Mar 15 08:06:43 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_N\METHODS\82N031219W.M
 Quant Title : SW846 8260
 QLast Update : Wed Mar 13 03:33:31 2019
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	7.67	168	1429141	50.00	ug/l	0.00
34) 1,4-Difluorobenzene	8.59	114	2324993	50.00	ug/l	0.00
63) Chlorobenzene-d5	11.41	117	2387376	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.35	152	942303	50.00	ug/l	0.00
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.03	65	744542	49.06	ug/l	0.00
Spiked Amount 50.000			Recovery	=	98.12%	
35) Dibromofluoromethane	7.59	113	730102	48.69	ug/l	0.00
Spiked Amount 50.000			Recovery	=	97.38%	
50) Toluene-d8	10.09	98	2856316	51.58	ug/l	0.00
Spiked Amount 50.000			Recovery	=	103.16%	
62) 4-Bromofluorobenzene	12.40	95	1047385	54.05	ug/l	0.00
Spiked Amount 50.000			Recovery	=	108.10%	
Target Compounds						
95) Naphthalene	15.13	128	38911	4.346	ug/l	Qvalue 99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA_N\DATA\VN031419\
Data File : VN054274.D
Acq On : 14 Mar 2019 20:48
Operator : JC/SP
Sample : K1887-02
Misc : 5.00mL/MSVOA_N/WATER
ALS Vial : 23 Sample Multiplier: 1

Instrument :
MSVOA_N
ClientSampleId :
MW-3

Quant Time: Mar 15 08:06:43 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_N\METHODS\82N031219W.M
Quant Title : SW846 8260
QLast Update : Wed Mar 13 03:33:31 2019
Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 50.000 ug/l

RT: 7.67 min Scan# 1833

Delta R.T. 0.00 min

Lab File: VN054274.D

Acq: 14 Mar 2019 20:48

Instrument :

MSVOA_N

ClientSampleId :


MW-3

Tgt Ion:168 Resp: 1429141

Ion Ratio Lower Upper

168 100

99 47.9 37.1 55.7



Abundance Ion 167.90 (167.60 to 168.60): VN054274.D (-1739) (-)

Ion 98.90 (98.60 to 99.60): VN054274.D (-1739) (-)

7.67

600000

500000

400000



300000

200000

100000

0

Time--> 7.50 7.60 7.70 7.80 7.90



#33

1,2-Dichloroethane-d4

Concen: 49.056 ug/l

RT: 8.03 min Scan# 1945

Delta R.T. 0.00 min

Lab File: VN054274.D


Acq: 14 Mar 2019 20:48

Tgt Ion: 65 Resp: 744542

Ion Ratio Lower Upper

65 100

67 52.5 0.0 104.6



Abundance Ion 64.90 (64.60 to 65.60): VN054274.D (-1852) (-)

Ion 66.90 (66.60 to 67.60): VN054274.D (-1852) (-)

8.03


300000


200000

100000

0

Time--> 7.90 8.00 8.10 8.20









#34
 1,4-Difluorobenzene
 Concen: 50.000 ug/l
 RT: 8.59 min Scan# 2119
 Delta R.T. 0.00 min
 Lab File: VN054274.D
 Acq: 14 Mar 2019 20:48

Instrument :
 MSVOA_N
 ClientSampled :
 MW-3

Tgt Ion:114 Resp: 2324993
 Ion Ratio Lower Upper
 114 100
 63 17.6 0.0 35.2
 88 14.6 0.0 30.2




Abundance Ion 113.90 (113.60 to 114.60): V
 Ion 63.00 (62.70 to 63.70): VN
 Ion 87.90 (87.60 to 88.60): VN






#35
 Dibromofluoromethane
 Concen: 48.689 ug/l
 RT: 7.59 min Scan# 1810
 Delta R.T. 0.00 min
 Lab File: VN054274.D
 Acq: 14 Mar 2019 20:48

Tgt Ion:113 Resp: 730102
 Ion Ratio Lower Upper
 113 100
 111 100.9 82.2 123.4
 192 23.8 19.2 28.8



Abundance Ion 112.80 (112.50 to 113.50): V
 Ion 110.80 (110.50 to 111.50): V
 Ion 191.70 (191.40 to 192.40): V





#50

Toluene-d8

Concen: 51.577 ug/l

RT: 10.09 min Scan# 2587

Delta R.T. 0.00 min

Lab File: VN054274.D

Acq: 14 Mar 2019 20:48

Instrument :

MSVOA_N

ClientSampleId :


MW-3

Tgt Ion: 98 Resp: 2856316

Ion Ratio Lower Upper

98 100

100 64.4 51.2 76.8



Abundance Ion 98.00 (97.70 to 98.70): VN0

Ion 100.00 (99.70 to 100.70): VN

1500000

1000000



500000

0

10.09

10.00 10.10 10.20 10.30

Time-->



#62

4-Bromofluorobenzene

Concen: 54.052 ug/l

RT: 12.40 min Scan# 3305

Delta R.T. 0.00 min

Lab File: VN054274.D

Acq: 14 Mar 2019 20:48


Tgt Ion: 95 Resp: 1047385

Ion Ratio Lower Upper

95 100

174 98.4 0.0 191.0

176 96.6 0.0 187.4



Abundance Ion 94.90 (94.60 to 95.60): VN0

Ion 173.80 (173.50 to 174.50): V

Ion 175.80 (175.50 to 176.50): V

800000

600000

400000


200000


0

12.40

12.30 12.40 12.50

Time-->









#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 11.41 min Scan# 2996
Delta R.T. 0.00 min
Lab File: VN054274.D
Acq: 14 Mar 2019 20:48




Instrument :
MSVOA_N
ClientSampleId :
MW-3


Tgt Ion:117 Resp: 2387376
Ion Ratio Lower Upper
117 100
82 50.1 40.0 60.0
119 32.4 25.8 38.6



#72
1,4-Dichlorobenzene-d4
Concen: 50.000 ug/l
RT: 13.35 min Scan# 3599
Delta R.T. 0.00 min
Lab File: VN054274.D
Acq: 14 Mar 2019 20:48

Tgt Ion:152 Resp: 942303
Ion Ratio Lower Upper
152 100
115 54.2 27.2 81.6
150 157.2 0.0 349.2





#95

Naphthalene

Concen: 4.346 ug/l

RT: 15.13 min Scan# 4155

Delta R.T. 0.00 min

Lab File: VN054274.D

Acq: 14 Mar 2019 20:48

Instrument :

MSVOA_N

ClientSampleId :

MW-3


Tgt Ion:128 Resp: 38911

Ion Ratio Lower Upper

128 100

127 12.4 10.1 15.1

129 10.4 8.7 13.1



Abundance Ion 128.00 (127.70 to 128.70): V

Ion 127.00 (126.70 to 127.70): V

Ion 129.00 (128.70 to 129.70): V

