

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_N\Data\VN031423\  
 Data File : VN076978.D  
 Acq On : 14 Mar 2023 13:11  
 Operator : JC\MD  
 Sample : VN0314WBL01  
 Misc : 5.0mL/MSVOA\_N/WATER  
 ALS Vial : 3 Sample Multiplier: 1

Instrument :  
 MSVOA\_N  
 ClientSampleId :  
 VN0314WBL01

Quant Time: Mar 15 04:20:18 2023  
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_N\methods\82N031023W.M  
 Quant Title : SW846 8260  
 QLast Update : Fri Mar 10 13:47:39 2023  
 Response via : Initial Calibration

| Compound                   | R.T.   | QIon | Response | Conc   | Units | Dev(Min) |
|----------------------------|--------|------|----------|--------|-------|----------|
| -----                      |        |      |          |        |       |          |
| Internal Standards         |        |      |          |        |       |          |
| 1) Pentafluorobenzene      | 8.231  | 168  | 295138   | 50.000 | ug/l  | 0.00     |
| 34) 1,4-Difluorobenzene    | 9.107  | 114  | 433187   | 50.000 | ug/l  | 0.00     |
| 63) Chlorobenzene-d5       | 11.866 | 117  | 379024   | 50.000 | ug/l  | 0.00     |
| 72) 1,4-Dichlorobenzene-d4 | 13.795 | 152  | 166903   | 50.000 | ug/l  | 0.00     |

|                             |        |       |          |          |      |         |
|-----------------------------|--------|-------|----------|----------|------|---------|
| System Monitoring Compounds |        |       |          |          |      |         |
| 33) 1,2-Dichloroethane-d4   | 8.584  | 65    | 211811   | 48.092   | ug/l | 0.00    |
| Spiked Amount               | 50.000 | Range | 74 - 125 | Recovery | =    | 96.180% |
| 35) Dibromofluoromethane    | 8.172  | 113   | 140621   | 48.708   | ug/l | 0.00    |
| Spiked Amount               | 50.000 | Range | 75 - 124 | Recovery | =    | 97.420% |
| 50) Toluene-d8              | 10.572 | 98    | 504954   | 47.457   | ug/l | 0.00    |
| Spiked Amount               | 50.000 | Range | 86 - 113 | Recovery | =    | 94.920% |
| 62) 4-Bromofluorobenzene    | 12.854 | 95    | 188489   | 48.432   | ug/l | 0.00    |
| Spiked Amount               | 50.000 | Range | 83 - 123 | Recovery | =    | 96.860% |

| Target Compounds | Qvalue |
|------------------|--------|
| -----            |        |

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_N\Data\VN031423\  
Data File : VN076978.D  
Acq On : 14 Mar 2023 13:11  
Operator : JC\MD  
Sample : VN0314WBL01  
Misc : 5.0mL/MSVOA\_N/WATER  
ALS Vial : 3 Sample Multiplier: 1

Instrument :  
MSVOA\_N  
ClientSampleId :  
VN0314WBL01

Quant Time: Mar 15 04:20:18 2023  
Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_N\methods\82N031023W.M  
Quant Title : SW846 8260  
QLast Update : Fri Mar 10 13:47:39 2023  
Response via : Initial Calibration

