

Data Path : Z:\voasrv\HPCHEM1\MSVOA N\Data\VN031820\
 Data File : VN060576.D
 Acq On : 18 Mar 2020 00:06
 Operator : JC/MD
 Sample : VSTDCCC050
 Misc : 5.00mL/MSVOA N/WATER
 ALS Vial : 39 Sample Multiplier: 1

Instrument :
 MSVOA_N
 LabSampleId :
 VSTDCCC050

Quant Time: Mar 18 09:01:58 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_N\METHODS\82N031820W.M
 Quant Title : SW846 8260
 QLast Update : Wed Mar 18 08:49:09 2020
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	98	0.00
2 T	Dichlorodifluoromethane	0.484	0.489	-1.0	95	0.00
3 P	Chloromethane	0.904	0.844	6.6	92	0.00
4 C	Vinyl Chloride	0.707	0.689	2.5#	95	0.00
5 T	Bromomethane	0.305	0.292	4.3	94	0.00
6 T	Chloroethane	0.407	0.399	2.0	93	0.00
7 T	Trichlorofluoromethane	0.871	0.866	0.6	97	0.00
8 T	Diethyl Ether	0.350	0.350	0.0	97	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.504	0.497	1.4	95	0.00
10 T	Methyl Iodide	0.449	0.490	-9.1	112	0.00
11 T	Tert butyl alcohol	0.101	0.096	5.0	95	0.00
12 CM	1,1-Dichloroethene	0.541	0.522	3.5#	95	0.00
13 T	Acrolein	0.112	0.106	5.4	93	0.00
14 T	Allyl chloride	0.952	0.888	6.7	94	0.00
15 T	Acrylonitrile	0.297	0.295	0.7	96	0.00
16 T	Acetone	0.243	0.234	3.7	95	0.00
17 T	Carbon Disulfide	1.646	1.619	1.6	97	0.00
18 T	Methyl Acetate	0.684	0.660	3.5	93	0.00
19 T	Methyl tert-butyl Ether	1.861	1.794	3.6	96	0.00
20 T	Methylene Chloride	0.598	0.582	2.7	95	0.00
21 T	trans-1,2-Dichloroethene	0.577	0.561	2.8	96	0.00
22 T	Diisopropyl ether	2.012	1.995	0.8	96	0.00
23 T	Vinyl Acetate	1.641	1.663	-1.3	97	0.00
24 P	1,1-Dichloroethane	1.097	1.097	0.0	97	0.00
25 T	2-Butanone	0.393	0.390	0.8	96	0.00
26 T	2,2-Dichloropropane	0.863	0.746	13.6	86	0.00
27 T	cis-1,2-Dichloroethene	0.656	0.641	2.3	97	0.00
28 T	Bromochloromethane	0.525	0.514	2.1	95	0.00
29 T	Tetrahydrofuran	0.278	0.269	3.2	95	0.00
30 C	Chloroform	1.051	1.033	1.7#	97	0.00
31 T	Cyclohexane	1.106	1.038	6.1	96	0.00
32 T	1,1,1-Trichloroethane	0.906	0.900	0.7	95	0.00
33 S	1,2-Dichloroethane-d4	0.686	0.656	4.4	93	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	99	0.00
35 S	Dibromofluoromethane	0.302	0.287	5.0	93	0.00
36 T	1,1-Dichloropropene	0.484	0.488	-0.8	97	0.00
37 T	Ethyl Acetate	0.523	0.505	3.4	96	0.00
38 T	Carbon Tetrachloride	0.434	0.435	-0.2	95	0.00
39 T	Methylcyclohexane	0.575	0.566	1.6	95	0.00
40 TM	Benzene	1.462	1.444	1.2	97	0.00
41 T	Methacrylonitrile	0.223	0.219	1.8	96	0.00
42 TM	1,2-Dichloroethane	0.499	0.496	0.6	97	0.00
43 T	Isopropyl Acetate	0.863	0.857	0.7	97	0.00
44 TM	Trichloroethene	0.368	0.368	0.0	97	0.00
45 C	1,2-Dichloropropane	0.386	0.387	-0.3#	98	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA N\Data\VN031820\
 Data File : VN060576.D
 Acq On : 18 Mar 2020 00:06
 Operator : JC/MD
 Sample : VSTDCCC050
 Misc : 5.00mL/MSVOA N/WATER
 ALS Vial : 39 Sample Multiplier: 1

Instrument :
 MSVOA_N
 LabSampleId :
 VSTDCCC050

Quant Time: Mar 18 09:01:58 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_N\METHODS\82N031820W.M
 Quant Title : SW846 8260
 QLast Update : Wed Mar 18 08:49:09 2020
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
46 T	Dibromomethane	0.233	0.236	-1.3	97	0.00
47 T	Bromodichloromethane	0.484	0.489	-1.0	97	0.00
48 T	Methyl methacrylate	0.384	0.381	0.8	96	0.00
49 T	1,4-Dioxane	0.005	0.005	0.0	96	0.00
50 S	Toluene-d8	1.235	1.179	4.5	92	0.00
51 T	4-Methyl-2-Pentanone	0.491	0.496	-1.0	96	0.00
52 CM	Toluene	0.883	0.883	0.0	96	0.00
53 T	t-1,3-Dichloropropene	0.557	0.554	0.5	95	0.00
54 T	cis-1,3-Dichloropropene	0.611	0.599	2.0	96	0.00
55 T	1,1,2-Trichloroethane	0.340	0.339	0.3	97	0.00
56 T	Ethyl methacrylate	0.529	0.552	-4.3	96	0.00
57 T	1,3-Dichloropropane	0.589	0.591	-0.3	97	0.00
58 T	2-Chloroethyl Vinyl ether	0.263	0.279	-6.1	98	0.00
59 T	2-Hexanone	0.354	0.359	-1.4	95	0.00
60 T	Dibromochloromethane	0.351	0.356	-1.4	96	0.00
61 T	1,2-Dibromoethane	0.341	0.351	-2.9	97	0.00
62 S	4-Bromofluorobenzene	0.453	0.427	5.7	92	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	98	0.00
64 T	Tetrachloroethene	0.393	0.391	0.5	97	0.00
65 PM	Chlorobenzene	0.991	0.982	0.9	96	0.00
66 T	1,1,1,2-Tetrachloroethane	0.359	0.360	-0.3	97	0.00
67 C	Ethyl Benzene	1.843	1.855	-0.7#	96	0.00
68 T	m/p-Xylenes	0.685	0.690	-0.7	96	0.00
69 T	o-Xylene	0.654	0.656	-0.3	95	0.00
70 T	Styrene	1.069	1.096	-2.5	95	0.00
71 P	Bromoform	0.268	0.280	-4.5	95	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	97	0.00
73 T	Isopropylbenzene	3.752	3.755	-0.1	97	0.00
74 T	N-amyl acetate	1.734	1.733	0.1	96	0.00
75 P	1,1,2,2-Tetrachloroethane	1.135	1.105	2.6	95	0.00
76 T	1,2,3-Trichloropropane	1.079	1.096	-1.6	103	0.00
77 T	Bromobenzene	0.904	0.890	1.5	97	0.00
78 T	n-propylbenzene	4.433	4.400	0.7	96	0.00
79 T	2-Chlorotoluene	2.649	2.572	2.9	95	0.00
80 T	1,3,5-Trimethylbenzene	3.184	3.152	1.0	96	0.00
81 T	trans-1,4-Dichloro-2-butene	0.420	0.399	5.0	92	0.00
82 T	4-Chlorotoluene	2.698	2.660	1.4	96	0.00
83 T	tert-Butylbenzene	2.640	2.612	1.1	96	0.00
84 T	1,2,4-Trimethylbenzene	3.150	3.138	0.4	96	0.00
85 T	sec-Butylbenzene	3.550	3.549	0.0	96	0.00
86 T	p-Isopropyltoluene	3.192	3.157	1.1	95	0.00
87 T	1,3-Dichlorobenzene	1.595	1.573	1.4	96	0.00
88 T	1,4-Dichlorobenzene	1.602	1.565	2.3	95	0.00
89 T	n-Butylbenzene	2.882	2.863	0.7	94	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA N\Data\VN031820\
Data File : VN060576.D
Acq On : 18 Mar 2020 00:06
Operator : JC/MD
Sample : VSTDCCC050
Misc : 5.00mL/MSVOA N/WATER
ALS Vial : 39 Sample Multiplier: 1

Instrument :
MSVOA_N
LabSampleId :
VSTDCCC050

Quant Time: Mar 18 09:01:58 2020
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_N\METHODS\82N031820W.M
Quant Title : SW846 8260
QLast Update : Wed Mar 18 08:49:09 2020
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
90 T	Hexachloroethane	0.464	0.479	-3.2	96	0.00
91 T	1,2-Dichlorobenzene	1.525	1.507	1.2	95	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.255	0.226	11.4	94	0.00
93 T	1,2,4-Trichlorobenzene	0.936	0.929	0.7	93	0.00
94 T	Hexachlorobutadiene	0.459	0.432	5.9	92	0.00
95 T	Naphthalene	2.816	2.795	0.7	93	0.00
96 T	1,2,3-Trichlorobenzene	0.922	0.899	2.5	94	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 5