

Data Path : Z:\voasrv\HPCHEM1\MSVOA_N\Data\VN032020\
 Data File : VN060646.D
 Acq On : 20 Mar 2020 11:32
 Operator : JC/MD
 Sample : VSTDCCC050
 Misc : 5.00mL/MSVOA_N/WATER
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_N
 LabSampleId :
 VSTDCCC050

Quant Time: Mar 21 04:17:35 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_N\METHODS\82N031820W.M
 Quant Title : SW846 8260
 QLast Update : Wed Mar 18 08:49:09 2020
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	87	0.00
2 T	Dichlorodifluoromethane	0.484	0.538	-11.2	93	0.00
3 P	Chloromethane	0.904	0.899	0.6	87	0.00
4 C	Vinyl Chloride	0.707	0.735	-4.0#	90	0.00
5 T	Bromomethane	0.305	0.330	-8.2	94	0.00
6 T	Chloroethane	0.407	0.443	-8.8	92	0.00
7 T	Trichlorofluoromethane	0.871	0.946	-8.6	94	0.00
8 T	Diethyl Ether	0.350	0.379	-8.3	93	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.504	0.565	-12.1	96	0.00
10 T	Methyl Iodide	0.449	0.478	-6.5	97	0.00
11 T	Tert butyl alcohol	0.101	0.109	-7.9	96	0.00
12 CM	1,1-Dichloroethene	0.541	0.575	-6.3#	93	0.00
13 T	Acrolein	0.112	0.113	-0.9	88	0.00
14 T	Allyl chloride	0.952	0.998	-4.8	94	0.00
15 T	Acrylonitrile	0.297	0.328	-10.4	95	0.00
16 T	Acetone	0.243	0.332	-36.6#	119	0.00
17 T	Carbon Disulfide	1.646	1.725	-4.8	91	0.00
18 T	Methyl Acetate	0.684	0.736	-7.6	92	0.00
19 T	Methyl tert-butyl Ether	1.861	1.936	-4.0	92	0.00
20 T	Methylene Chloride	0.598	0.650	-8.7	94	0.00
21 T	trans-1,2-Dichloroethene	0.577	0.621	-7.6	94	0.00
22 T	Diisopropyl ether	2.012	2.194	-9.0	93	0.00
23 T	Vinyl Acetate	1.641	1.826	-11.3	94	0.00
24 P	1,1-Dichloroethane	1.097	1.192	-8.7	94	0.00
25 T	2-Butanone	0.393	0.463	-17.8	101	0.00
26 T	2,2-Dichloropropane	0.863	1.021	-18.3	104	0.00
27 T	cis-1,2-Dichloroethene	0.656	0.715	-9.0	95	0.00
28 T	Bromochloromethane	0.525	0.593	-13.0	97	0.00
29 T	Tetrahydrofuran	0.278	0.296	-6.5	93	0.00
30 C	Chloroform	1.051	1.139	-8.4#	94	0.00
31 T	Cyclohexane	1.106	1.134	-2.5	93	0.00
32 T	1,1,1-Trichloroethane	0.906	0.976	-7.7	92	0.00
33 S	1,2-Dichloroethane-d4	0.686	0.700	-2.0	88	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	84	0.00
35 S	Dibromofluoromethane	0.302	0.318	-5.3	88	0.00
36 T	1,1-Dichloropropene	0.484	0.560	-15.7	95	0.00
37 T	Ethyl Acetate	0.523	0.574	-9.8	94	0.00
38 T	Carbon Tetrachloride	0.434	0.492	-13.4	92	0.00
39 T	Methylcyclohexane	0.575	0.660	-14.8	94	0.00
40 TM	Benzene	1.462	1.653	-13.1	95	0.00
41 T	Methacrylonitrile	0.223	0.255	-14.3	96	0.00
42 TM	1,2-Dichloroethane	0.499	0.572	-14.6	96	0.00
43 T	Isopropyl Acetate	0.863	0.953	-10.4	92	0.00
44 TM	Trichloroethene	0.368	0.424	-15.2	95	0.00
45 C	1,2-Dichloropropane	0.386	0.440	-14.0#	95	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_N\Data\VN032020\
 Data File : VN060646.D
 Acq On : 20 Mar 2020 11:32
 Operator : JC/MD
 Sample : VSTDCCC050
 Misc : 5.00mL/MSVOA_N/WATER
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_N
 LabSampleId :
 VSTDCCC050

Quant Time: Mar 21 04:17:35 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_N\METHODS\82N031820W.M
 Quant Title : SW846 8260
 QLast Update : Wed Mar 18 08:49:09 2020
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
46 T	Dibromomethane	0.233	0.268	-15.0	94	0.00
47 T	Bromodichloromethane	0.484	0.557	-15.1	95	0.00
48 T	Methyl methacrylate	0.384	0.437	-13.8	94	0.00
49 T	1,4-Dioxane	0.005	0.006	-20.0	107	0.00
50 S	Toluene-d8	1.235	1.304	-5.6	87	0.00
51 T	4-Methyl-2-Pentanone	0.491	0.570	-16.1	94	0.00
52 CM	Toluene	0.883	1.019	-15.4#	95	0.00
53 T	t-1,3-Dichloropropene	0.557	0.653	-17.2	95	0.00
54 T	cis-1,3-Dichloropropene	0.611	0.699	-14.4	95	0.00
55 T	1,1,2-Trichloroethane	0.340	0.386	-13.5	94	0.00
56 T	Ethyl methacrylate	0.529	0.615	-16.3	92	0.00
57 T	1,3-Dichloropropane	0.589	0.673	-14.3	94	0.00
58 T	2-Chloroethyl Vinyl ether	0.263	0.271	-3.0	82	0.00
59 T	2-Hexanone	0.354	0.431	-21.8	97	0.00
60 T	Dibromochloromethane	0.351	0.413	-17.7	95	0.00
61 T	1,2-Dibromoethane	0.341	0.399	-17.0	94	0.00
62 S	4-Bromofluorobenzene	0.453	0.475	-4.9	88	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	83	0.00
64 T	Tetrachloroethene	0.393	0.456	-16.0	97	0.00
65 PM	Chlorobenzene	0.991	1.137	-14.7	95	0.00
66 T	1,1,1,2-Tetrachloroethane	0.359	0.410	-14.2	95	0.00
67 C	Ethyl Benzene	1.843	2.143	-16.3#	95	0.00
68 T	m/p-Xylenes	0.685	0.796	-16.2	95	0.00
69 T	o-Xylene	0.654	0.758	-15.9	94	0.00
70 T	Styrene	1.069	1.278	-19.6	95	0.00
71 P	Bromoform	0.268	0.322	-20.1	94	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	86	0.00
73 T	Isopropylbenzene	3.752	4.184	-11.5	96	0.00
74 T	N-amyl acetate	1.734	1.915	-10.4	94	0.00
75 P	1,1,2,2-Tetrachloroethane	1.135	1.238	-9.1	94	0.00
76 T	1,2,3-Trichloropropane	1.079	1.158	-7.3	96	0.00
77 T	Bromobenzene	0.904	0.994	-10.0	96	0.00
78 T	n-propylbenzene	4.433	5.033	-13.5	97	0.00
79 T	2-Chlorotoluene	2.649	2.900	-9.5	95	0.00
80 T	1,3,5-Trimethylbenzene	3.184	3.546	-11.4	96	0.00
81 T	trans-1,4-Dichloro-2-butene	0.420	0.472	-12.4	96	0.00
82 T	4-Chlorotoluene	2.698	3.032	-12.4	97	0.00
83 T	tert-Butylbenzene	2.640	2.900	-9.8	94	0.00
84 T	1,2,4-Trimethylbenzene	3.150	3.550	-12.7	96	0.00
85 T	sec-Butylbenzene	3.550	3.969	-11.8	95	0.00
86 T	p-Isopropyltoluene	3.192	3.618	-13.3	97	0.00
87 T	1,3-Dichlorobenzene	1.595	1.808	-13.4	98	0.00
88 T	1,4-Dichlorobenzene	1.602	1.800	-12.4	97	0.00
89 T	n-Butylbenzene	2.882	3.368	-16.9	98	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_N\Data\VN032020\
Data File : VN060646.D
Acq On : 20 Mar 2020 11:32
Operator : JC/MD
Sample : VSTDCCC050
Misc : 5.00mL/MSVOA_N/WATER
ALS Vial : 2 Sample Multiplier: 1

Instrument :
MSVOA_N
LabSampleId :
VSTDCCC050

Quant Time: Mar 21 04:17:35 2020
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_N\METHODS\82N031820W.M
Quant Title : SW846 8260
QLast Update : Wed Mar 18 08:49:09 2020
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
90 T	Hexachloroethane	0.464	0.478	-3.0	85	0.00
91 T	1,2-Dichlorobenzene	1.525	1.714	-12.4	95	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.255	0.245	3.9	90	0.00
93 T	1,2,4-Trichlorobenzene	0.936	1.124	-20.1	100	0.00
94 T	Hexachlorobutadiene	0.459	0.510	-11.1	96	0.00
95 T	Naphthalene	2.816	3.293	-16.9	97	0.00
96 T	1,2,3-Trichlorobenzene	0.922	1.045	-13.3	97	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 6