

Data Path : Z:\voasrv\HPCHEM1\MSVOA_N\Data\VN032621\
 Data File : VN066341.D
 Acq On : 26 Mar 2021 11:22
 Operator : JC/MD
 Sample : VSTDCCC050
 Misc : 5.00mL/MSVOA_N/WATER
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_N
 LabSampleId :
 VSTDCCC050

Quant Time: Mar 27 01:46:04 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_N\methods\82N032521W.M
 Quant Title : SW846 8260
 QLast Update : Fri Mar 26 16:26:01 2021
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	50.000	50.000	0.0	94	0.00
2 T	Dichlorodifluoromethane	50.000	52.484	-5.0	97	0.00
3 P	Chloromethane	50.000	53.449	-6.9	100	0.00
4 C	Vinyl Chloride	50.000	51.519	-3.0#	97	0.00
5 T	Bromomethane	50.000	52.180	-4.4	97	0.00
6 T	Chloroethane	50.000	50.960	-1.9	97	0.00
7 T	Trichlorofluoromethane	50.000	52.192	-4.4	97	0.00
8 T	Diethyl Ether	50.000	50.271	-0.5	97	0.00
9 T	1,1,2-Trichlorotrifluoroeth	50.000	51.744	-3.5	97	0.00
10 T	Methyl Iodide	50.000	50.089	-0.2	90	0.00
11 T	Tert butyl alcohol	250.000	244.381	2.2	85	0.01
12 CM	1,1-Dichloroethene	50.000	50.392	-0.8#	95	0.00
13 T	Acrolein	250.000	275.652	-10.3	98	0.00
14 T	Allyl chloride	50.000	52.079	-4.2	94	0.00
15 T	Acrylonitrile	250.000	252.633	-1.1	92	0.00
16 T	Acetone	250.000	242.979	2.8	93	0.00
17 T	Carbon Disulfide	50.000	50.718	-1.4	97	0.00
18 T	Methyl Acetate	50.000	51.252	-2.5	94	0.00
19 T	Methyl tert-butyl Ether	50.000	49.741	0.5	94	0.00
20 T	Methylene Chloride	50.000	52.472	-4.9	94	0.00
21 T	trans-1,2-Dichloroethene	50.000	49.987	0.0	96	0.00
22 T	Diisopropyl ether	50.000	50.810	-1.6	96	0.00
23 T	Vinyl Acetate	250.000	258.417	-3.4	94	0.00
24 P	1,1-Dichloroethane	50.000	50.188	-0.4	95	0.00
25 T	2-Butanone	250.000	245.750	1.7	89	0.00
26 T	2,2-Dichloropropane	50.000	50.128	-0.3	94	0.00
27 T	cis-1,2-Dichloroethene	50.000	49.772	0.5	95	0.00
28 T	Bromochloromethane	50.000	48.062	3.9	90	0.00
29 T	Tetrahydrofuran	250.000	250.003	-0.0	89	0.00
30 C	Chloroform	50.000	50.714	-1.4#	95	0.00
31 T	Cyclohexane	50.000	48.379	3.2	94	0.00
32 T	1,1,1-Trichloroethane	50.000	50.022	-0.0	93	0.00
33 S	1,2-Dichloroethane-d4	50.000	48.858	2.3	91	0.00
34 I	1,4-Difluorobenzene	50.000	50.000	0.0	91	0.00
35 S	Dibromofluoromethane	50.000	49.474	1.1	90	0.00
36 T	1,1-Dichloropropene	50.000	51.288	-2.6	95	0.00
37 T	Ethyl Acetate	50.000	51.581	-3.2	91	0.00
38 T	Carbon Tetrachloride	50.000	50.915	-1.8	93	0.00
39 T	Methylcyclohexane	50.000	51.838	-3.7	94	0.00
40 TM	Benzene	50.000	52.000	-4.0	95	0.00
41 T	Methacrylonitrile	50.000	49.351	1.3	95	0.00
42 TM	1,2-Dichloroethane	50.000	51.264	-2.5	94	0.00
43 T	Isopropyl Acetate	50.000	51.728	-3.5	93	0.00
44 TM	Trichloroethene	50.000	51.002	-2.0	94	0.00
45 C	1,2-Dichloropropane	50.000	51.501	-3.0#	95	0.00
46 T	Dibromomethane	50.000	52.007	-4.0	94	0.00
47 T	Bromodichloromethane	50.000	52.069	-4.1	95	0.00
48 T	Methyl methacrylate	50.000	51.697	-3.4	93	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_N\Data\VN032621\
 Data File : VN066341.D
 Acq On : 26 Mar 2021 11:22
 Operator : JC/MD
 Sample : VSTDCCC050
 Misc : 5.00mL/MSVOA_N/WATER
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_N
 LabSampleId :
 VSTDCCC050

Quant Time: Mar 27 01:46:04 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_N\methods\82N032521W.M
 Quant Title : SW846 8260
 QLast Update : Fri Mar 26 16:26:01 2021
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
49 T	1,4-Dioxane	1000.000	1053.466	-5.3	94	0.00
50 S	Toluene-d8	50.000	50.366	-0.7	91	0.00
51 T	4-Methyl-2-Pentanone	250.000	259.324	-3.7	90	0.00
52 CM	Toluene	50.000	52.840	-5.7#	95	0.00
53 T	t-1,3-Dichloropropene	50.000	53.071	-6.1	96	0.00
54 T	cis-1,3-Dichloropropene	50.000	53.094	-6.2	95	0.00
55 T	1,1,2-Trichloroethane	50.000	52.177	-4.4	94	0.00
56 T	Ethyl methacrylate	50.000	52.826	-5.7	93	0.00
57 T	1,3-Dichloropropane	50.000	52.420	-4.8	94	0.00
58 T	2-Chloroethyl Vinyl ether	250.000	175.325	29.9#	71	0.00
59 T	2-Hexanone	250.000	270.715	-8.3	91	0.00
60 T	Dibromochloromethane	50.000	54.040	-8.1	95	0.00
61 T	1,2-Dibromoethane	50.000	52.264	-4.5	93	0.00
62 S	4-Bromofluorobenzene	50.000	50.595	-1.2	90	0.00
63 I	Chlorobenzene-d5	50.000	50.000	0.0	90	0.00
64 T	Tetrachloroethene	50.000	51.520	-3.0	94	0.00
65 PM	Chlorobenzene	50.000	52.816	-5.6	94	0.00
66 T	1,1,1,2-Tetrachloroethane	50.000	54.042	-8.1	95	0.00
67 C	Ethyl Benzene	50.000	53.763	-7.5#	95	0.00
68 T	m/p-Xylenes	100.000	105.574	-5.6	93	0.00
69 T	o-Xylene	50.000	53.168	-6.3	94	0.00
70 T	Styrene	50.000	54.303	-8.6	92	0.00
71 P	Bromoform	50.000	54.997	-10.0	93	0.00
72 I	1,4-Dichlorobenzene-d4	50.000	50.000	0.0	93	0.00
73 T	Isopropylbenzene	50.000	49.012	2.0	93	0.00
74 T	N-ethyl acetate	50.000	49.689	0.6	93	0.00
75 P	1,1,2,2-Tetrachloroethane	50.000	49.343	1.3	96	0.00
76 T	1,2,3-Trichloropropane	50.000	50.778	-1.6	97	0.00
77 T	Bromobenzene	50.000	48.724	2.6	93	0.00
78 T	n-propylbenzene	50.000	50.765	-1.5	93	0.00
79 T	2-Chlorotoluene	50.000	48.681	2.6	93	0.00
80 T	1,3,5-Trimethylbenzene	50.000	50.069	-0.1	93	0.00
81 T	trans-1,4-Dichloro-2-butene	50.000	50.390	-0.8	88	0.00
82 T	4-Chlorotoluene	50.000	50.407	-0.8	92	0.00
83 T	tert-Butylbenzene	50.000	48.885	2.2	93	0.00
84 T	1,2,4-Trimethylbenzene	50.000	50.655	-1.3	94	0.00
85 T	sec-Butylbenzene	50.000	50.602	-1.2	92	0.00
86 T	p-Isopropyltoluene	50.000	50.996	-2.0	92	0.00
87 T	1,3-Dichlorobenzene	50.000	51.150	-2.3	94	0.00
88 T	1,4-Dichlorobenzene	50.000	50.924	-1.8	95	0.00
89 T	n-Butylbenzene	50.000	52.411	-4.8	93	0.00
90 T	Hexachloroethane	50.000	50.311	-0.6	94	0.00
91 T	1,2-Dichlorobenzene	50.000	52.382	-4.8	97	0.00
92 T	1,2-Dibromo-3-Chloropropane	50.000	54.111	-8.2	97	0.00
93 T	1,2,4-Trichlorobenzene	50.000	53.217	-6.4	98	0.00
94 T	Hexachlorobutadiene	50.000	50.868	-1.7	96	0.00
95 T	Naphthalene	50.000	51.430	-2.9	97	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_N\Data\VN032621\
Data File : VN066341.D
Acq On : 26 Mar 2021 11:22
Operator : JC/MD
Sample : VSTDCCC050
Misc : 5.00mL/MSVOA_N/WATER
ALS Vial : 2 Sample Multiplier: 1

Instrument :
MSVOA_N
LabSampleId :
VSTDCCC050

Quant Time: Mar 27 01:46:04 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_N\methods\82N032521W.M
Quant Title : SW846 8260
QLast Update : Fri Mar 26 16:26:01 2021
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	Amount	Calc.	%Dev	Area%	Dev(min)
96 T	1,2,3-Trichlorobenzene	50.000	50.922	-1.8	98	0.00

(#) = Out of Range SPCC's out = 0 CCC's out = 6