

Data Path : Z:\VOASRV\HPCHEM1\MSVOA N\DATA\VN032720\
 Data File : VN060752.D
 Acq On : 27 Mar 2020 19:31
 Operator : JC/MD
 Sample : L2040-03
 Misc : 5.00mL/MSVOA N/WATER
 ALS Vial : 23 Sample Multiplier: 1

Instrument :
 MSVOA_N
 ClientSampleId :
 RO-350

Quant Time: Mar 30 01:18:00 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_N\METHODS\82N031820W.M
 Quant Title : SW846 8260
 QLast Update : Wed Mar 18 08:49:09 2020
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	7.64	168	197146	50.00	ug/l	0.00
34) 1,4-Difluorobenzene	8.57	114	328246	50.00	ug/l	0.00
63) Chlorobenzene-d5	11.40	117	311608	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.34	152	141687	50.00	ug/l	0.00
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.00	65	128985	47.66	ug/l	0.00
Spiked Amount	50.000		Recovery	=	95.32%	
35) Dibromofluoromethane	7.57	113	98442	49.60	ug/l	0.00
Spiked Amount	50.000		Recovery	=	99.20%	
50) Toluene-d8	10.08	98	406447	50.13	ug/l	0.00
Spiked Amount	50.000		Recovery	=	100.26%	
62) 4-Bromofluorobenzene	12.40	95	151629	51.03	ug/l	0.00
Spiked Amount	50.000		Recovery	=	102.06%	
Target Compounds						
16) Acetone	3.79	43	5796	6.046	ug/l	96
20) Methylene Chloride	4.53	84	4567	1.937	ug/l	95
43) Isopropyl Acetate	8.14	43	61947	10.937	ug/l #	92

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA N\DATA\VN032720\
Data File : VN060752.D
Acq On : 27 Mar 2020 19:31
Operator : JC/MD
Sample : L2040-03
Misc : 5.00mL/MSVOA N/WATER
ALS Vial : 23 Sample Multiplier: 1

Instrument :
MSVOA_N
ClientSampleId :
RO-350

Quant Time: Mar 30 01:18:00 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_N\METHODS\82N031820W.M
Quant Title : SW846 8260
QLast Update : Wed Mar 18 08:49:09 2020
Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 50.000 ug/l

RT: 7.64 min Scan# 1826

Delta R.T. -0.00 min

Lab File: VN060752.D

Acq: 27 Mar 2020 19:31

Instrument :

MSVOA_N

ClientSampleId :


RO-350

Tot Ion:168 Resp: 197146

Ion Ratio Lower Upper



168 100

99 55.0 44.0 66.0



Abundance Ion 167.90 (167.60 to 168.60): V

Ion 98.90 (98.60 to 99.60): VN0



#16

Acetone

Concen: 6.046 ug/l

RT: 3.79 min Scan# 626

Delta R.T. 0.01 min

Lab File: VN060752.D


Acq: 27 Mar 2020 19:31

Tgt Ion: 43 Resp: 5796

Ion Ratio Lower Upper



43 100


58 28.9 25.1 37.7



Abundance Ion 43.00 (42.70 to 43.70): VN0

Ion 58.00 (57.70 to 58.70): VN0









#20
Methvlene Chloride
Concen: 1.937 ug/l
RT: 4.53 min Scan# 856
Delta R.T. 0.00 min
Lab File: VN060752.D
Acq: 27 Mar 2020 19:31




Instrument :
MSVOA_N
ClientSampled :
RO-350

Tot Ion: 84 Resp: 4567
Ion Ratio Lower Upper
84 100
49 137.9 103.3 154.9
51 43.1 31.6 47.4
86 65.3 52.0 78.0



#33
1,2-Dichloroethane-d4
Concen: 47.660 ug/l
RT: 8.00 min Scan# 1938
Delta R.T. -0.00 min
Lab File: VN060752.D
Acq: 27 Mar 2020 19:31

Tgt Ion: 65 Resp: 128985
Ion Ratio Lower Upper
65 100
67 53.1 0.0 107.6





#34

1,4-Difluorobenzene

Concen: 50.000 ug/l

RT: 8.57 min Scan# 2113

Delta R.T. -0.00 min

Lab File: VN060752.D

Acq: 27 Mar 2020 19:31

Instrument :

MSVOA_N

ClientSampleId :

RO-350


Tot Ion:114 Resp: 328246

Ion Ratio Lower Upper

114 100

63 22.4 0.0 43.8



88 16.4 0.0 33.0



Abundance Ion 113.90 (113.60 to 114.60): V

Ion 63.00 (62.70 to 63.70): VN

Ion 87.90 (87.60 to 88.60): VN



#35

Dibromofluoromethane

Concen: 49.598 ug/l

RT: 7.57 min Scan# 1802

Delta R.T. 0.00 min

Lab File: VN060752.D

Acq: 27 Mar 2020 19:31


Tgt Ion:113 Resp: 98442

Ion Ratio Lower Upper

113 100

111 102.2 82.9 124.3



192 19.9 15.8 23.8




Abundance Ion 112.80 (112.50 to 113.50): V

Ion 110.80 (110.50 to 111.50): V

Ion 191.70 (191.40 to 192.40): V





#43

Isopropyl Acetate

Concen: 10.937 ug/l

RT: 8.14 min Scan# 1980

Delta R.T. -0.00 min

Lab File: VN060752.D

Acq: 27 Mar 2020 19:31

Instrument :

MSVOA_N

ClientSampled :

RO-350


Tot Ion: 43 Resp: 61947

Ion Ratio Lower Upper

43 100

61 19.6 20.7 31.1#




87 12.4 9.8 14.8



Abundance Ion 43.00 (42.70 to 43.70): VN060752.D (-1887) (-)

Ion 61.00 (60.70 to 61.70): VN060752.D (-1887) (-)

Ion 87.00 (86.70 to 87.70): VN060752.D (-1887) (-)



#50

Toluene-d8

Concen: 50.135 ug/l

RT: 10.08 min Scan# 2583

Delta R.T. -0.00 min

Lab File: VN060752.D


Acq: 27 Mar 2020 19:31

Tgt Ion: 98 Resp: 406447

Ion Ratio Lower Upper



98 100

100 65.1 51.8 77.8



Abundance Ion 98.00 (97.70 to 98.70): VN060752.D (-2490) (-)

Ion 100.00 (99.70 to 100.70): VN060752.D (-2490) (-)





#62

4-Bromofluorobenzene

Concen: 51.034 ug/l

RT: 12.40 min Scan# 3304

Delta R.T. -0.00 min

Lab File: VN060752.D

Acq: 27 Mar 2020 19:31

Instrument :

MSVOA_N

ClientSampleId :

RO-350


Tot Ion: 95 Resp: 151629

Ion Ratio Lower Upper

95 100

174 78.4 0.0 157.6




176 76.1 0.0 150.6



Abundance Ion 94.90 (94.60 to 95.60): VN060752.D (-3290) (-)

Ion 173.80 (173.50 to 174.50): VN060752.D (-3290) (-)

Ion 175.80 (175.50 to 176.50): VN060752.D (-3290) (-)



#63

Chlorobenzene-d5

Concen: 50.000 ug/l

RT: 11.40 min Scan# 2994

Delta R.T. -0.00 min

Lab File: VN060752.D

Acq: 27 Mar 2020 19:31


Tgt Ion: 117 Resp: 311608

Ion Ratio Lower Upper

117 100

82 58.1 46.7 70.1



119 32.6 25.5 38.3



Abundance Ion 116.90 (116.60 to 117.60): VN060752.D (-2979) (-)

Ion 82.00 (81.70 to 82.70): VN060752.D (-2979) (-)

Ion 118.90 (118.60 to 119.60): VN060752.D (-2979) (-)





#72

1,4-Dichlorobenzene-d4

Concen: 50.000 ug/l

RT: 13.34 min Scan# 3597

Delta R.T. -0.00 min

Lab File: VN060752.D

Acq: 27 Mar 2020 19:31

Instrument :

MSVOA_N

ClientSampleId :

RO-350


Tot Ion:152 Resp: 141687

Ion Ratio Lower Upper

152 100

115 59.3 30.2 90.6

150 157.0 0.0 350.2



Abundance Ion 151.90 (151.60 to 152.60): V

Ion 114.90 (114.60 to 115.60): V

Ion 149.90 (149.60 to 150.60): V

