

Data Path : Z:\voasrv\HPCHEM1\MSVOA N\Data\VN032819\
 Data File : VN054733.D
 Acq On : 28 Mar 2019 10:13
 Operator : JC/SP
 Sample : VSTDCCC050
 Misc : 5.00mL/MSVOA N/WATER
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_N
 LabSampleId :
 VSTDCCC050

Quant Time: Mar 29 05:28:27 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_N\METHODS\82N032019W.M
 Quant Title : SW846 8260
 QLast Update : Fri Mar 22 02:09:07 2019
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	90	0.00
2 T	Dichlorodifluoromethane	0.478	0.546	-14.2	99	0.00
3 P	Chloromethane	0.650	0.728	-12.0	99	0.00
4 C	Vinyl Chloride	0.653	0.650	0.5#	86	0.00
5 T	Bromomethane	0.422	0.389	7.8	87	0.00
6 T	Chloroethane	0.392	0.351	10.5	81	0.00
7 T	Trichlorofluoromethane	0.793	0.804	-1.4	89	0.00
8 T	Diethyl Ether	0.305	0.255	16.4	75	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.466	0.429	7.9	84	0.00
10 T	Methyl Iodide	0.686	0.616	10.2	77	0.00
11 T	Tert butyl alcohol	0.038	0.039	-2.6	85	0.00
12 CM	1,1-Dichloroethene	0.482	0.408	15.4#	76	0.00
13 T	Acrolein	0.052	0.049	5.8	83	0.00
14 T	Allyl chloride	0.908	1.013	-11.6	98	0.00
15 T	Acrylonitrile	0.188	0.207	-10.1	93	0.00
16 T	Acetone	0.187	0.257	-37.4#	116	0.00
17 T	Carbon Disulfide	1.292	1.378	-6.7	98	0.00
18 T	Methyl Acetate	0.417	0.451	-8.2	94	0.00
19 T	Methyl tert-butyl Ether	1.407	1.443	-2.6	89	0.00
20 T	Methylene Chloride	0.551	0.571	-3.6	95	0.00
21 T	trans-1,2-Dichloroethene	0.492	0.544	-10.6	96	0.00
22 T	Diisopropyl ether	1.791	2.015	-12.5	98	0.00
23 T	Vinyl Acetate	1.265	1.471	-16.3	96	0.00
24 P	1,1-Dichloroethane	0.964	1.072	-11.2	97	0.00
25 T	2-Butanone	0.240	0.321	-33.8#	108	0.00
26 T	2,2-Dichloropropane	0.688	0.792	-15.1	99	0.00
27 T	cis-1,2-Dichloroethene	0.587	0.616	-4.9	93	0.00
28 T	Bromochloromethane	0.475	0.483	-1.7	88	0.00
29 T	Tetrahydrofuran	0.155	0.172	-11.0	90	0.00
30 C	Chloroform	0.941	1.028	-9.2#	95	0.00
31 T	Cyclohexane	1.121	1.063	5.2	101	0.00
32 T	1,1,1-Trichloroethane	0.777	0.861	-10.8	94	0.00
33 S	1,2-Dichloroethane-d4	0.622	0.612	1.6	84	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	87	0.00
35 S	Dibromofluoromethane	0.322	0.316	1.9	83	0.00
36 T	1,1-Dichloropropene	0.468	0.519	-10.9	98	0.00
37 T	Ethyl Acetate	0.333	0.376	-12.9	94	0.00
38 T	Carbon Tetrachloride	0.454	0.479	-5.5	93	0.00
39 T	Methylcyclohexane	0.535	0.596	-11.4	99	0.00
40 TM	Benzene	1.337	1.474	-10.2	96	0.00
41 T	Methacrylonitrile	0.203	0.230	-13.3	100	0.00
42 TM	1,2-Dichloroethane	0.487	0.524	-7.6	95	0.00
43 T	Isopropyl Acetate	0.562	0.634	-12.8	93	0.00
44 TM	Trichloroethene	0.372	0.386	-3.8	91	0.00
45 C	1,2-Dichloropropane	0.359	0.418	-16.4#	98	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA N\Data\VN032819\
 Data File : VN054733.D
 Acq On : 28 Mar 2019 10:13
 Operator : JC/SP
 Sample : VSTDCCC050
 Misc : 5.00mL/MSVOA N/WATER
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_N
 LabSampleId :
 VSTDCCC050

Quant Time: Mar 29 05:28:27 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_N\METHODS\82N032019W.M
 Quant Title : SW846 8260
 QLast Update : Fri Mar 22 02:09:07 2019
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
46 T	Dibromomethane	0.214	0.232	-8.4	93	0.00
47 T	Bromodichloromethane	0.444	0.508	-14.4	97	0.00
48 T	Methyl methacrylate	0.305	0.316	-3.6	88	0.00
49 T	1,4-Dioxane	0.003	0.003	0.0	83	0.00
50 S	Toluene-d8	1.211	1.165	3.8	82	0.00
51 T	4-Methyl-2-Pentanone	0.311	0.360	-15.8	94	0.00
52 CM	Toluene	0.822	0.900	-9.5#	95	0.00
53 T	t-1,3-Dichloropropene	0.414	0.493	-19.1	95	0.00
54 T	cis-1,3-Dichloropropene	0.510	0.602	-18.0	97	0.00
55 T	1,1,2-Trichloroethane	0.296	0.322	-8.8	92	0.00
56 T	Ethyl methacrylate	0.397	0.440	-10.8	90	0.00
57 T	1,3-Dichloropropane	0.514	0.563	-9.5	93	0.00
58 T	2-Chloroethyl Vinyl ether	0.163	0.163	0.0	81	0.00
59 T	2-Hexanone	0.203	0.263	-29.6#	106	0.00
60 T	Dibromochloromethane	0.315	0.354	-12.4	92	0.00
61 T	1,2-Dibromoethane	0.292	0.314	-7.5	90	0.00
62 S	4-Bromofluorobenzene	0.412	0.416	-1.0	86	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	88	0.00
64 T	Tetrachloroethene	0.415	0.418	-0.7	91	0.00
65 PM	Chlorobenzene	1.017	1.072	-5.4	94	0.00
66 T	1,1,1,2-Tetrachloroethane	0.365	0.407	-11.5	95	0.00
67 C	Ethyl Benzene	1.796	1.958	-9.0#	96	0.00
68 T	m/p-Xylenes	0.680	0.722	-6.2	94	0.00
69 T	o-Xylene	0.664	0.699	-5.3	93	0.00
70 T	Styrene	1.079	1.177	-9.1	93	0.00
71 P	Bromoform	0.222	0.248	-11.7	91	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	84	0.00
73 T	Isopropylbenzene	4.029	4.173	-3.6	95	0.00
74 T	N-amyl acetate	1.159	1.358	-17.2	95	0.00
75 P	1,1,2,2-Tetrachloroethane	0.920	0.996	-8.3	93	0.00
76 T	1,2,3-Trichloropropane	0.793	0.899	-13.4	98	0.00
77 T	Bromobenzene	0.999	1.015	-1.6	91	0.00
78 T	n-propylbenzene	4.369	4.765	-9.1	98	0.00
79 T	2-Chlorotoluene	2.724	2.832	-4.0	95	0.00
80 T	1,3,5-Trimethylbenzene	3.302	3.419	-3.5	93	0.00
81 T	trans-1,4-Dichloro-2-butene	0.205	0.240	-17.1	96	0.00
82 T	4-Chlorotoluene	2.641	2.839	-7.5	96	0.00
83 T	tert-Butylbenzene	2.874	2.884	-0.3	90	0.00
84 T	1,2,4-Trimethylbenzene	3.240	3.382	-4.4	92	0.00
85 T	sec-Butylbenzene	3.583	3.790	-5.8	96	0.00
86 T	p-Isopropyltoluene	3.206	3.400	-6.1	94	0.00
87 T	1,3-Dichlorobenzene	1.656	1.752	-5.8	92	0.00
88 T	1,4-Dichlorobenzene	1.611	1.713	-6.3	92	0.00
89 T	n-Butylbenzene	2.507	2.930	-16.9	98	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA N\Data\VN032819\
Data File : VN054733.D
Acq On : 28 Mar 2019 10:13
Operator : JC/SP
Sample : VSTDCCC050
Misc : 5.00mL/MSVOA N/WATER
ALS Vial : 2 Sample Multiplier: 1

Instrument :
MSVOA_N
LabSampleId :
VSTDCCC050

Quant Time: Mar 29 05:28:27 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_N\METHODS\82N032019W.M
Quant Title : SW846 8260
QLast Update : Fri Mar 22 02:09:07 2019
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
90 T	Hexachloroethane	0.498	0.573	-15.1	99	0.00
91 T	1,2-Dichlorobenzene	1.604	1.671	-4.2	90	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.135	0.143	-5.9	82	0.00
93 T	1,2,4-Trichlorobenzene	0.800	0.899	-12.4	90	0.00
94 T	Hexachlorobutadiene	0.523	0.557	-6.5	99	0.00
95 T	Naphthalene	1.783	1.923	-7.9	86	0.00
96 T	1,2,3-Trichlorobenzene	0.796	0.864	-8.5	87	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 6