

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_N\Data\VN033125\  
 Data File : VN086176.D  
 Acq On : 31 Mar 2025 17:50  
 Operator : JC\MD  
 Sample : PB167374TB  
 Misc : 5.0mL/MSVOA\_N/WATER  
 ALS Vial : 11 Sample Multiplier: 1

Instrument :  
 MSVOA\_N  
 ClientSampleId :  
 PB167374TB

Quant Time: Apr 01 01:38:40 2025  
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_N\methods\82N031825W.M  
 Quant Title : SW846 8260  
 QLast Update : Wed Mar 19 03:20:56 2025  
 Response via : Initial Calibration

| Compound                    | R.T. QIon |                | Response | Conc       | Units  | Dev(Min) |
|-----------------------------|-----------|----------------|----------|------------|--------|----------|
| -----                       |           |                |          |            |        |          |
| Internal Standards          |           |                |          |            |        |          |
| 1) Pentafluorobenzene       | 8.224     | 168            | 169659   | 50.000     | ug/l   | 0.00     |
| 34) 1,4-Difluorobenzene     | 9.100     | 114            | 311763   | 50.000     | ug/l   | 0.00     |
| 63) Chlorobenzene-d5        | 11.865    | 117            | 313539   | 50.000     | ug/l   | 0.00     |
| 72) 1,4-Dichlorobenzene-d4  | 13.794    | 152            | 119498   | 50.000     | ug/l   | 0.00     |
| System Monitoring Compounds |           |                |          |            |        |          |
| 33) 1,2-Dichloroethane-d4   | 8.577     | 65             | 125907   | 54.195     | ug/l   | 0.00     |
| Spiked Amount               | 50.000    | Range 74 - 125 | Recovery | = 108.400% |        |          |
| 35) Dibromofluoromethane    | 8.165     | 113            | 111029   | 51.023     | ug/l   | 0.00     |
| Spiked Amount               | 50.000    | Range 75 - 124 | Recovery | = 102.040% |        |          |
| 50) Toluene-d8              | 10.565    | 98             | 416596   | 52.750     | ug/l   | 0.00     |
| Spiked Amount               | 50.000    | Range 86 - 113 | Recovery | = 105.500% |        |          |
| 62) 4-Bromofluorobenzene    | 12.847    | 95             | 136216   | 48.363     | ug/l   | 0.00     |
| Spiked Amount               | 50.000    | Range 77 - 121 | Recovery | = 96.720%  |        |          |
| Target Compounds            |           |                |          |            |        |          |
|                             |           |                |          |            |        | Qvalue   |
| 16) Acetone                 | 4.436     | 43             | 43469    | 61.244     | ug/l   | 100      |
| 20) Methylene Chloride      | 5.277     | 84             | 123304   | 59.385     | ug/l   | 93       |
| 43) Isopropyl Acetate       | 8.688     | 43             | 19067    | 3.640      | ug/l # | 77       |
| -----                       |           |                |          |            |        |          |

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_N\Data\VN033125\  
Data File : VN086176.D  
Acq On : 31 Mar 2025 17:50  
Operator : JC\MD  
Sample : PB167374TB  
Misc : 5.0mL/MSVOA\_N/WATER  
ALS Vial : 11 Sample Multiplier: 1

Instrument :  
MSVOA\_N  
ClientSampleId :  
PB167374TB

Quant Time: Apr 01 01:38:40 2025  
Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_N\methods\82N031825W.M  
Quant Title : SW846 8260  
QLast Update : Wed Mar 19 03:20:56 2025  
Response via : Initial Calibration

