

Data Path : Z:\VOASRV\HPCHEM1\MSVOA N\DATA\VN040119\
 Data File : VN054884.D
 Acq On : 1 Apr 2019 19:27
 Operator : JC/SP
 Sample : K2212-03
 Misc : 5.00mL/MSVOA N/WATER
 ALS Vial : 21 Sample Multiplier: 1

Instrument :
 MSVOA_N
 ClientSampleId :
 TB-03-28-19

Quant Time: Apr 02 06:56:43 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_N\METHODS\82N032919W.M
 Quant Title : SW846 8260
 QLast Update : Sat Mar 30 00:48:18 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	7.67	168	504687	50.00	ug/l	0.00
34) 1,4-Difluorobenzene	8.59	114	838427	50.00	ug/l	0.00
63) Chlorobenzene-d5	11.41	117	708014	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.34	152	236667	50.00	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.03	65	330358	48.56	ug/l	0.00
Spiked Amount	50.000		Recovery	=	97.12%	
35) Dibromofluoromethane	7.59	113	265260	47.46	ug/l	0.00
Spiked Amount	50.000		Recovery	=	94.92%	
50) Toluene-d8	10.09	98	1011465	48.67	ug/l	0.00
Spiked Amount	50.000		Recovery	=	97.34%	
62) 4-Bromofluorobenzene	12.40	95	303421	43.90	ug/l	0.00
Spiked Amount	50.000		Recovery	=	87.80%	


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA N\DATA\VN040119\
Data File : VN054884.D
Acq On : 1 Apr 2019 19:27
Operator : JC/SP
Sample : K2212-03
Misc : 5.00mL/MSVOA N/WATER
ALS Vial : 21 Sample Multiplier: 1

Instrument :
MSVOA_N
ClientSampleId :
TB-03-28-19

Quant Time: Apr 02 06:56:43 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_N\METHODS\82N032919W.M
Quant Title : SW846 8260
QLast Update : Sat Mar 30 00:48:18 2019
Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 50.000 ug/l

RT: 7.67 min Scan# 1833

Delta R.T. 0.00 min

Lab File: VN054884.D

Acq: 1 Apr 2019 19:27

Instrument :

MSVOA_N

ClientSampleId :


TB-03-28-19

Tot Ion:168 Resp: 504687

Ion Ratio Lower Upper

168 100

99 54.2 37.1 55.7



Abundance Ion 167.90 (167.60 to 168.60): V

Ion 98.90 (98.60 to 99.60): VNO

7.67

200000



150000

100000

50000

0

Time-->



#33

1,2-Dichloroethane-d4

Concen: 48.558 ug/l

RT: 8.03 min Scan# 1945

Delta R.T. 0.00 min

Lab File: VN054884.D


Acq: 1 Apr 2019 19:27

Tgt Ion: 65 Resp: 330358

Ion Ratio Lower Upper

65 100

67 53.5 0.0 104.6



Abundance Ion 64.90 (64.60 to 65.60): VNO

Ion 66.90 (66.60 to 67.60): VNO

8.03


150000


100000

50000

0

Time-->









#34
 1,4-Difluorobenzene
 Concen: 50.000 ug/l
 RT: 8.59 min Scan# 2119
 Delta R.T. 0.00 min
 Lab File: VN054884.D
 Acq: 1 Apr 2019 19:27




Instrument :
 MSVOA_N
 ClientSampleId :
 TB-03-28-19


Tot Ion:114 Resp: 838427
 Ion Ratio Lower Upper
 114 100
 63 22.1 0.0 35.2
 88 15.6 0.0 30.2



#35
 Dibromofluoromethane
 Concen: 47.455 ug/l
 RT: 7.59 min Scan# 1810
 Delta R.T. 0.00 min
 Lab File: VN054884.D
 Acq: 1 Apr 2019 19:27

Tgt Ion:113 Resp: 265260
 Ion Ratio Lower Upper
 113 100
 111 104.0 82.2 123.4
 192 20.8 19.2 28.8





#50

Toluene-d8

Concen: 48.672 ug/l

RT: 10.09 min Scan# 2587

Delta R.T. 0.00 min

Lab File: VN054884.D

Acq: 1 Apr 2019 19:27

Instrument :

MSVOA_N

ClientSampled :





TB-03-28-19

Tot Ion: 98 Resp: 1011465

Ion Ratio Lower Upper

98 100

100 63.5 51.2 76.8



#62

4-Bromofluorobenzene

Concen: 43.902 ug/l

RT: 12.40 min Scan# 3305

Delta R.T. 0.00 min

Lab File: VN054884.D

Acq: 1 Apr 2019 19:27




Tgt Ion: 95 Resp: 303421


Ion Ratio Lower Upper

95 100

174 83.8 0.0 191.0

176 81.0 0.0 187.4









#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 11.41 min Scan# 2996
Delta R.T. 0.00 min
Lab File: VN054884.D
Acq: 1 Apr 2019 19:27

Instrument :
MSVOA_N
ClientSampled :
TB-03-28-19

Tot Ion:117 Resp: 708014
Ion Ratio Lower Upper
117 100
82 56.3 40.0 60.0
119 32.5 25.8 38.6




Abundance Ion 116.90 (116.60 to 117.60): V
Ion 82.00 (81.70 to 82.70): V
Ion 118.90 (118.60 to 119.60): V



#72
1,4-Dichlorobenzene-d4
Concen: 50.000 ug/l
RT: 13.34 min Scan# 3598
Delta R.T. 0.00 min
Lab File: VN054884.D
Acq: 1 Apr 2019 19:27

Tgt Ion:152 Resp: 236667
Ion Ratio Lower Upper
152 100
115 57.0 27.2 81.6
150 154.5 0.0 349.2



Abundance Ion 151.90 (151.60 to 152.60): V
Ion 114.90 (114.60 to 115.60): V
Ion 149.90 (149.60 to 150.60): V

