

Data Path : Z:\voasrv\HPCHEM1\MSVOA N\Data\VN041420\
 Data File : VN060948.D
 Acq On : 14 Apr 2020 20:46
 Operator : JC/MD
 Sample : VSTDCCC050
 Misc : 5.00mL/MSVOA N/WATER
 ALS Vial : 27 Sample Multiplier: 1

Instrument :
 MSVOA_N
 LabSampleId :
 VSTDCCC050

Quant Time: Apr 15 09:33:50 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_N\METHODS\82N031820W.M
 Quant Title : SW846 8260
 QLast Update : Wed Mar 18 08:49:09 2020
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	66	0.00
2 T	Dichlorodifluoromethane	0.484	0.383	20.9	50	0.00
3 P	Chloromethane	0.904	0.720	20.4	53	0.00
4 C	Vinyl Chloride	0.707	0.576	18.5#	54	0.00
5 T	Bromomethane	0.305	0.290	4.9	63	0.00
6 T	Chloroethane	0.407	0.369	9.3	58	0.00
7 T	Trichlorofluoromethane	0.871	0.783	10.1	59	0.00
8 T	Diethyl Ether	0.350	0.344	1.7	64	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.504	0.468	7.1	61	0.00
10 T	Methyl Iodide	0.449	0.365	18.7	56	0.00
11 T	Tert butyl alcohol	0.101	0.101	0.0	68	0.00
12 CM	1,1-Dichloroethene	0.541	0.483	10.7#	59	0.00
13 T	Acrolein	0.112	0.132	-17.9	79	0.00
14 T	Allyl chloride	0.952	0.893	6.2	64	0.00
15 T	Acrylonitrile	0.297	0.313	-5.4	69	0.00
16 T	Acetone	0.243	0.250	-2.9	68	0.00
17 T	Carbon Disulfide	1.646	1.275	22.5	51	0.00
18 T	Methyl Acetate	0.684	0.751	-9.8	71	0.00
19 T	Methyl tert-butyl Ether	1.861	1.803	3.1	65	0.00
20 T	Methylene Chloride	0.598	0.556	7.0	61	0.00
21 T	trans-1,2-Dichloroethene	0.577	0.513	11.1	59	0.00
22 T	Diisopropyl ether	2.012	2.090	-3.9	68	0.00
23 T	Vinyl Acetate	1.641	1.714	-4.4	67	0.00
24 P	1,1-Dichloroethane	1.097	1.085	1.1	65	0.00
25 T	2-Butanone	0.393	0.414	-5.3	69	0.00
26 T	2,2-Dichloropropane	0.863	0.810	6.1	63	0.00
27 T	cis-1,2-Dichloroethene	0.656	0.614	6.4	62	0.00
28 T	Bromochloromethane	0.525	0.563	-7.2	70	0.00
29 T	Tetrahydrofuran	0.278	0.284	-2.2	68	0.00
30 C	Chloroform	1.051	1.021	2.9#	64	0.00
31 T	Cyclohexane	1.106	0.963	12.9	60	0.00
32 T	1,1,1-Trichloroethane	0.906	0.871	3.9	62	0.00
33 S	1,2-Dichloroethane-d4	0.686	0.695	-1.3	67	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	68	0.00
35 S	Dibromofluoromethane	0.302	0.305	-1.0	68	0.00
36 T	1,1-Dichloropropene	0.484	0.443	8.5	61	0.00
37 T	Ethyl Acetate	0.523	0.518	1.0	68	0.00
38 T	Carbon Tetrachloride	0.434	0.396	8.8	60	0.00
39 T	Methylcyclohexane	0.575	0.511	11.1	59	0.00
40 TM	Benzene	1.462	1.343	8.1	62	0.00
41 T	Methacrylonitrile	0.223	0.225	-0.9	68	0.00
42 TM	1,2-Dichloroethane	0.499	0.471	5.6	64	0.00
43 T	Isopropyl Acetate	0.863	0.869	-0.7	68	0.00
44 TM	Trichloroethene	0.368	0.333	9.5	60	0.00
45 C	1,2-Dichloropropane	0.386	0.378	2.1#	66	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA N\Data\VN041420\
 Data File : VN060948.D
 Acq On : 14 Apr 2020 20:46
 Operator : JC/MD
 Sample : VSTDCCC050
 Misc : 5.00mL/MSVOA N/WATER
 ALS Vial : 27 Sample Multiplier: 1

Instrument :
 MSVOA_N
 LabSampleId :
 VSTDCCC050

Quant Time: Apr 15 09:33:50 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_N\METHODS\82N031820W.M
 Quant Title : SW846 8260
 QLast Update : Wed Mar 18 08:49:09 2020
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
46 T	Dibromomethane	0.233	0.223	4.3	63	0.00
47 T	Bromodichloromethane	0.484	0.473	2.3	65	0.00
48 T	Methyl methacrylate	0.384	0.382	0.5	67	0.00
49 T	1,4-Dioxane	0.005	0.005	0.0	65	0.00
50 S	Toluene-d8	1.235	1.202	2.7	65	0.00
51 T	4-Methyl-2-Pentanone	0.491	0.514	-4.7	69	0.00
52 CM	Toluene	0.883	0.819	7.2#	62	0.00
53 T	t-1,3-Dichloropropene	0.557	0.546	2.0	64	0.00
54 T	cis-1,3-Dichloropropene	0.611	0.580	5.1	64	0.00
55 T	1,1,2-Trichloroethane	0.340	0.328	3.5	65	0.00
56 T	Ethyl methacrylate	0.529	0.542	-2.5	65	0.00
57 T	1,3-Dichloropropane	0.589	0.574	2.5	65	0.00
58 T	2-Chloroethyl Vinyl ether	0.263	0.253	3.8	61	0.00
59 T	2-Hexanone	0.354	0.374	-5.6	68	0.00
60 T	Dibromochloromethane	0.351	0.348	0.9	65	0.00
61 T	1,2-Dibromoethane	0.341	0.329	3.5	63	0.00
62 S	4-Bromofluorobenzene	0.453	0.453	0.0	68	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	68	0.00
64 T	Tetrachloroethene	0.393	0.321	18.3	55	0.00
65 PM	Chlorobenzene	0.991	0.920	7.2	63	0.00
66 T	1,1,1,2-Tetrachloroethane	0.359	0.346	3.6	65	0.00
67 C	Ethyl Benzene	1.843	1.738	5.7#	62	0.00
68 T	m/p-Xylenes	0.685	0.637	7.0	62	0.00
69 T	o-Xylene	0.654	0.609	6.9	61	0.00
70 T	Styrene	1.069	1.028	3.8	62	0.00
71 P	Bromoform	0.268	0.268	0.0	63	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	69	0.00
73 T	Isopropylbenzene	3.752	3.435	8.4	63	0.00
74 T	N-amyl acetate	1.734	1.715	1.1	67	0.00
75 P	1,1,2,2-Tetrachloroethane	1.135	1.109	2.3	68	0.00
76 T	1,2,3-Trichloropropane	1.079	0.993	8.0	66	0.00
77 T	Bromobenzene	0.904	0.805	11.0	62	0.00
78 T	n-propylbenzene	4.433	4.063	8.3	63	0.00
79 T	2-Chlorotoluene	2.649	2.396	9.6	63	0.00
80 T	1,3,5-Trimethylbenzene	3.184	2.891	9.2	62	0.00
81 T	trans-1,4-Dichloro-2-butene	0.420	0.391	6.9	64	0.00
82 T	4-Chlorotoluene	2.698	2.484	7.9	63	0.00
83 T	tert-Butylbenzene	2.640	2.433	7.8	63	0.00
84 T	1,2,4-Trimethylbenzene	3.150	2.925	7.1	63	0.00
85 T	sec-Butylbenzene	3.550	3.309	6.8	63	0.00
86 T	p-Isopropyltoluene	3.192	2.958	7.3	63	0.00
87 T	1,3-Dichlorobenzene	1.595	1.463	8.3	63	0.00
88 T	1,4-Dichlorobenzene	1.602	1.475	7.9	63	0.00
89 T	n-Butylbenzene	2.882	2.753	4.5	64	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA N\Data\VN041420\
Data File : VN060948.D
Acq On : 14 Apr 2020 20:46
Operator : JC/MD
Sample : VSTDCCC050
Misc : 5.00mL/MSVOA N/WATER
ALS Vial : 27 Sample Multiplier: 1

Instrument :
MSVOA_N
LabSampleId :
VSTDCCC050

Quant Time: Apr 15 09:33:50 2020
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_N\METHODS\82N031820W.M
Quant Title : SW846 8260
QLast Update : Wed Mar 18 08:49:09 2020
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
90 T	Hexachloroethane	0.464	0.474	-2.2	67	0.00
91 T	1,2-Dichlorobenzene	1.525	1.414	7.3	63	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.255	0.233	8.6	69	0.00
93 T	1,2,4-Trichlorobenzene	0.936	0.888	5.1	63	0.00
94 T	Hexachlorobutadiene	0.459	0.397	13.5	60	0.00
95 T	Naphthalene	2.816	2.655	5.7	63	0.00
96 T	1,2,3-Trichlorobenzene	0.922	0.855	7.3	63	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 6